

Canadian Community Health Survey (CCHS)

Risk Factors for Heart Disease



Statistics
Canada

Statistique
Canada

Canada

Table of Contents

Content	2
Proxy interview (GR)	2
Age of respondent (ANC1)	4
Age without confirmation (ANC)	6
Date (DATE)	9
Update name (UN)	11
Relationship matrix (REL)	12
Relationship without confirmation (RNC)	14
Main activity (MAC)	26
Education - school attendance v.1 (ESC1)	29
General health (GEN)	30
Health minimum block (HM)	32
Subjective well-being minimum (SLM)	33
Height and weight - self-reported (HWT)	34
Chronic conditions (CCC)	40
Fruit and vegetable consumption (FVC)	48
Smoking (SMK)	53
Exposure to second hand smoke (ETS)	62
Alcohol use (ALC)	65
Physical activities - adults 18 years and older (PAA)	67
Physical activities for youth (PAY)	75
Physical activity detail (PAD)	90
Maternal experiences (MEX)	92
Flu shots (FLU)	105
Primary health care (PHC)	107
Contacts with health professionals - part 1 (CHP)	112
Risk factors for heart disease (RFH)	120
Labour force (LBF)	126
Labour market activities minimal (LMAM)	128
Class of worker (LMA3)	131
Industry (LMA4)	133
Occupation (LMA5)	137
Usual hours of work (LMA6)	140
Socio-demographic characteristics (SDC)	143
Immigration minimum block (IMM)	147
Aboriginal minimum (AMB)	150
Population group (PG)	152
Language minimum (LAN)	155
Language look-up (LLU)	158
Person most knowledgeable about household situation (PMK)	159
Income (INC)	164
Total household income (THI)	170
Total personal income (TPI)	173
Administration information (ADM)	176
Health number validation (HN)	181
Topical Index	184

Content

Proxy interview (GR)

Core content

GR_BEG

Core content

External variables required:

DOGR: do block flag, from the sample file.

DV_HHSIZE: Household size from the Entry.

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

GR_N005

GR_005

INTERVIEWER: Who is providing the information for this person's component?

01 MEMBER1
02 MEMBER2
03 MEMBER3
04 MEMBER4
05 MEMBER5
06 MEMBER6
07 MEMBER7
08 MEMBER8
09 MEMBER9
10 MEMBER10
11 MEMBER11
12 MEMBER12
13 MEMBER13
14 MEMBER14
15 MEMBER15
16 MEMBER16
17 MEMBER17
18 MEMBER18
19 MEMBER19
20 MEMBER20
88 Not a household member
(DK, RF not allowed)

Programmer:

Only display response categories 01 up to DV_HHSIZE, and 88.

GR_C010

If selected respondent, go to GR_END.
Otherwise, go to GR_N010.

GR_N010

INTERVIEWER: Do you want to complete this component by proxy?

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

GR_010

1 Yes (Go to GR_N015)
2 No
(DK, RF not allowed)

Go to GR_E010

Processing:

This is the variable that's used to create the Proxy variable (PROXYMODE).

GR_E010

You may not proceed with the rest of this questionnaire. Please press <F10> to exit, or return and update GR_N005 or GR_N010.

Rule:

Trigger hard edit if GR_N010 = 2 and not Selected Respondent.

GR_N015

GR_015

INTERVIEWER: Record the reason why this component is being completed by proxy. Proxy interviews are to occur only if the mental or physical health of the selected member makes it impossible to complete the interview during the collection period. If the reason for the proxy interview is neither of these choices, please press <F10> to exit the application and assign an appropriate outcome code.

1 Physical health condition
2 Mental health condition
(DK, RF not allowed)

GR_N020

INTERVIEWER: Enter the condition.

(80 spaces)

(DK, RF not allowed)

GR_END

Age of respondent (ANC1)

	Core content
ANC1_BEG	Core content
	External variables required:
	DOANC1: do block flag, from the sample file.
	PROXYMODE: proxy identifier, from the GR block.
	PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy.
	AGE: Age of the selected respondent
	TR_Q01: Question from entry identifies if roster was done by the selected respondent or another hhd member
	REFERENCEDATEE: English text of reference date defined as CURRENTDATE
	CASEFLAG1: variable from the header sample file to identify frame being used (CASEFLAG1=0 means 18+ frame, CASEFLAG1=1 means 12-17 CCTB frame)
	SRC_Q03: Question from Entry for age confirmation of 12-17
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space
ANC1_C001A	If DOANC1 = 2, go to ANC1_END. Otherwise, go to ANC1_C001B.
ANC1_C001B	If CASEFLAG1 = 1, go to ANC1_C001C. Otherwise, go to ANC1_B005.
ANC1_C001C	If SRC_Q03 = 1 (Confirmed age is 12-17), go to ANC1_B005. Otherwise, go to ANC1_END.
Processing:	If SRC_Q03=2, then DATE_Q01 is given the value BCN1_DATE_Q01 DATE_Q02 is given the value BCN1_DATE_Q02 DATE_Q03 is given the value BCN1_DATE_Q03
ANC1_B005	Call Sub-block "Age Without Confirmation" (ANC) from Harmonized Content
Programmer:	AGE will be redefined by SPECRESPAGE from Harmonized content ANC block.
ANC1_D010	Not Applicable

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

ANC1_C010A	If CASEFLAG1 = 1, go to ANC1_C010B. Otherwise, go to ANC1_C020.
ANC1_C010B	If AGE < 12 years, go to ANC1_R010. Otherwise, go to ANC1_C015.
ANC1_R010	Because ^YOU1 ^ARE less than 12 years old, ^YOU1 ^ARE not eligible to participate in the Canadian Community Health Survey. <u>INTERVIEWER</u> : Press <1> to continue. Go to ANC1_END
ANC1_C015	If AGE > 17 years, go to ANC1_R015. Otherwise, go to ANC1_C025.
ANC1_R015	Because ^YOU1 ^ARE more than 17 years old, ^YOU1 ^ARE not eligible to participate in the Canadian Community Health Survey. <u>INTERVIEWER</u> : Press <1> to continue. Go to ANC1_END
ANC1_C020	If AGE < 18 years, go to ANC1_R020. Otherwise, go to ANC1_C025.
ANC1_R020	Because ^YOU1 ^ARE less than 18 years old, ^YOU1 ^ARE not eligible to participate in the Canadian Community Health Survey. <u>INTERVIEWER</u> : Press <1> to continue. Go to ANC1_END
ANC1_C025	If TR_Q01 =1 (respondent completed the roster), go to ANC1_END. Otherwise, go to ANC1_C030.
ANC1_C030	If CASEFLAG1 = 1, go to ANC1_END. Otherwise, go to ANC1_B030.
ANC1_B030	Call Sub-block "Update Name" (UN)
ANC1_END	

Age without confirmation (ANC)

Harmonized content

ANC_BEG

External variables required:
REFERENCEYEAR: numeric year of reference date
SPECRESPYEAR: year of birth of specific respondent
SPECRESPAGE: age of specific respondent

Variables created based on sample file data:
CURRENTYEAR: numeric year of current/system date
CURRENTMONTH: numeric month of current/system date
CURRENTDAY: numeric day of current/system date
CURRENTDATEE: English text of current/system date
CURRENTDATEF: French text of current/system date
REFERENCEDATEE: English text of reference date defined as
CURRENTDATE
REFERENCEDATEF: French text of reference date defined as
CURRENTDATE
SPECRESPNAME: name of specific respondent (one space separating
first and last names)
SPECRESPBDATE: date of birth of specific respondent

Programmer:

***HARMONIZED CONTENT BLOCK**

ANC_B01

What is ^SPECRESPNAME's date of birth?

Call the Date block (DATE)

Help text:

Tag: Age Without Confirmation

Purpose:

Used to calculate the age of the household member, which is necessary for
determining question flows.

Procedure:

If the specific date of birth is unknown or refused, collect as much information as
possible (e.g., the year and month if the day is not known).

Programmer:

Pre-fill the question text with the appropriate respondent name.

ANC_E01A

Year cannot be before ^EARLIESTYEAR. Please return and correct.

Rule:

Trigger hard edit if ANC_B01.Year < EARLIESTYEAR
EARLIESTYEAR = CURRENTYEAR - 121

ANC_E01B

Date cannot be after ^CURRENTDATEE. Please return and correct.

Rule:

Trigger hard edit if date entered at ANC_B01 is after the current/system date.

ANC_C02A

If ANC_B01.Month = NONRESPONSE or ANC_B01.Year = NONRESPONSE,
go to ANC_Q03.
Otherwise, go to ANC_C02B.

ANC_C02B

If ANC_B01.Day = NONRESPONSE and ANC_B01.Month =
CURRENTMONTH, go to ANC_Q03.
Otherwise, go to ANC_D02A.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

ANC_D02A

Source: DV_DOBDATEE = DT_DOBMONTHE + ANC_B01.Day + "," + ANC_B01.Year

DV_CALCULATEDAGE = age calculated based on the entered date of birth. See Appendix II for detailed specifications for calculating age. (Display note: (1..121))

DV_CALCULATEDAGE = 0 then
DV_CALCULATEDAGE = age in months

ANC_D02B

If ANC_B01.Month = 1, DT_DOBMONTHE = 'January'.
If ANC_B01.Month = 2, DT_DOBMONTHE = 'February'.
If ANC_B01.Month = 3, DT_DOBMONTHE = 'March'.
If ANC_B01.Month = 4, DT_DOBMONTHE = 'April'.
If ANC_B01.Month = 5, DT_DOBMONTHE = 'May'.
If ANC_B01.Month = 6, DT_DOBMONTHE = 'June'.
If ANC_B01.Month = 7, DT_DOBMONTHE = 'July'.
If ANC_B01.Month = 8, DT_DOBMONTHE = 'August'.
If ANC_B01.Month = 9, DT_DOBMONTHE = 'September'.
If ANC_B01.Month = 10, DT_DOBMONTHE = 'October'.
If ANC_B01.Month = 11, DT_DOBMONTHE = 'November'.
If ANC_B01.Month = 12, DT_DOBMONTHE = 'December'.
If DV_CALCULATEDAGE > 0, DT_YEARSMONTHSE = 'EMPTY'.
If DV_CALCULATEDAGE = 0, DT_YEARSMONTHSE = 'months'.

ANC_C02C

If DV_DOBDATEE = BirthDate (from roster or sample file for CASEFLAG1=1), go to ANC_END.
Otherwise, go to ANC_C02.

ANC_Q02
ANC_Q2

So ^SPECRESPNAME's age on ^REFERENCEDATEE was
^DV_CALCULATEDAGE ^DT_YEARSMONTHSE.
Is that correct?

INTERVIEWER: Date of birth is ^DV_DOBDATEE.

- 1 Yes
- 2 No, return and correct date of birth
- 3 No, collect age (DK, RF not allowed)

Help text:

Tag: Age Without Confirmation

Purpose:

The full set of date-of-birth information collected in the previous question is used to calculate the age of the household member.

Functionality:

<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer:

Pre-fill the question text with the appropriate respondent name.

ANC_E02A

The respondent's age has been updated. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule:

Trigger soft edit if SPECRESPAGE = RESPONSE and (ANC_Q02 = 1 AND | DV_CALCULATEDAGE - SPECRESPAGE | > 3.

ANC_E02B

Return to ANC_B01 and correct the date of birth.

Rule: Trigger hard edit if ANC_Q02 = 2.

ANC_C03 If ANC_Q02 = 1, go to ANC_END.
Otherwise, go to ANC_Q03.

ANC_Q03 **What is ^SPECRESPNAME's age?**
ANC_Q03

|_|_|_| Age in years
(MIN: 0)
(MAX: 121)

(DK, RF not allowed)

Help text: Tag: Age Without Confirmation

Purpose:
To collect the age of the household member if one or more parts of the date of birth were unknown or refused or if the calculated age was not verified as correct.

Procedure:
If the respondent is unwilling or unable to provide a specific age for the household member, probe to obtain an estimate.

Functionality:
If there is a valid feedback age and the entered age differs by more than three years from the feedback age, a soft edit will be triggered for confirmation.
<F5> "Refusal" and <F6> "Don't Know" are disabled for this question.

Programmer: Pre-fill the question text with the appropriate respondent name.

ANC_E03 The respondent's age has been updated. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: Trigger soft edit if SPECRESPAGE = RESPONSE and (|ANC_Q03 - SPECRESPAGE| > 3).

ANC_END

Date (DATE)

Core content

DATE_BEG

Import the following variables:

DV_QTEXT_E (What is ^SPECRESPNAME's date of birth?)

DATE_Q01
DHH_DOB

^DV_QTEXT_E

INTERVIEWER: Enter the day.
If necessary, ask: (What is the day?)

|_|_|
(MIN: 1)
(MAX: 31)

DK, RF

DATE_Q02
DHH_MOB

(^DV_QTEXT_E)

INTERVIEWER: Select the month.
If necessary, ask: (What is the month?)

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
DK, RF

DATE_E02

"An impossible day/month combination has been entered. Please return and correct."

Rule:

Trigger hard edit if an invalid day/month combination is entered (e.g., DATE_Q01 = 30 and DATE_Q02 = 02).

Help text:

Functionality:
If a month is selected that is invalid in combination with the previously entered numeric day, a hard edit will be triggered.

DATE_Q03

(^DV_QTEXT_E)

DHH_YOB

INTERVIEWER: Enter a four digit year.
If necessary, ask (What is the year?)

|_|_|_|
(MIN: 0)
(MAX: 9,997)

DK, RF

DATE_E03

"An impossible day/month/year combination has been entered.
Please return and correct."

Rule:

Trigger hard edit if an invalid day/month/year combination is entered (e.g.,
DATE_Q01 = 29 and DATE_Q02 = 02 and DATE_Q03 = 1999).

Help text:

Functionality:

If a year is entered that is invalid in combination with the previously entered month
and day, a hard edit will be triggered.

DATE_END

For Information Only

Update name (UN)

Core content

UN_BEG

External variables required:

FNAME: Respondent's first name

LNAME: Respondent's last name

UN_N01

INTERVIEWER: Please confirm the spelling of respondent's first name.
Update first name, if necessary.

Original First Name: ^FNAME

Original Last Name: ^LNAME

(25 spaces)

(DK, RF not allowed)

Null is allowed

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

UN_N02

INTERVIEWER: Please confirm the spelling of respondent's last name.
Update last name, if necessary.

Original First Name: ^FNAME

Original Last Name: ^LNAME

(25 spaces)

(DK, RF not allowed)

Null is allowed

Programmer:

Any lower case text characters typed into the field should be converted to upper case text characters after <Enter> is pressed.

UN_D02

Programmer:

Set and return RESPNAME = UN_N01 + UN_N02 (separated by one space).

UN_END

Relationship matrix (REL)

	Core content
REL_BEG	Import DV_HHSize (Household Size)
REL_C01	If DV_HHSize = 1, go to REL_END. Otherwise, go to REL_B01.
Programmer:	<i>If DV_HHSize = 1, DV_DHHDLVG = 1.</i>
REL_B01	Call the Relationship No Confirmation (RNC) block
Programmer:	<i>When calling this block, only ask relationships with the selected member, unless DV_DHHDLVG = 2 or 10 (then ask relationship for all members, i.e. full matrix)</i>
REL_D01	If Any relationship = Parent, DV_PARENT = True If Any relationship = Child and DV_CHILD = 0, DV_CHILD = 1 If Any relationship = Child and DV_CHILD <> 0, DV_CHILD = 2 If Any relationship = Other relative (Grandparent, Grandchild, In-Law, Father/Mother-in-law, Son/Daughter-in-law, Brother/Sister-in-law, Other in-law, Other Related, Uncle/Aunt, Cousin, Nephew/Niece, Other Relative), DV_OTHERREL = True If Any relationship = Non-relative (Foster Sister/Brother, Foster Parent, Foster Child, Unrelated, Boyfriend/Girlfriend, Room-mate, Other Unrelated), DV_NONREL = True If Any relationship = Spouse or common law, DV_SPOUSE = True If Any relationship is unknown, DV_UNKNOWN = True
REL_B02	Call the Sign Off (SO) block
REL_D02	If DV_UNKNOWN = True, DV_DHHDLVG = 99 If DV_HHSize = 1, DV_DHHDLVG = 1 If DV_PARENT = False and DV_CHILD = 0 and (DV_OTHERREL = True or DV_NONREL = True) and DV_SPOUSE = False, DV_DHHDLVG = 2 If DV_SPOUSE = True and DV_HHSize = 2, DV_DHHDLVG = 3 If DV_SPOUSE = True and DV_PARENT = True and DV_CHILD = 0 and DV_OTHERREL = False and DV_NONREL = False, DV_DHHDLVG = 4 If DV_SPOUSE = False and DV_PARENT = True and DV_CHILD = 0 and DV_OTHERREL = False and DV_NONREL = False, DV_DHHDLVG = 5 If DV_SPOUSE = False and DV_PARENT = False and DV_CHILD = 1 and DV_OTHERREL = False and DV_NONREL = False and DV_HHSize = 2, DV_DHHDLVG = 6 If DV_SPOUSE = False and DV_PARENT = False and DV_CHILD = 2 and DV_OTHERREL = False and DV_NONREL = False and DV_HHSize > 2, DV_DHHDLVG = 7 If DV_SPOUSE = False and DV_PARENT = False and DV_CHILD = 1 and DV_OTHERREL = False and DV_NONREL = False and DV_HHSize = 3, DV_DHHDLVG = 8 If DV_SPOUSE = False and DV_PARENT = False and DV_CHILD = 2 and DV_OTHERREL = False and DV_NONREL = False and DV_HHSize > 3, DV_DHHDLVG = 9 ELSE, DV_DHHDLVG = 10
REL_E02	Relationships of all members are needed.

Rule: *Trigger soft edit if DV_DHHDLVG = 2 or 10*

Programmer: *When suppressed, the flow should go to the first unanswered question in the RNC block, then flow to complete the matrix.*

REL_END

For Information Only

Relationship without confirmation (RNC)

Harmonized content

RNC_BEG

External variables required:
 ROSTER: first and last names of every member of the household
 SPECRESPNAME1: name of specific respondent (one space separating first and last names)
 SPECRESPNAME2: name of secondary respondent (one space separating first and last names)
 SPECRESPAGE1: age of specific respondent
 SPECRESPAGE2: age of secondary respondent
 SEX_Q01: sex of specific respondent (primary)
 SEX_Q01: sex of secondary respondent
 DETAILREL: 1..2 (1 = minimal level of details - 1 question), (2 = detailed levels of relationship - 2 questions)
 SPECRESPMS: marital status of specific respondent
 DV_DHHDLVG: living/family arrangement of selected respondent

Programmer:

For households of 2 people, the RNC module is not required. For households of 3 or more people, pass through the RNC module to obtain all relationships between the selected respondent and all other household members. Based on these relationships, calculate the living arrangement (based on DV_DHHDLVG) of the selected respondent.

For households of 3 or more people and where the living arrangement is an "Unattached individual living with others" or "Other" (DV_DHHDLVG = 2 or 10), pass through the RNC module to obtain the relationships between all other household members (everyone to everyone matrix).

RNC_D1A

If SEX_Q01 (primary) = 1, DT_SPECRESPSEXE1 = 'Male'.
 If SEX_Q01 (primary) = 2, DT_SPECRESPSEXE1 = 'Female'.
 If SEX_Q01 (secondary) = 1, DT_SPECRESPSEXE2 = 'Male'.
 If SEX_Q01 (secondary) = 2, DT_SPECRESPSEXE2 = 'Female'.

RNC_D1B

If SEX_Q01 of SPECRESPNAME1 = 1 (male), DT_HUSBAND_WIFE = 'Husband'.

If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_FATHER_MOTHER_C =
'Father'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_SON_DAUGHTER_C = 'Son'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_BROTHER_SISTER_C =
'Brother'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_GRAND_FATHER_MOTHER
= 'Grandfather'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_GRAND_SON_DAUGHTER
= 'Grandson'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_HUSBAND_WIFE = 'Wife'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_FATHER_MOTHER_C =
'Mother'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_SON_DAUGHTER_C =
'Daughter'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_BROTHER_SISTER_C =
'Sister'.
If SEX_Q01 of SPECRESNAME1 = 2 (female),
DT_GRAND_FATHER_MOTHER = 'Grandmother'.
If SEX_Q01 of SPECRESNAME1 = 2 (female),
DT_GRAND_SON_DAUGHTER = 'Granddaughter'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_FATHER_MOTHER = 'father'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_FATHER_MOTHER =
'mother'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_SON_DAUGHTER = 'son'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_SON_DAUGHTER =
'daughter'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_BROTHER_SISTER =
'brother'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_BROTHER_SISTER = 'sister'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_UNCLE_AUNT = 'Uncle'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_UNCLE_AUNT = 'Aunt'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_NEPHEW_NIECE =
'Nephew'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_NEPHEW_NIECE =
'Niece'.
If SEX_Q01 of SPECRESNAME1 = 1 (male), DT_BOYFRIEND_GIRLFRIEND =
'Boyfriend'.
If SEX_Q01 of SPECRESNAME1 = 2 (female), DT_BOYFRIEND_GIRLFRIEND
= 'Girlfriend'.

RNC_Q1

What is the relationship...

of: ^SPECRESPNAME1 (^SPECRESPAGE1, ^DT_SPECRESPSEXE1)

to: ^SPECRESPNAME2 (^SPECRESPAGE2, ^DT_SPECRESPSEXE2)?

01 ^DT_HUSBAND_WIFE
 02 Common-law partner
 03 ^DT_FATHER_MOTHER_C
 04 ^DT_SON_DAUGHTER_C
 05 ^DT_BROTHER_SISTER_C
 06 Foster
 ^DT_FATHER_MOTHER
 07 Foster
 ^DT_SON_DAUGHTER
 08
 ^DT_GRAND_FATHER_MO
 THER
 09
 ^DT_GRAND_SON_DAUG
 HTER
 10 In-law
 11 Other related
 12 Unrelated
 DK, RF

Help text:

Tag: Relationship Without Confirmation

Purpose:

to determine the relationship of one household member to another used to analyze and interpret changes in family and household characteristics and composition

Definition:

husband or wife: spouse by legal marriage (opposite or same sex)
 common-law partner: two people of the opposite or same sex who live together as a couple but are not legally married
 foster father or mother: a person paid to provide care for a child under the age of 18 who is not the child's birth or adoptive parent or the spouse of the child's mother or father
 foster son or daughter: a child under the age of 18 receiving care from someone being paid to provide that care who is not the child's birth or adoptive parent or the spouse of the child's mother or father
 in-law: a person related by marriage or common-law union

Programmer:

Pre-fill the question text with the appropriate respondent names.

RNC_E1A

The category "^DT_HUSBAND_WIFE" has been selected for a household member less than 16 years old. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule:

Trigger soft edit if the age of one or both of the respondents is less than 16 and "Husband/Wife" is selected as the relationship.

RNC_E1C

The category "^DT_HUSBAND_WIFE" has been selected for household members who are not married. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule:

Trigger soft edit if the marital status of one or both of the respondents is not "Married" and "Husband/Wife" is selected as the relationship.

RNC_E1D

The category "Common-law partner" has been selected for a household member less than 16 years old. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule:	<i>Trigger soft edit if the age of one or both of the respondents is less than 16 and "Common-law partner" is selected as the relationship.</i>
RNC_E1F	The category "Common-law partner" has been selected for household members who are not living common-law. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the marital status of one or both of the respondents is not "Living common-law" and "Common-law partner" is selected as the relationship.</i>
RNC_E1G	The category "^DT_FATHER_MOTHER_C" has been selected. ^SPECRESPNAME1 is less than 12 years old. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) is less than 12 and "Father/Mother" is selected as the relationship.</i>
RNC_E1H	The category "^DT_SON_DAUGHTER_C" has been selected. ^SPECRESPNAME2 is less than 12 years old. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the age of the secondary respondent (i.e., the second person in the question) is less than 12 and "Son/Daughter" is selected as the relationship.</i>
RNC_E1I	The category "^DT_BROTHER_SISTER_C" has been selected for household members different in age by more than 34 years. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) and the age of the secondary respondent (i.e., the second person in the question) are different by more than 34 years and "Brother/Sister" is selected as the relationship.</i>
RNC_E1J	The category "Foster ^DT_FATHER_MOTHER" cannot be selected. ^SPECRESPNAME1 is less than 18 years old. Please return and correct.
Rule:	<i>Trigger hard edit if the age of the primary respondent (i.e., the first person in the question) is less than 18 and "Foster father/mother" is selected as the relationship.</i>
RNC_E1K	The category "Foster ^DT_FATHER_MOTHER" cannot be selected. ^SPECRESPNAME2 is more than 17 years old. Please return and correct.
Rule:	<i>Trigger hard edit if the age of the secondary respondent (i.e., the second person in the question) is more than 17 and "Foster father/mother" is selected as the relationship.</i>
RNC_E1L	The category "Foster ^DT_SON_DAUGHTER" cannot be selected. ^SPECRESPNAME1 is more than 17 years old. Please return and correct.
Rule:	<i>Trigger hard edit if the age of the primary respondent (i.e., the first person in the question) is more than 17 and "Foster son/daughter" is selected as the relationship.</i>
RNC_E1M	The category "Foster ^DT_SON_DAUGHTER" cannot be selected. ^SPECRESPNAME2 is less than 18 years old. Please return and correct.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule: *Trigger hard edit if the age of the secondary respondent (i.e., the second person in the question) is less than 18 and "Foster son/daughter" is selected as the relationship.*

RNC_E1N The category "^DT_GRAND_FATHER_MOTHER" has been selected. ^SPECRESPNAME1 is less than 24 years old. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: *Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) is less than 24 and "Grandfather/mother" is selected as the relationship.*

RNC_E1O The category "^DT_GRAND_FATHER_MOTHER" has been selected. ^SPECRESPNAME1 is younger than ^SPECRESPNAME2. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: *Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) is less than the age of the secondary respondent (i.e., the second person in the question) and "Grandfather/mother" is selected as the relationship.*

RNC_E1P The category "^DT_GRAND_FATHER_MOTHER" has been selected for household members different in age by less than 25 years. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: *Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) and the age of the secondary respondent (i.e., the second person in the question) are different by less than 25 years and "Grandfather/mother" is selected as the relationship.*

RNC_E1Q The category "^DT_GRAND_SON_DAUGHTER" has been selected. ^SPECRESPNAME2 is less than 24 years old. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: *Trigger soft edit if the age of the secondary respondent (i.e., the second person in the question) is less than 24 and "Grandson/daughter" is selected as the relationship.*

RNC_E1R The category "^DT_GRAND_SON_DAUGHTER" has been selected. ^SPECRESPNAME2 is younger than ^SPECRESPNAME1. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: *Trigger soft edit if the age of the secondary respondent (i.e., the second person in the question) is less than the age of the primary respondent (i.e., the first person in the question) and "Grandson/daughter" is selected as the relationship.*

RNC_E1S The category "^DT_GRAND_SON_DAUGHTER" has been selected for household members different in age by less than 25 years. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: *Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) and the age of the secondary respondent (i.e., the second person in the question) are different by less than 25 years and "Grandson/daughter" is selected as the relationship.*

RNC_C2A If DETAILREL = 1 (minimal level of details), go to RNC_END. Otherwise, go to RNC_C2B.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

RNC_C2B	If RNC_Q1 = 3, go to RNC_Q2A. Otherwise, go to RNC_C2C.
RNC_C2C	If RNC_Q1 = 4, go to RNC_Q2B. Otherwise, go to RNC_C2D.
RNC_C2D	If RNC_Q1 = 5, go to RNC_Q2C. Otherwise, go to RNC_C2E.
RNC_C2E	If RNC_Q1 = 10, go to RNC_Q2D. Otherwise, go to RNC_C2F.
RNC_C2F	If RNC_Q1 = 11, go to RNC_Q2E. Otherwise, go to RNC_C2G.
RNC_C2G	If RNC_Q1 = 12, go to RNC_Q2F. Otherwise, go to RNC_END.
RNC_Q2A	<p>What is the relationship...</p> <p>of: ^SPECRESPNAME1 (^SPECRESPAGE1, ^DT_SPECRESPSEX1)</p> <p>to: ^SPECRESPNAME2 (^SPECRESPAGE2, ^DT_SPECRESPSEX2)</p> <p>Is that a(n)... ?</p> <p><u>INTERVIEWER</u>: Read categories to respondent.</p> <p>1 Birth ^DT_FATHER_MOTHER</p> <p>2 Step ^DT_FATHER_MOTHER</p> <p>3 Adoptive</p> <p> ^DT_FATHER_MOTHER</p> <p> DK, RF</p> <p> Go to RNC_END</p>
Help text:	<p><u>Tag</u>: Relationship Without Confirmation</p> <p><u>Purpose</u>: to determine a more specific relationship of one household member to another</p> <p><u>Definition</u>: stepfather or stepmother: the spouse or common-law partner of the child's birth or adoptive mother or father adoptive father or mother: a person who has signed legal documents giving him or her the right to raise the child as his or her own</p> <p>Programmer: Pre-fill the question text with the appropriate respondent names.</p>
RNC_E2AA	<p>The category "Birth ^DT_FATHER_MOTHER" has been selected. ^SPECRESPNAME1 is younger than ^SPECRESPNAME2. Please return and correct.</p>
Rule:	<p>Trigger hard edit if the age of the primary respondent (i.e., the first person in the question) is less than the age of the secondary respondent (i.e., the second person in the question) and RNC_Q2A = 1 "Birth father/mother" is selected as the relationship.</p>

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

RNC_E2AB	The category "Birth ^DT_FATHER_MOTHER" has been selected for household members different in age by less than 15 years. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) is less than 15 years more than the age of the secondary respondent (i.e., the second person in the question) and RNC_Q2A = 1 "Birth father/mother" is selected as the relationship.</i>
RNC_E2AC	The category "Birth mother" has been selected for household members different in age by more than 50 years. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the sex of the primary respondent (i.e., the first person in the question) is "Female" and the age of the primary respondent is more than 50 years more than the age of the secondary respondent (i.e., the second person in the question) and RNC_Q2A = 1 "Birth mother" is selected as the relationship.</i>
RNC_E2AD	The category "Step ^DT_FATHER_MOTHER" has been selected. ^SPECRESPNAME1 is less than 15 years old. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) is less than 15 and RNC_Q2A = 2 "Stepfather/mother" is selected as the relationship.</i>
RNC_E2AE	The category "Adoptive ^DT_FATHER_MOTHER" cannot be selected. ^SPECRESPNAME1 is less than 18 years old. Please return and correct.
Rule:	<i>Trigger hard edit if the age of the primary respondent (i.e., the first person in the question) is less than 18 and RNC_Q2A = 3 "Adoptive father/mother" is selected as the relationship.</i>
RNC_E2AF	The category "Step ^DT_FATHER_MOTHER" has been selected. ^SPECRESPNAME1 is younger than ^SPECRESPNAME2. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the age of the primary respondent (i.e., the first person in the question) is less than age of secondary respondent and RNC_Q2A=2 "Stepfather/mother" is selected as the relationship.</i>
RNC_Q2B	What is the relationship... of: ^SPECRESPNAME1 (^SPECRESPAGE1, ^DT_SPECRESPSEXE1) to: ^SPECRESPNAME2 (^SPECRESPAGE2, ^DT_SPECRESPSEXE2) Is that a(n)... ?

INTERVIEWER: Read categories to respondent.

1 Birth ^DT_SON_DAUGHTER
2 Step^DT_SON_DAUGHTER
3 Adopted
^DT_SON_DAUGHTER
DK, RF

Go to RNC_END

Help text:

Tag: Relationship Without Confirmation

Purpose:

to determine a more specific relationship of one household member to another

Definition:

stepson or stepdaughter: the spouse or common-law partner's child from a previous relationship

adoptive son or daughter: a child for whom the adoptive parent has signed legal documents giving him or her the right to raise the child as his or her own

Programmer:

Pre-fill the question text with the appropriate respondent names.

RNC_E2BA

The category "Birth ^DT_SON_DAUGHTER " has been selected.
^SPECRESPNAME2 is younger than ^SPECRESPNAME1. Please return and correct.

Rule:

Trigger hard edit if the age of the secondary respondent (i.e., the second person in the question) is less than the age of the primary respondent (i.e., the first person in the question) and RNC_Q2B = 1 "Birth son/daughter" is selected as the relationship.

RNC_E2BB

The category "Birth ^DT_SON_DAUGHTER" has been selected for household members different in age by less than 15 years. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule:

Trigger soft edit if the age of the secondary respondent (i.e., the second person in the question) is less than 15 years more than the age of the primary respondent (i.e., the first person in the question) and RNC_Q2B = 1 "Birth son/daughter" is selected as the relationship.

RNC_E2BC

The category "Birth ^DT_SON_DAUGHTER" has been selected for members different in age by more than 50 years. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule:

Trigger soft edit if the sex of the secondary respondent (i.e., the second person in the question) is "Female" and the age of the secondary respondent is more than 50 years more than the age of the primary respondent (i.e., the first person in the question) and RNC_Q2B = 1 "Birth son/daughter" is selected as the relationship.

RNC_E2BD

The category "Step^DT_SON_DAUGHTER" has been selected.
^SPECRESPNAME2 is less than 15 years old. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule:

Trigger soft edit if the age of the secondary respondent (i.e., the second person in the question) is less than 15 and RNC_Q2B = 2 "Stepson/daughter" is selected as the relationship.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

RNC_E2BE	The category "Adopted ^DT_SON_DAUGHTER" cannot be selected. ^SPECRESPNAME2 is less than 18 years old. Please return and correct.
Rule:	<i>Trigger hard edit if the age of the secondary respondent (i.e., the second person in the question) is less than 18 and RNC_Q2B = 3 "Adopted son/daughter" is selected as the relationship.</i>
RNC_E2BF	The category "Adopted ^DT_SON_DAUGHTER" has been selected. ^SPECRESPNAME2 is younger than ^SPECRESPNAME1. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	<i>Trigger soft edit if the age of the secondary respondent (i.e., the second person in the question) is less than the age of the primary respondent (i.e., the first person in the question) and RNC_Q2B = 3 "Adopted son/daughter" is selected as the relationship.</i>
RNC_Q2C	What is the relationship... of: ^SPECRESPNAME1 (^SPECRESPAGE1, ^DT_SPECRESPSEX1) to: ^SPECRESPNAME2 (^SPECRESPAGE2, ^DT_SPECRESPSEX2) Is that a(n)... ? <u>INTERVIEWER</u> : Read categories to respondent. 1 Full ^DT_BROTHER_SISTER 2 Half ^DT_BROTHER_SISTER 3 Step ^DT_BROTHER_SISTER 4 Adopted ^DT_BROTHER_SISTER 5 Foster ^DT_BROTHER_SISTER DK, RF Go to RNC_END
Help text:	<u>Tag</u> : Relationship Without Confirmation <u>Purpose</u> : to determine a more specific relationship of one household member to another <u>Definition</u> : half-brother or half-sister: a brother or sister related through one parent only (father or mother) stepbrother or stepsister: the child of the father's or mother's spouse
Programmer:	Pre-fill the question text with the appropriate respondent names.
RNC_E2C	The category "Foster ^DT_BROTHER_SISTER " cannot be selected for household members more than 17 years old. Please return and correct.
Rule:	<i>Trigger hard edit if the age of the primary respondent (i.e., the first person in the question) and the age of the secondary respondent (i.e., the second person in the question) are more than 17 and RNC_Q2C = 5 "Foster brother/sister" is selected as the relationship.</i>

INTERVIEWER: Read categories to respondent.

- 1 ^DT_UNCLE_AUNT
 - 2 Cousin
 - 3 ^DT_NEPHEW_NIECE
 - 4 Other relative
- DK, RF

Go to RNC_END

Help text:

Tag: Relationship Without Confirmation

Purpose:
to determine a more specific relationship of one household member to another

Programmer:

Pre-fill the question text with the appropriate respondent names.

RNC_Q2F

What is the relationship...

of: ^SPECRESPNAME1 (^SPECRESPAGE1, ^DT_SPECRESPSEXE1)

to: ^SPECRESPNAME2 (^SPECRESPAGE2, ^DT_SPECRESPSEXE2)

Is that a(n)... ?

INTERVIEWER: Read categories to respondent.

- 1 ^DT_BOYFRIEND_GIRLFRIE
 - ND
 - 2 Roommate/lodger/boarder
 - 3 Other - Specify (Go to RNC_S2F)
- DK, RF

Go to RNC_END

Help text:

Tag: Relationship Without Confirmation

Purpose:
to determine a more specific relationship of one household member to another
specify relationship of "Other" person living in the household
examples of "Other" relationships include the roommate's son or daughter, lodger's
husband or wife, employee, exchange student, etc.

Programmer:

Pre-fill the question text with the appropriate respondent names.

RNC_S2F

(What is the relationship...

of: ^SPECRESPNAME1 (^SPECRESPAGE1, ^DT_SPECRESPSEXE1)

to: ^SPECRESPNAME2 (^SPECRESPAGE2, ^DT_SPECRESPSEXE2)

Is that a(n)... ?

INTERVIEWER: Specify.

(80 spaces)

DK, RF

Programmer:

*Any lower case text typed into the field should be converted to upper case text
after <Enter> is pressed.*

RNC_END

For Information Only

Main activity (MAC)

	Core content
MAC_BEG	Core content
	External variables required:
	DOMAC: flag to activate the block from the sample file.
	SEX_Q01: sex of specific respondent
	AGE: Age of selected respondent
	PROXYMODE: proxy identifier, from the GR block.
	PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space
MAC_C001A	If DOMAC = 2, go to MAC_END. Otherwise, go to MAC_C001B.
MAC_C001B	If AGE < 15, go to MAC_END. Otherwise, go to MAC_D005.
Programmer:	<i>If AGE < 15, set DV_WORK12=2 and DV_SCHOOL = 1</i>
MAC_D005	Not Applicable
MAC_Q005 MAC_005	Last week, was ^YOUR2 main activity working at a paid job or business, looking for paid work, going to school, caring for children, household work, retired or something else?

INTERVIEWER: Main activity means the activity on which the respondent spends most of his/her time: work, job seeking, studies, childcare, etc.
If short-term illness or short-term schooling related to work is reported, ask for usual main activity.

- 01 Working at a paid job or business
- 02 Vacation (from paid work)
- 03 Looking for paid work
- 04 Going to school (including vacation from school)
- 05 Caring for children
- 06 Household work
- 07 Retired
- 08 Maternity/paternity leave
- 09 Long term illness
- 10 Volunteering
- 11 Care-giving other than for children
- 12 Other
- DK, RF

Processing:

If AGE < 15, the variable MAC_Q005 is given the value of 4.

MAC_E005A

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MAC_Q005 = 07 and AGE < 45

MAC_E005B

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MAC_Q005 = 08 and AGE < 18 or AGE > 55

MAC_C010

If AGE < 15 or AGE > 75 or MAC_Q005 = 1 or 2, go to MAC_D015.
Otherwise, go to MAC_Q010.

MAC_Q010
MAC_010

^HAVE_C ^YOU1 worked at a job or business at any time in the past 12 months?

- 1 Yes
- 2 No
- DK, RF

Processing:

If AGE >= 15 and AGE <= 75 and respondent answered MAC_Q005 = 1 or 2, the variable MAC_Q010 is given the value of 1.

MAC_D015

If (MAC_Q005 = 1 or 2) OR (MAC_Q010 = 1), DV_WORK12 = 1 {Worked at a job or business in the past 12 months}.
Otherwise, DV_WORK12 = 2 {Did not work or don't know if respondent worked in the past 12 months}.

MAC_C015

If MAC_Q005 <> 4, go to MAC_B015.
Otherwise, go to MAC_Q020.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing:	<i>If a respondent answered MAC_Q005 = 4 or AGE < 15, the variable MAC_B015.ESC1_Q01 is given the value of 1.</i>
MAC_B015	Call Sub-block "Education - School attendance V.1" (ESC1) from Harmonized Content
MAC_C020	If MAC_B015.ESC1_Q01 = 1, go to MAC_Q020. Otherwise, go to MAC_D025.
MAC_Q020 MAC_020	^ARE_C ^YOU1 enrolled as...? <u>INTERVIEWER</u> : Read categories to respondent. 1 A full-time student 2 A part-time student 3 Both full-time and part-time student DK, RF
Processing:	<i>If AGE < 15, the variable MAC_Q020 is given the value of 1.</i>
MAC_D025	If (MAC_Q005 = 4) OR (MAC_B015.ESC1_Q01 = 1), DV_SCHOOL = 1 {Currently attending school}. Otherwise, DV_SCHOOL = 2 {Does not attend or don't know if respondent attends school}.
MAC_C025A	If PROXYMODE=1, go to MAC_END. Otherwise, go to MAC_C025B.
MAC_C025B	If SEX_Q01 = female and (14 < AGE < 56), go to MAC_Q025. Otherwise, go to MAC_END.
MAC_Q025 MAC_025	To better understand the information you will provide on your health it is important to know if you are pregnant. Are you pregnant? 1 Yes 2 No DK, RF
MAC_END	

Education - school attendance v.1 (ESC1)

Harmonized content

ESC1_BEG PROXYSEX: gender of targeted respondent and whether the interview
is being conducted by proxy
FNAME
AGE: Age of selected respondent from ANC block
Import: ARE_C, YOU1

Programmer: ****HARMONIZED CONTENT BLOCK****
Add layout instruction to display all answer options

ESC1_Q01 ^ARE_C ^YOU1 currently attending school, college, CEGEP or
MAC_015 university?

INTERVIEWER: Ask respondent to include attendance only for courses
that can be used as credit towards a certificate, diploma or degree.

- 1 Yes
- 2 No
- DK, RF

ESC1_END

For Information Only

General health (GEN)

	Core content
GEN_BEG	Core content
	External variables required:
	PROXYMODE: proxy identifier, from the GR block.
	PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy.
	DOGEN: do block flag, from the sample file.
	DOMAC: do block flag, from the sample file.
	DV_WORK12: Worked in past 12 months
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display:
	Display on header bar PE_Q01 and PE_Q02 separated by a space
GEN_C001	If DOGEN = 2, go to GEN_END. Otherwise, go to GEN_B005.
GEN_B005	Call Sub-block "Health Minimum: Health - Perceived Block" (HM) from Harmonized Content
Processing:	<i>HM_Q01 will be released as GEN_005.</i>
GEN_C010	If PROXYMODE=1, go to GEN_C015. Otherwise, go to GEN_B010.
GEN_B010	Call Sub-block "Subjective Well-being Minimum Block" (SLM) from Harmonized Content
Processing:	<i>SLM_Q01 will be released as GEN_010.</i>
GEN_C015	If PROXYMODE=1, go to GEN_Q020. Otherwise, go to GEN_Q015.
GEN_Q015 GEN_015	In general, would you say your mental health is...? <u>INTERVIEWER</u> : Read categories to respondent.
	1 Excellent
	2 Very good
	3 Good
	4 Fair
	5 Poor
	DK, RF
GEN_Q020 GEN_020	Thinking about the amount of stress in ^YOUR1 life, would you say that most of ^YOUR1 days are...?

INTERVIEWER: Read categories to respondent.

- 1 Not at all stressful
 - 2 Not very stressful
 - 3 A bit stressful
 - 4 Quite a bit stressful
 - 5 Extremely stressful
- DK, RF

GEN_C025A If PROXYMODE=1, go to GEN_END.
Otherwise, go to GEN_C025B.

GEN_C025B If DOMAC=1 and DV_WORK12 not equal 1, go to GEN_Q030.
Otherwise, go to GEN_R025.

GEN_R025 The next question is about your main job or business in the past 12
months.

INTERVIEWER: Press <1> to continue.

GEN_Q025 Would you say that most days at work were...?
GEN_Q25

INTERVIEWER: Read categories to respondent.

- 1 Not at all stressful
 - 2 Not very stressful
 - 3 A bit stressful
 - 4 Quite a bit stressful
 - 5 Extremely stressful
- DK, RF

GEN_Q030 How would you describe your sense of belonging to your local
GEN_Q30 community? Would you say it is...?

INTERVIEWER: Read categories to respondent.

- 1 Very strong
 - 2 Somewhat strong
 - 3 Somewhat weak
 - 4 Very weak
- DK, RF

GEN_END

Health minimum block (HM)

	Harmonized content
HM_BEG	External variables required: PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy FNAME Import: YOUR2
Programmer:	***HARMONIZED CONTENT BLOCK*** Add layout instruction to display all answer options
HM_D01	Not Applicable
HM_R01	The next questions are about ^YOUR2 health. By health, we mean not only the absence of disease or injury but also physical, mental and social well-being. <u>INTERVIEWER</u> : Press <1> to continue.
HM_Q01 GEN_005	In general, would you say ^YOUR2 health is... ? <u>INTERVIEWER</u> : Read categories to respondent. 1 Excellent 2 Very good 3 Good 4 Fair 5 Poor DK, RF
Help text:	Tag: Perceived health <i>Perceived health is an indicator of overall health status. It can reflect aspects of health not captured in other measures, such as: incipient disease, disease severity, aspects of positive health status, physiological and psychological reserves and social and mental function. Perceived health refers to the perception of a person's health in general, either by the person himself or herself, or, in the case of proxy response, by the person responding. Health means not only the absence of disease or injury but also physical, mental and social well being.</i>
HM_END	

Subjective well-being minimum (SLM)

Harmonized content

SLM_BEG

SLM_Q01
GEN_010

Using a scale of 0 to 10, where 0 means "Very dissatisfied" and 10 means "Very satisfied", how do you feel about your life as a whole right now?

- 0 Very dissatisfied
- 1 |
- 2 |
- 3 |
- 4 |
- 5 |
- 6 |
- 7 |
- 8 |
- 9 v
- 10 Very satisfied

|_|_|
(MIN: 0)
(MAX: 10)

DK, RF

SLM_END

For Information Only

Height and weight - self-reported (HWT)

Core content

HWT_BEG

Core content

External variables required:

DOHWT: flag to activate the block from the sample file.

PROXYMODE: proxy identifier, from the GR block.

MAC_Q025: Are you pregnant?

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

HWT_C001A

If DOHWT=2, go to HWT_END.

Otherwise, go to HWT_C001B.

HWT_C001B

If MAC_Q025 = 1 (Pregnant) or PROXYMODE=1, go to HWT_END.

Otherwise, go to HWT_Q005.

HWT_Q005

HWT_Q005

The next questions are about height and weight. How tall are you without shoes on?

- | | | |
|---|---|------------------|
| 0 | Less than 1' / 12" (less than 29.2 cm.) | |
| 1 | 1'0" to 1'11" / 12" to 23" (29.2 to 59.6 cm.) | |
| 2 | 2'0" to 2'11" / 24" to 35" (59.7 to 90.1 cm.) | (Go to HWT_N015) |
| 3 | 3'0" to 3'11" / 36" to 47" (90.2 to 120.6 cm.) | (Go to HWT_N020) |
| 4 | 4'0" to 4'11" / 48" to 59" (120.7 to 151.0 cm.) | (Go to HWT_N025) |
| 5 | 5'0" to 5'11" (151.1 to 181.5 cm.) | (Go to HWT_N030) |
| 6 | 6'0" to 6'11" (181.6 to 212.0 cm.) | (Go to HWT_N035) |
| 7 | 7'0" and over (212.1 cm. and over) | (Go to HWT_Q040) |
| | DK, RF | (Go to HWT_Q040) |

HWT_E005

An unusual height has been entered. Please confirm.

Rule:

Trigger soft edit if HWT_Q005 < 3

HWT_N010

INTERVIEWER: Select the exact height.

HWT_010

- 00 Less than or equal to 1'0"
/ 12" (29.2 to 31.7 cm.)
- 01 1'1" / 13" (31.8 to 34.2
cm.)
- 02 1'2" / 14" (34.3 to 36.7
cm.)
- 03 1'3" / 15" (36.8 to 39.3
cm.)
- 04 1'4" / 16" (39.4 to 41.8
cm.)
- 05 1'5" / 17" (41.9 to 44.4
cm.)
- 06 1'6" / 18" (44.5 to 46.9
cm.)
- 07 1'7" / 19" (47.0 to 49.4
cm.)
- 08 1'8" / 20" (49.5 to 52.0
cm.)
- 09 1'9" / 21" (52.1 to 54.5
cm.)
- 10 1'10" / 22" (54.6 to 57.1
cm.)
- 11 1'11" / 23" (57.2 to 59.6
cm.)
- DK, RF

Go to HWT_Q040

HWT_N015

INTERVIEWER: Select the exact height.

HWT_015

- 00 2'0" / 24" (59.7 to 62.1
cm.)
- 01 2'1" / 25" (62.2 to 64.7
cm.)
- 02 2'2" / 26" (64.8 to 67.2
cm.)
- 03 2'3" / 27" (67.3 to 69.8
cm.)
- 04 2'4" / 28" (69.9 to 72.3
cm.)
- 05 2'5" / 29" (72.4 to 74.8
cm.)
- 06 2'6" / 30" (74.9 to 77.4
cm.)
- 07 2'7" / 31" (77.5 to 79.9
cm.)
- 08 2'8" / 32" (80.0 to 82.5
cm.)
- 09 2'9" / 33" (82.6 to 85.0
cm.)
- 10 2'10" / 34" (85.1 to 87.5
cm.)
- 11 2'11" / 35" (87.6 to 90.1
cm.)
- DK, RF

Go to HWT_Q040

HWT_N020

INTERVIEWER: Select the exact height.

HWT_020

00	3'0" / 36" (90.2 to 92.6 cm.)
01	3'1" / 37" (92.7 to 95.2 cm.)
02	3'2" / 38" (95.3 to 97.7 cm.)
03	3'3" / 39" (97.8 to 100.2 cm.)
04	3'4" / 40" (100.3 to 102.8 cm.)
05	3'5" / 41" (102.9 to 105.3 cm.)
06	3'6" / 42" (105.4 to 107.9 cm.)
07	3'7" / 43" (108.0 to 110.4 cm.)
08	3'8" / 44" (110.5 to 112.9 cm.)
09	3'9" / 45" (113.0 to 115.5 cm.)
10	3'10" / 46" (115.6 to 118.0 cm.)
11	3'11" / 47" (118.1 to 120.6 cm.)
	DK, RF

Go to HWT_Q040

HWT_N025

INTERVIEWER: Select the exact height.

HWT_025

00 4'0" / 48" (120.7 to 123.1
cm.)
01 4'1" / 49" (123.2 to 125.6
cm.)
02 4'2" / 50" (125.7 to 128.2
cm.)
03 4'3" / 51" (128.3 to 130.7
cm.)
04 4'4" / 52" (130.8 to 133.3
cm.)
05 4'5" / 53" (133.4 to 135.8
cm.)
06 4'6" / 54" (135.9 to 138.3
cm.)
07 4'7" / 55" (138.4 to 140.9
cm.)
08 4'8" / 56" (141.0 to 143.4
cm.)
09 4'9" / 57" (143.5 to 146.0
cm.)
10 4'10" / 58" (146.1 to 148.5
cm.)
11 4'11" / 59" (148.6 to 151.0
cm.)
DK, RF

Go to HWT_Q040

HWT_N030
HWT_030

INTERVIEWER: Select the exact height.

00 5'0" (151.1 to 153.6 cm.)
01 5'1" (153.7 to 156.1 cm.)
02 5'2" (156.2 to 158.7 cm.)
03 5'3" (158.8 to 161.2 cm.)
04 5'4" (161.3 to 163.7 cm.)
05 5'5" (163.8 to 166.3 cm.)
06 5'6" (166.4 to 168.8 cm.)
07 5'7" (168.9 to 171.4 cm.)
08 5'8" (171.5 to 173.9 cm.)
09 5'9" (174.0 to 176.4 cm.)
10 5'10" (176.5 to 179.0 cm.)
11 5'11" (179.1 to 181.5 cm.)
DK, RF

Go to HWT_Q040

HWT_N035

INTERVIEWER: Select the exact height.

HWT_035

- 00 6'0" (181.6 to 184.1 cm.)
 - 01 6'1" (184.2 to 186.6 cm.)
 - 02 6'2" (186.7 to 189.1 cm.)
 - 03 6'3" (189.2 to 191.7 cm.)
 - 04 6'4" (191.8 to 194.2 cm.)
 - 05 6'5" (194.3 to 196.8 cm.)
 - 06 6'6" (196.9 to 199.3 cm.)
 - 07 6'7" (199.4 to 201.8 cm.)
 - 08 6'8" (201.9 to 204.4 cm.)
 - 09 6'9" (204.5 to 206.9 cm.)
 - 10 6'10" (207.0 to 209.5 cm.)
 - 11 6'11" (209.6 to 212.0 cm.)
- DK, RF

HWT_Q040
HWT_040

How much do you weigh?

INTERVIEWER: Enter amount only.

|_|_|_|
(MIN: 1)
(MAX: 575)

DK, RF (Go to HWT_END)

HWT_N045
HWT_045

INTERVIEWER: Was that in pounds or kilograms?

- 1 Pounds
 - 2 Kilograms
- (DK, RF not allowed)

HWT_E045

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if ((HWT_Q040 > 300 and HWT_N045 = 1) or (HWT_Q040 > 136 and HWT_N045 = 2)) or ((HWT_Q040 < 60 and HWT_N045 = 1) or (HWT_Q040 < 27 and HWT_N045 = 2)).

HWT_Q050
HWT_050

Do you consider yourself...?

INTERVIEWER: Read categories to respondent.

- 1 Overweight
 - 2 Underweight
 - 3 Just about right
- DK, RF

HWT_END

Chronic conditions (CCC)

	Core content
CCC_BEG	Core content
	External variables required:
	DOCCC: do block flag, from the sample file.
	PROXYMODE: proxy identifier, from the GR block.
	AGE : Age of respondent
	SEX_Q01 : Respondent's sex
	COLLYEAR: Collection year, based on value of "CYCLE" from the Unitinfo file
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display:
	Display on header bar PE_Q01 and PE_Q02 separated by a space
	T1 - Theme content asked in collection years (COLLYEAR) 2015, 2016, 2019 and 2020
	T2 - Theme content asked in collection years (COLLYEAR) 2017, 2018, 2021 and 2022
CCC_C001A	If DOCCC = 2, go to CCC_END. Otherwise, go to CCC_C001B.
CCC_C001B	If COLLYEAR = 2015 or 2016 or 2019 or 2020, go to CCC_R005. Otherwise, go to CCC_R015.
CCC_R005	The next question refers to ^YOUR1 joints. Please do not include the back or neck.
	<u>INTERVIEWER</u> : Press <1> to continue.
CCC_Q005 CCC_Q005	During the past 30 days, ^HAVE ^YOU1 had any symptoms of pain, aching, or stiffness in or around a joint?
	1 Yes (Go to CCC_D010)
	2 No
	DK, RF
	Go to CCC_R015
CCC_D010	Not Applicable
CCC_Q010	Did ^YOUR1 joint symptoms first begin more than 3 months ago?

CCC_010

1 Yes
2 No
DK, RF

CCC_R015

Now I'd like to ask about certain long-term health conditions which ^YOU2 may have. We are interested in "long-term conditions" which are expected to last or have already lasted 6 months or more and that have been diagnosed by a health professional.

INTERVIEWER: Press <1> to continue.

CCC_D015

Not Applicable

CCC_Q015
CCC_015

^DOVERB_C ^YOU1 have asthma?

1 Yes
2 No (Go to CCC_C030)
DK, RF (Go to CCC_C030)

CCC_Q020
CCC_020

^HAVE_C ^YOU1 had any asthma symptoms or asthma attacks in the past 12 months?

1 Yes
2 No
DK, RF

CCC_Q025
CCC_025

In the past 12 months, ^HAVE ^YOU1 taken any medicine for asthma such as inhalers (pumps), nebulizers, pills, liquids or injections?

1 Yes
2 No
DK, RF

CCC_C030

If AGE < 35, go to CCC_C035.
Otherwise, go to CCC_Q030.

CCC_Q030
CCC_030

^DOVERB_C ^YOU1 have chronic bronchitis, emphysema or chronic obstructive pulmonary disease or COPD?

INTERVIEWER: Chronic bronchitis is another name for COPD or emphysema. It is characterized by inflammation of the main air passages to the lung characterized by mucous secretion and chronic cough. It is a long-term condition.

1 Yes
2 No
DK, RF

CCC_C035

If COLLYEAR = 2015 or 2016 or 2019 or 2020, go to CCC_Q035.
Otherwise, go to CCC_Q050.

CCC_Q035
CCC_035

^HAVE_C ^YOU1 been told by a health professional that ^YOU1 ^HAVE sleep apnea?

	1 Yes 2 No DK, RF
CCC_Q040 CCC_040	^DOVERB_C ^YOU1 have scoliosis? 1 Yes 2 No DK, RF
CCC_C045	If COLLYEAR = 2015 or 2016 or 2019 or 2020, go to CCC_R045. Otherwise, go to CCC_Q050.
CCC_R045	Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more. <u>INTERVIEWER:</u> Press <1> to continue.
CCC_Q045 CCC_045	^DOVERB_C ^YOU1 have fibromyalgia? 1 Yes 2 No DK, RF
CCC_Q050 CCC_050	^DOVERB_C ^YOU1 have arthritis, for example osteoarthritis, rheumatoid arthritis, gout or any other type, excluding fibromyalgia? 1 Yes 2 No DK, RF
CCC_C055	If COLLYEAR = 2015 or 2016 or 2019 or 2020, go to CCC_Q055. Otherwise, go to CCC_Q065.
CCC_Q055 CCC_055	^DOVERB_C ^YOU1 have back problems, excluding scoliosis, fibromyalgia and arthritis? 1 Yes 2 No DK, RF
CCC_C060	If AGE < 40, go to CCC_Q065. Otherwise, go to CCC_Q060.
CCC_Q060 CCC_060	^DOVERB_C ^YOU1 have osteoporosis? 1 Yes 2 No DK, RF
CCC_Q065	^DOVERB_C ^YOU1 have high blood pressure?

CCC_065

- 1 Yes
 - 2 No
- DK, RF

CCC_Q070
CCC_070

In the past month, ^HAVE ^YOU1 taken any medicine for high blood pressure?

- 1 Yes
 - 2 No
- DK, RF

CCC_C075

If AGE < 18, go to CCC_Q085.
Otherwise, go to CCC_Q075.

CCC_Q075
CCC_075

^DOVERB_C ^YOU1 have high blood cholesterol or lipids?

INTERVIEWER: Blood cholesterol or lipids are a fatty substance found in blood.

- 1 Yes
 - 2 No
- DK, RF

CCC_Q080
CCC_080

In the past month, ^HAVE ^YOU1 taken any medicine for high blood cholesterol or lipids?

- 1 Yes
 - 2 No
- DK, RF

CCC_Q085
CCC_085

^DOVERB_C ^YOU1 have heart disease?

- 1 Yes
 - 2 No
- DK, RF

CCC_Q090
CCC_090

^DOVERB_C ^YOU1 suffer from the effects of a stroke?

- 1 Yes
 - 2 No
- DK, RF

CCC_Q095
CCC_095

^DOVERB_C ^YOU1 have diabetes?

INTERVIEWER: Exclude respondents who have been told they have prediabetes. Only respondents with type 1, type 2 or gestational diabetes should answer yes to this question.

- 1 Yes (Go to CCC_Q100)
 - 2 No
- DK, RF

Go to CCC_Q130

CCC_Q100

How old ^WERE ^YOU1 when this was first diagnosed?

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

CCC_100

INTERVIEWER: Maximum is ^AGE.

|_|_|_|
(MIN: 1)
(MAX: 121)

DK, RF

CCC_E100

An impossible value has been entered. Please return and correct.

Rule:

Trigger hard edit if CCC_Q100 > AGE

CCC_C105

If AGE < 15 or SEX_Q01 = male or CCC_Q100 < 15 or CCC_Q100 > 55,
go to CCC_Q115.
Otherwise, go to CCC_Q105.

CCC_Q105
CCC_105

^WERE_C ^YOU1 pregnant when ^YOU1 ^WERE first diagnosed with
diabetes?

1 Yes
2 No (Go to CCC_Q115)
DK, RF (Go to CCC_Q115)

CCC_Q110
CCC_110

Other than during pregnancy, has a health professional ever told
^HIMHER that ^YOU1 ^HAVE diabetes?

1 Yes
2 No (Go to CCC_Q130)
DK, RF (Go to CCC_Q130)

CCC_Q115
CCC_115

When ^YOU1 ^WERE first diagnosed with diabetes, how long was it
before ^YOU1 ^WERE started on insulin?

1 Less than 1 month
2 1 month to less than 2
months
3 2 months to less than 6
months
4 6 months to less than 1
year
5 1 year or more
6 Never (Go to CCC_Q125)
DK, RF

CCC_Q120
CCC_120

^DOVERB_C ^YOU1 currently take insulin for ^YOUR1 diabetes?

1 Yes
2 No
DK, RF

Processing:

In processing, if a respondent answered CCC_Q115 = 6, the variable CCC_Q120 is
given the value of 2.

CCC_Q125

In the past month, did ^YOU1 take pills to control ^YOUR1 blood sugar?

CCC_125

1 Yes
2 No
DK, RF

CCC_Q130
CCC_130

^DOVERB_C ^YOU1 have cancer?

1 Yes (Go to CCC_R140)
2 No
DK
RF (Go to CCC_R140)

CCC_Q135
CCC_135

^HAVE_C ^YOU1 ever been diagnosed with cancer?

1 Yes
2 No
DK, RF

CCC_R140

Remember, we're interested in conditions diagnosed by a health professional and that are expected to last or have already lasted 6 months or more.

INTERVIEWER: Press <1> to continue.

CCC_C140

If COLLYEAR = 2015 or 2016 or 2019 or 2020, go to CCC_Q140.
Otherwise, go to CCC_C145.

CCC_Q140
CCC_140

^DOVERB_C ^YOU1 have migraine headaches?

1 Yes
2 No
DK, RF

CCC_C145

If AGE > 40, go to CCC_Q145.
Otherwise, go to CCC_C150.

CCC_Q145
CCC_145

^DOVERB_C ^YOU2 have Alzheimer's Disease or any other dementia?

1 Yes
2 No
DK, RF

CCC_C150

If COLLYEAR = 2017 or 2018 or 2021 or 2022, go to CCC_Q150.
Otherwise, go to CCC_C185.

CCC_Q150
CCC_150

^DOVERB_C ^YOU1 have intestinal or stomach ulcers?

1 Yes
2 No
DK, RF

CCC_Q155
CCC_155

^DOVERB_C ^YOU1 have a bowel disorder such as Crohn's Disease, ulcerative colitis, Irritable Bowel Syndrome or bowel incontinence?

- 1 Yes (Go to CCC_Q160)
2 No
DK, RF

Go to CCC_C165

CCC_Q160
CCC_160

What kind of bowel disease ^DOVERB ^YOU1 have?

- 1 Crohn's Disease
2 Ulcerative colitis
3 Irritable Bowel Syndrome
4 Bowel incontinence
5 Other
DK, RF

CCC_C165

If AGE < 25, go to CCC_Q170.
Otherwise, go to CCC_Q165.

CCC_Q165
CCC_165

^DOVERB_C ^YOU1 have urinary incontinence?

INTERVIEWER: This means loss of bladder control which leads to involuntary releases of urine.

- 1 Yes
2 No
DK, RF

CCC_Q170
CCC_170

As a result of allergy tests, ^WERE ^YOU1 ever told by a health professional that ^YOU1 had allergies?

- 1 Yes
2 No (Go to CCC_C185)
DK, RF (Go to CCC_C185)

CCC_Q175

What did ^YOUR1 health professional say ^YOU1 ^WERE allergic to?

INTERVIEWER: Mark all that apply.

CCC_175A
CCC_175B
CCC_175C
CCC_175D
CCC_175E
CCC_175F
CCC_175G
CCC_175H

- 01 Certain foods
02 Certain animals
03 Dust mites
04 Mould
05 Pollens or grasses
06 Chemicals
07 Certain medicine
08 Other
DK, RF

CCC_Q180
CCC_180

^WERE_C ^YOU1 ever told by a doctor that ^YOU1 ^HAVE hay fever or nasal allergy?

- 1 Yes
2 No
DK, RF

CCC_C185 If COLLYEAR = 2015 or 2016 or 2019 or 2020, go to CCC_Q185.
Otherwise, go to CCC_Q195.

CCC_Q185 ^DOVERB_C ^YOU1 have chronic fatigue syndrome?
CCC_185

INTERVIEWER: Also known as CFS, it is a complex disorder characterized by profound fatigue that is not improved by bed rest. Includes myalgic encephalomyelitis.

1 Yes
2 No
DK, RF

CCC_Q190 ^DOVERB_C ^YOU1 suffer from multiple chemical sensitivities?
CCC_190

INTERVIEWER: Multiple chemical sensitivity (MCS) is a chronic condition where people are sensitive to low levels of multiple unrelated chemicals such as smoke or perfume - levels that do not cause symptoms in most people. He/she may experience symptoms such as fatigue, asthma, blocked nose or sore eyes.

1 Yes
2 No
DK, RF

CCC_Q195 ^DOVERB_C ^YOU1 have a mood disorder such as depression, bipolar
disorder, mania or dysthymia?
CCC_195

INTERVIEWER: Include manic depression.

1 Yes
2 No
DK, RF

CCC_Q200 ^DOVERB_C ^YOU1 have an anxiety disorder such as a phobia,
obsessive-compulsive disorder or a panic disorder?
CCC_200

1 Yes
2 No
DK, RF

CCC_END

Fruit and vegetable consumption (FVC)

Core content

FVC_BEG

Core content

External variables required:

DOFVC: Flag to activate the block from the sample file.

PROXYMODE: proxy identifier, from the GR block.

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

FVC_C001A

If DOFVC = 2, go to FVC_END.
Otherwise, go to FVC_C001B.

FVC_C001B

If PROXYMODE = 1, go to FVC_END.
Otherwise, go to FVC_R001.

FVC_R001

These next questions are about the fruits and vegetables you ate or drank during the past month. Please report your consumption either per day, per week or per month. Think about all meals and snacks, at home and away from home.

INTERVIEWER: Press <1> to continue.

FVC_Q005

FVC_Q005

In the last month, how many times per day, per week or per month did you drink 100% PURE fruit juices, such as pure orange juice, apple juice or pure juice blends? Do not include fruit-flavored drinks with added sugar or fruit punch.

INTERVIEWER: Enter amount only. DO NOT include fruit drinks like reconstituted powdered drink, lemonade, cranberry cocktail or yogurt drinks.

|_|_|_|
(MIN: 0)
(MAX: 300)

DK, RF

(Go to FVC_Q010)

FVC_C005

If FVC_Q005=0, go to FVC_Q010.
Otherwise, go to FVC_N005A.

FVC_N005A

FVC_N005A

INTERVIEWER: Select the reporting period that corresponds to FVC_Q005.

	1 Per day 2 Per week 3 Per month (DK, RF not allowed)
FVC_E005A	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N005A = 1 (Per day) and FVC_Q005 > 20.
FVC_E005B	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N005A = 2 (Per week) and FVC_Q005 > 90.
FVC_E005C	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N005A = 3 (Per month) and FVC_Q005 > 200.
FVC_Q010 FVC_010	In the last month, not counting juice, how many times did you eat fruit? Please remember to include frozen, dried or canned fruit. <u>INTERVIEWER:</u> Enter amount only. INCLUDE fruit you added to yogurt, cereal and other meal items. DO NOT include fruit jam, jelly or fruit preserves as well as baked goods containing fruit like banana bread. _ _ _ (MIN: 0) (MAX: 300) DK, RF (Go to FVC_Q015)
FVC_C010	If FVC_Q010=0, go to FVC_Q015. Otherwise, go to FVC_N010A.
FVC_N010A FVC_010A	<u>INTERVIEWER:</u> Select the reporting period that corresponds to FVC_Q010. 1 Per day 2 Per week 3 Per month (DK, RF not allowed)
FVC_E010A	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N010A = 1 (Per day) and FVC_Q010 > 20.
FVC_E010B	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N010A = 2 (Per week) and FVC_Q010 > 90.
FVC_E010C	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N010A = 3 (Per month) and FVC_Q010 > 200.

FVC_Q015
FVC_015

In the last month, how many times did you eat dark green vegetables such as broccoli, green beans, peas and green peppers or dark leafy greens including romaine or spinach? Please remember to include (frozen or canned vegetables and) vegetables that were cooked in soups or mixed in salad.

INTERVIEWER: Enter amount only. DO NOT include Iceberg lettuce if respondent specifies type of lettuce. DO NOT include cucumber, celery and common cabbage.

|_|_|_|
(MIN: 0)
(MAX: 300)

DK, RF (Go to FVC_Q020)

FVC_C015

If FVC_Q015=0, go to FVC_Q020.
Otherwise, go to FVC_N015A.

FVC_N015A
FVC_015A

INTERVIEWER: Select the reporting period that corresponds to FVC_Q015.

- 1 Per day
 - 2 Per week
 - 3 Per month
- (DK, RF not allowed)

FVC_E015A

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if FVC_N015A = 1 (Per day) and FVC_Q015 > 20.

FVC_E015B

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if FVC_N015A = 2 (Per week) and FVC_Q015 > 90.

FVC_E015C

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if FVC_N015A = 3 (Per month) and FVC_Q015 > 200.

FVC_Q020
FVC_020

In the last month, how many times did you eat orange-colored vegetables such as carrots, orange bell pepper, sweet potatoes, pumpkin or squash? (Please remember to include frozen or canned vegetables and vegetables that were cooked in soups or mixed in salad).

INTERVIEWER: Enter amount only. INCLUDE all forms of sweet potatoes including baked, mashed or in casserole. INCLUDE pumpkin as soup or pie.

|_|_|_|
(MIN: 0)
(MAX: 300)

DK, RF (Go to FVC_Q025)

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

FVC_C020	If FVC_Q020=0, go to FVC_Q025. Otherwise, go to FVC_N020A.
FVC_N020A FVC_020A	<u>INTERVIEWER</u> : Select the reporting period that corresponds to FVC_Q020. 1 Per day 2 Per week 3 Per month (DK, RF not allowed)
FVC_E020A	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N020A = 1 (Per day) and FVC_Q020 > 20.
FVC_E020B	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N020A = 2 (Per week) and FVC_Q020 > 90.
FVC_E020C	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N020A = 3 (Per month) and FVC_Q020 > 200.
FVC_Q025 FVC_025	In the last month, how many times per day, per week or per month did you eat potatoes that are not deep fried? <u>INTERVIEWER</u> : Enter amount only. INCLUDE potatoes with any peel color (white, red, yellow, blue). DO NOT include sweet potatoes as they should have already been reported. _ _ _ _ (MIN: 0) (MAX: 300) DK, RF (Go to FVC_Q030)
FVC_C025	If FVC_Q025=0, go to FVC_Q030. Otherwise, go to FVC_N025A.
FVC_N025A FVC_025A	<u>INTERVIEWER</u> : Select the reporting period that corresponds to FVC_Q025. 1 Per day 2 Per week 3 Per month (DK, RF not allowed)
FVC_E025A	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N025A = 1 (Per day) and FVC_Q025 > 20.
FVC_E025B	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if FVC_N025A = 2 (Per week) and FVC_Q025 > 90.
FVC_E025C	An unusual value has been entered. Please confirm.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule:	<i>Trigger soft edit if FVC_N025A = 3 (Per month) and FVC_Q025 > 200.</i>
FVC_Q030 FVC_Q030	Excluding the green and orange vegetables as well as the potatoes you have already reported, in the last month, how many times did you eat OTHER vegetables? Examples include cucumber, celery, corn, cabbage and vegetable juice. <u>INTERVIEWER</u> : Enter amount only. INCLUDE tomato juice and V-8 type vegetable juice. DO NOT include condiments such as ketchup, salsa, chutney and relish. _ _ _ (MIN: 0) (MAX: 300) DK, RF (Go to FVC_END)
FVC_C030	If FVC_Q030=0, go to FVC_END. Otherwise, go to FVC_N030A.
FVC_N030A FVC_Q030A	<u>INTERVIEWER</u> : Select the reporting period that corresponds to FVC_Q030. 1 Per day 2 Per week 3 Per month (DK, RF not allowed)
FVC_E030A	An unusual value has been entered. Please confirm.
Rule:	<i>Trigger soft edit if FVC_N030A = 1 (Per day) and FVC_Q030 > 20.</i>
FVC_E030B	An unusual value has been entered. Please confirm.
Rule:	<i>Trigger soft edit if FVC_N030A = 2 (Per week) and FVC_Q030 > 90.</i>
FVC_E030C	An unusual value has been entered. Please confirm.
Rule:	<i>Trigger soft edit if FVC_N030A = 3 (Per month) and FVC_Q030 > 200.</i>
FVC_END	

Smoking (SMK)

	Core content
SMK_BEG	Core content
	External variables required:
	AGE: Age of the respondent
	DOSMK: Flag to activate the block from the sample file.
	PROXYMODE: proxy identifier, from the GR block
	CIH_Q010: What is the single most important change you have made? (to improve health)
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space
SMK_C001	If DOSMK = 2, go to SMK_END. Otherwise, go to SMK_R001.
SMK_R001	The next questions are about cigarette smoking.
	<u>INTERVIEWER</u> : Press <1> to continue. Include cigarettes that are bought ready-made as well as cigarettes that are self-made, but do not include electronic cigarettes, also known as "e-cigarettes".
SMK_D001	DV_AGEMINUS5 = AGE - 5
SMK_D005	Not Applicable
SMK_Q005 SMK_005	At the present time, ^DOVERB ^YOU2 smoke cigarettes every day, occasionally or not at all?
	1 Daily (Go to SMK_C015)
	2 Occasionally
	3 Not at all
	DK, RF
SMK_Q010 SMK_010	In the past 30 days, did ^YOU1 smoke any cigarettes?
	1 Yes
	2 No
	DK, RF
SMK_E010	The respondent has indicated that he/she does not smoke at all at the present time, but he/she has smoked in the last 30 days. Please confirm.
Rule:	Trigger soft edit if SMK_Q005 = 3 and SMK_Q010 = 1

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

SMK_C015	If SMK_Q005 = 1 (Every day) or SMK_Q010 = 1 (Smoked in the past 30 days), go to SMK_Q015. Otherwise, go to SMK_Q020.
SMK_Q015 SMK_015	During the past 30 days, did ^YOU1 smoke every day? 1 Yes 2 No DK, RF
SMK_Q020 SMK_020	^HAVE_C ^YOU2 smoked more than 100 cigarettes (about 4 packs) in ^YOUR1 life? 1 Yes 2 No DK, RF
SMK_D025	If SMK_Q005 = 1, DV_SMKSTA = 1 {Daily smoker}. Else if SMK_Q005 = 2, DV_SMKSTA = 2 {Occasional smoker}. Else if SMK_Q005 = 3 and SMK_Q020 = 1, DV_SMKSTA = 3 {Former smoker}. Else if SMK_Q005 = 3 and SMK_Q020 = 2, DV_SMKSTA = 4 {Never smoked}. Otherwise, DV_SMKSTA = 5 {Undetermined}.
SMK_C025	If DV_SMKSTA = 4 (Never smoked), go to SMK_Q025. Otherwise, go to SMK_C030.
SMK_Q025 SMK_025	^HAVE_C ^YOU1 ever smoked a whole cigarette? 1 Yes 2 No DK, RF
SMK_E025	The respondent has previously indicated that he/she quit smoking or reduced amount smoked to improve their health, but just reported that he/she has never smoked a whole cigarette in his/her lifetime. Please confirm.
Rule:	Trigger soft edit if CIH_Q010 = 4 (Quit smoking/reduced amount smoked) and SMK_Q025 = 2
SMK_C030	If (DV_SMKSTA = 2 (Occasional) and (SMK_Q010 not = 1 or SMK_Q015 not = 1)) or DV_SMKSTA = 3 (Former smoker), go to SMK_Q030. Otherwise, go to SMK_C035.
SMK_Q030 SMK_030	^HAVE_C ^YOU1 ever smoked cigarettes daily? 1 Yes 2 No DK, RF
SMK_C035	If DV_SMKSTA = 1 (Daily smoker) or DV_SMKSTA = 2 (Occasional smoker) or DV_SMKSTA = 3 (Former smoker) or SMK_Q025 = 1 (Ever smoked a whole cigarette), go to SMK_Q035. Otherwise, go to SMK_END.

SMK_Q035 SMK_Q35	At what age did ^YOU1 smoke ^YOUR1 first whole cigarette? <u>INTERVIEWER</u> : Minimum is 5; maximum is ^AGE. _ _ _ (MIN: 5) (MAX: 121) DK, RF
SMK_E035	The entered age at which the respondent first smoked a whole cigarette is invalid. Please return and correct.
Rule:	Trigger hard edit if SMK_Q035 > AGE.
SMK_D040	If SMK_Q035 has an entry, DT_AGEFIRSTCIG = 'SMK_Q035'. Otherwise, DT_AGEFIRSTCIG = '5'.
SMK_C040A	If DV_SMKSTA = 1 (Daily smoker) or SMK_Q030 = 1 (Ever smoked daily), go to SMK_Q040. Otherwise, go to SMK_C040B.
SMK_C040B	If DV_SMKSTA = 3 (Former smoker) and SMK_Q030 = 2 (never was a daily smoker), go to SMK_Q060. Otherwise, go to SMK_C040C.
SMK_C040C	If DV_SMKSTA = 2 (Occasional smoker), go to SMK_Q050. Otherwise, go to SMK_END.
SMK_Q040 SMK_Q40	At what age did ^YOU1 begin to smoke cigarettes daily? <u>INTERVIEWER</u> : Minimum is ^DT_AGEFIRSTCIG; maximum is ^AGE. _ _ _ (MIN: 5) (MAX: 121) DK, RF
SMK_E040A	The entered age at which the respondent first began to smoke cigarettes daily is invalid. Please return and correct.
Rule:	Trigger hard edit if SMK_Q040 > AGE.
SMK_E040B	The respondent has indicated that he/she began smoking cigarettes daily at a younger age than when he/she smoked their first whole cigarette. Please confirm.
Rule:	Trigger soft edit if SMK_Q035 > SMK_Q040.
SMK_C045A	If DV_SMKSTA = 1 (Daily smoker), go to SMK_Q045. Otherwise, go to SMK_C045B.
SMK_C045B	If DV_SMKSTA = 2 (Occasional smoker), go to SMK_Q050. Otherwise, go to SMK_C045C.

SMK_C045C	If DV_SMKSTA = 3 (Former smoker) and SMK_Q030 = 1 (former daily smoker), go to SMK_Q075. Otherwise, go to SMK_END.
SMK_Q045 SMK_045	How many cigarettes ^DOVERB ^YOU1 smoke each day now? _ _ (MIN: 1) (MAX: 99) DK, RF Go to SMK_END
SMK_E045	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if SMK_Q045 > 60
SMK_Q050 SMK_050	On the days that ^YOU2 ^DOVERB smoke, how many cigarettes ^DOVERB ^YOU1 usually smoke? _ _ (MIN: 1) (MAX: 99) DK, RF
SMK_E050	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if SMK_Q050 > 60.
SMK_C055	If DV_SMKSTA = 2 (Occasional smoker) and (SMK_Q010 = 2 (did not smoke in last 30 days) or SMK_Q015 = 1 (smoked every day in last 30 days)), go to SMK_END. Otherwise, go to SMK_Q055.
SMK_Q055 SMK_055	In the past month, on how many days ^HAVE ^YOU1 smoked one or more cigarettes? _ _ (MIN: 0) (MAX: 31) DK, RF Go to SMK_END
Processing:	<i>In processing, if SMK_Q005=2 (occasional smoker) and SMK_Q015=1 (smoked every day in last 30 days), the question SMK_Q055 should be given the value 30.</i> <i>Otherwise, if SMK_Q005=2 (occasional smoker) and SMK_Q010=2 (did not smoke in past 30 days), the question SMK_Q055 should be given the value 0.</i>
SMK_E055A	The respondent has previously indicated that he/she smokes cigarettes occasionally, but just reported that he/she has smoked almost every day for the past month. Please confirm.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule: Trigger soft edit if DV_SMKSTA = 2 and SMK_Q055 > 27.

SMK_E055B The respondent has previously indicated that he/she has not smoked in the last 30 days, but just reported that he/she has smoked one or more cigarettes in the past month. Please confirm.

Rule: Trigger soft edit if SMK_Q010 = 2 and SMK_Q055 > 0.

SMK_Q060 When did ^YOU1 stop smoking? Was it...?

SMK_060

INTERVIEWER: Read categories to respondent.

- 1 Less than one year ago (Go to SMK_Q065)
 - 2 1 year to less than 2 years ago
 - 3 2 years to less than 3 years ago
 - 4 3 or more years ago (Go to SMK_Q070)
- DK, RF

Go to SMK_END

Programmer: For SMK_Q060: If AGE - SMK_Q035 < 1, only display category 1.
Else, if AGE - SMK_Q035 < 2, only display categories 1 and 2.
Else, if AGE - SMK_Q035 < 3, only display categories 1, 2 and 3.
Else, display all categories.

SMK_Q065 In what month did ^YOU1 stop?

SMK_065

- 01 January
 - 02 February
 - 03 March
 - 04 April
 - 05 May
 - 06 June
 - 07 July
 - 08 August
 - 09 September
 - 10 October
 - 11 November
 - 12 December
- DK, RF

Go to SMK_END

SMK_Q070 How many years ago was it?

SMK_070

INTERVIEWER: Minimum is 3; maximum is ^DV_AGEMINUS5.

|_|_|
(MIN: 3)
(MAX: 121)

DK, RF

Go to SMK_END

SMK_E070

The number of years ago that the respondent stopped smoking is invalid.
Please return and correct.

Rule:

Trigger hard edit if SMK_Q070 > (AGE - 5).

SMK_Q075

SMK_075

When ^YOU2 smoked every day, how many cigarettes did ^YOU1 usually smoke each day?

|_|_|
(MIN: 1)
(MAX: 99)

DK, RF

SMK_E075

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if SMK_Q075 > 60

SMK_Q080

SMK_080

When did ^YOU1 stop smoking daily? Was it...?

INTERVIEWER: Read categories to respondent.

- 1 Less than one year ago (Go to SMK_Q085)
 - 2 1 year to less than 2 years ago
 - 3 2 years to less than 3 years ago
 - 4 3 or more years ago (Go to SMK_Q090)
- DK, RF

Go to SMK_C095

Programmer:

For SMK_Q080: If AGE - SMK_Q040 < 1, only display category 1.
Else, if AGE - SMK_Q040 < 2, only display categories 1 and 2.
Else, if AGE - SMK_Q040 < 3, only display categories 1, 2 and 3.
Else, display all categories.

SMK_Q085

In what month did ^YOU1 stop?

SMK_085

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December
DK, RF

Go to SMK_C095

SMK_Q090

SMK_090

How many years ago was it?

INTERVIEWER: Minimum is 3; maximum is ^DV_AGEMINUS5.

|_|_|_|
(MIN: 3)
(MAX: 121)

DK, RF

Go to SMK_C095

SMK_E090A

The number of years ago that the respondent stopped smoking daily is invalid. Please return and correct.

Rule:

Trigger hard edit if SMK_Q090 > (AGE - 5).

SMK_E090B

The number of years since the respondent stopped smoking daily is invalid. Please return and correct.

Rule:

Trigger hard edit if SMK_Q040 (age began smoking daily) > (AGE - SMK_Q090).

SMK_C095

If SMK_Q005=2 (occasional smoker), go to SMK_END.
Otherwise, go to SMK_Q095.

SMK_Q095

SMK_095

Was that when ^YOU1 completely quit smoking?

1 Yes
2 No (Go to SMK_Q100)
DK, RF

Go to SMK_END

SMK_Q100

When did ^YOU1 stop smoking completely? Was it...?

SMK_100

INTERVIEWER: Read categories to respondent.

- 1 Less than one year ago (Go to SMK_Q105)
 - 2 1 year to less than 2 years ago
 - 3 2 years to less than 3 years ago
 - 4 3 or more years ago (Go to SMK_Q110)
- DK, RF

Go to SMK_END

Programmer:

For SMK_Q100 : If SMK_Q080 <> DK/RF, only display response categories that are less than or equal to the value of SMK_Q080.

SMK_Q105
SMK_105

In what month did ^YOU1 stop?

- 01 January
 - 02 February
 - 03 March
 - 04 April
 - 05 May
 - 06 June
 - 07 July
 - 08 August
 - 09 September
 - 10 October
 - 11 November
 - 12 December
- DK, RF

Go to SMK_END

SMK_Q110
SMK_110

How many years ago was it?

INTERVIEWER: Minimum is 3; maximum is ^DV_AGEMINUS5.

|_|_|_|
(MIN: 3)
(MAX: 121)

DK, RF

SMK_E110A

The number of years ago that the respondent completely stopped smoking is invalid. Please return and correct.

Rule:

Trigger hard edit if SMK_Q110 > (AGE - 5).

SMK_E110B

The respondent has indicated that he/she stopped smoking completely more years ago than he/she stopped smoking daily. Please confirm.

Rule:

Trigger soft edit if SMK_Q110 > SMK_Q090.

SMK_END

For Information Only

Exposure to second hand smoke (ETS)

Core content

ETS_BEG

Core content

External variables required:

DOETS: Flag to activate this block from the sample file
DOSMK: Flag to activate this block from the sample file.

SMK_Q005: Type of smoker
DV_WORK12: Worked in the past 12 months (from MAC module)
DV_SCHOOL: Currently attending school (from MAC module)
PROXYMODE: proxy identifier, from the GR block

PE_Q01: first name of specific respondent from USU block
PE_Q02: last name of specific respondent from USU block

Screen display:
Display on header bar PE_Q01 and PE_Q02 separated by a space

ETS_C001

If DOETS = 2, go to ETS_END.
Otherwise, go to ETS_R001.

ETS_R001

The next questions are about exposure to second-hand smoke.

INTERVIEWER: Press <1> to continue.

ETS_Q005
ETS_005

Including both household members and regular visitors, does anyone smoke inside your home, every day or almost every day?

INTERVIEWER: Include cigarettes, cigars and pipes. Smoking inside the home excludes smoking inside the garage, whether attached or detached.

1 Yes
2 No (Go to ETS_C015)
DK, RF (Go to ETS_END)

ETS_Q010
ETS_010

How many people smoke inside your home every day or almost every day?

INTERVIEWER: Include household members and regular visitors. Include cigarettes, cigars and pipes.

|_|_|
(MIN: 1)
(MAX: 15)

DK, RF

ETS_C015 If ETS_Q005 = 1 (at least one person smokes inside the home), go to ETS_C030A.
Otherwise, go to ETS_Q015.

ETS_Q015 Is smoking allowed inside your home?
ETS_015

INTERVIEWER: Include cigarettes, cigars and pipes. Smoking inside the home excludes smoking inside the garage, whether attached or detached.

1 Yes (Go to ETS_Q020)
2 No
DK, RF

Go to ETS_C030A

ETS_Q020 Is smoking inside your home restricted in any way?
ETS_020

INTERVIEWER: Include cigarettes, cigars and pipes. Smoking inside the home excludes smoking inside the garage, whether attached or detached.

1 Yes (Go to ETS_Q025)
2 No
DK, RF

Go to ETS_C030A

ETS_Q025 How is smoking restricted inside your home?

INTERVIEWER: Read categories to respondent.
Mark all that apply.

ETS_025A 1 Allowed in certain rooms
only

ETS_025B 2 Restricted in the
presence of young children

ETS_025C 3 Allowed only if windows
are open or with another type of
ventilation

ETS_025D 4 Other restriction(s)
DK, RF

ETS_C030A If PROXYMODE = 1 or SMK_Q005 = 1 (current daily smoker), go to ETS_END.
Otherwise, go to ETS_C030B.

ETS_C030B If DV_WORK12 = 1 or DV_SCHOOL = 1 (at work or at school), go to ETS_Q030.
Otherwise, go to ETS_Q035.

ETS_Q030 In the past month, were you exposed to second-hand smoke, every
ETS_030 day or almost every day, at your workplace or at school?

INTERVIEWER: Include cigarettes, cigars and pipes. Exclude respondent's own smoking.

- 1 Yes
- 2 No
- DK, RF

ETS_Q035
ETS_035

In the past month, were you exposed to second-hand smoke, every day or almost every day, in a car or other private vehicle?

INTERVIEWER: Include cigarettes, cigars and pipes. Exclude respondent's own smoking.

- 1 Yes
- 2 No
- DK, RF

ETS_Q040
ETS_040

In the past month, were you exposed to second-hand smoke, every day or almost every day, in public places (such as bars, restaurants, shopping malls, arenas, bingo halls, bowling alleys)?

INTERVIEWER: Include cigarettes, cigars and pipes. Exclude respondent's own smoking.

- 1 Yes
- 2 No
- DK, RF

ETS_END

1 Yes (Go to ALC_Q015)
2 No
DK, RF

Go to ALC_END

ALC_Q015
ALC_Q015

During the past 12 months, how often did ^YOU1 drink alcoholic beverages?

1 Less than once a month
2 Once a month
3 2 to 3 times a month
4 Once a week
5 2 to 3 times a week
6 4 to 6 times a week
7 Every day
DK, RF

ALC_D020

If SEX_Q01 = male, DT_BINGEDRINK = '5'.
If SEX_Q01 = female, DT_BINGEDRINK = '4'.

ALC_Q020
ALC_Q020

How often in the past 12 months ^HAVE ^YOU1 had ^DT_BINGEDRINK or more drinks on one occasion?

1 Never
2 Less than once a month
3 Once a month
4 2 to 3 times a month
5 Once a week
6 More than once a week
DK, RF

ALC_E020

The frequency in ALC_Q020 is greater than the frequency in ALC_Q015. Please confirm.

Rule:

Trigger soft edit if (ALC_Q020 = 6 and ALC_Q015 = 1, 2, 3 or 4) or (ALC_Q020 = 5 and ALC_Q015 = 1, 2 or 3) or (ALC_Q020 = 4 and ALC_Q015 = 1 or 2) or (ALC_Q020 = 3 and ALC_Q015 = 1).

ALC_END

Physical activities - adults 18 years and older (PAA)

Core content

PAA_BEG

Core content

External variables required:

AGE: age of respondent

DOPAA: do block flag from the sample file

PROXYMODE: proxy identifier, from the GR block.

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

PAA_C001A

If DOPAA=2, go to PAA_END.

Otherwise, go to PAA_C001B.

PAA_C001B

If AGE < 18, go to PAA_END.

Otherwise, go to PAA_R001.

PAA_R001

The following questions are about various types of physical activities done in the last 7 days. I want you to only think of activities ^YOU2 did for a minimum of 10 continuous minutes.

INTERVIEWER: Press <1> to continue.

PAA_D005

Not Applicable

Programmer:

DT_DAYLASTWEEKE = English text for the day of the week 7 days ago (e.g., if current day is Saturday, then DT_DAYLASTWEEKE = "Saturday").

PAA_Q005

PAA_005

In the last 7 days, that is from last ^DT_DAYLASTWEEKE to yesterday, did ^YOU2 use active ways like walking or cycling to get to places such as work, school, the bus stop, the shopping centre or to visit friends?

INTERVIEWER: Do not include walking, cycling or other activities done purely for leisure. These activities will be asked about later.

1 Yes

2 No

(Go to PAA_D030)

DK, RF

(Go to PAA_D030)

Programmer:

Set DV_PAATRAVEL = 0.

PAA_Q010

In the last 7 days, on which days did ^YOU1 do these activities?

INTERVIEWER: Mark all that apply.

PAA_010A	1	Monday
PAA_010B	2	Tuesday
PAA_010C	3	Wednesday
PAA_010D	4	Thursday
PAA_010E	5	Friday
PAA_010F	6	Saturday
PAA_010G	7	Sunday
		DK, RF

PAA_Q015
PAA_015

How much time in total, in the last 7 days, did ^YOU1 spend doing these activities? Please only include activities that lasted a minimum of 10 continuous minutes.

INTERVIEWER: Enter the number of hours on this screen and the number of minutes on the next screen. If the respondent answers in minutes only, enter 0 hours on this screen and the number of minutes on the next screen.

If recall is too difficult for the respondent, ask for their best estimate.

|_|_|_|
(MIN: 0)
(MAX: 168)

DK, RF (Go to PAA_D025)

Processing:

If PAA_Q005 = 2, the variable PAA_Q015 is given the value 0.

PAA_C020

If PAA_Q015 = 168, go to PAA_D025.
Otherwise, go to PAA_N020.

PAA_N020
PAA_020

INTERVIEWER: Enter number of minutes.

|_|_|_|_|
(MIN: 0)
(MAX: 9,995)

DK, RF (Go to PAA_D025)

Processing:

If PAA_Q005 = 2 or PAA_Q015 = 168, the variable PAA_N020 is given the value 0.

PAA_E020A

Inconsistent hours and minutes have been entered. Please return and correct.

Rule:

Trigger hard edit if PAA_Q015 > 0 and PAA_N020 > 59.

PAA_E020B

No time has been entered. Please return and correct.

Rule:

Trigger hard edit if PAA_Q015 = 0 and PAA_N020 = 0

PAA_E020C

The time spent being active is less than 10 minutes. Please return and correct.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule: Trigger hard edit if PAA_Q015 = 0 and PAA_N020 < 10

PAA_D025

Programmer: If PAA_Q015 = RESPONSE and PAA_N020 = RESPONSE, set DV_PAATRAVEL = PAA_Q015*60 + PAA_N020.
Otherwise if PAA_Q015 = RESPONSE, set DV_PAATRAVEL = PAA_Q015*60.
Otherwise, set DV_PAATRAVEL = 0.

PAA_E025

An unusual value has been entered. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule:

Trigger soft edit if DV_PAATRAVEL > 420

PAA_D030

If PAA_Q005 = 1, DT_PAA30TEXTE = 'Not including activities you just reported, in'.
Otherwise, DT_PAA30TEXTE = 'In'.

PAA_Q030
PAA_030

^DT_PAA30TEXTE the last 7 days, did ^YOU2 do sports, fitness or recreational physical activities, organized or non-organized, that lasted a minimum of 10 continuous minutes?

Examples are walking, home or gym exercise, swimming, cycling, running, skiing, dancing and all team sports.

- 1 Yes
- 2 No (Go to PAA_Q060)
- DK, RF (Go to PAA_Q060)

Programmer:

Set DV_PAAREC = 0.

PAA_Q035
PAA_035

Did any of these recreational physical activities make ^HIMHER sweat at least a little and breathe harder?

- 1 Yes
- 2 No (Go to PAA_Q060)
- DK, RF (Go to PAA_Q060)

PAA_Q040

In the last 7 days, on which days did ^YOU1 do these recreational activities that made ^HIMHER sweat at least a little and breathe harder?

INTERVIEWER: Mark all that apply.

PAA_040A
PAA_040B
PAA_040C
PAA_040D
PAA_040E
PAA_040F
PAA_040G

- 1 Monday
- 2 Tuesday
- 3 Wednesday
- 4 Thursday
- 5 Friday
- 6 Saturday
- 7 Sunday
- DK, RF

PAA_Q045
PAA_045

(In the last 7 days), how much time in total did ^YOU1 spend doing these activities that made ^HIMHER sweat at least a little and breathe harder?

INTERVIEWER: Include only those physical activities that lasted at least 10 minutes at a time, including rest periods.

Enter the number of hours on this screen and the number of minutes on the next screen. If the respondent answers in minutes only, enter 0 hours on this screen and the number of minutes on the next screen.

If recall is too difficult for the respondent, ask for their best estimate.

|_|_|_|
(MIN: 0)
(MAX: 168)

DK, RF (Go to PAA_D055)

Processing: If PAA_Q030 = 2 or PAA_Q035 = 2, the variable PAA_Q045 is given the value 0.

PAA_C050 If PAA_Q045 = 168, go to PAA_D055.
Otherwise, go to PAA_N050.

PAA_N050
PAA_050 INTERVIEWER: Enter number of minutes.

|_|_|_|_|
(MIN: 0)
(MAX: 9,995)

DK, RF (Go to PAA_D055)

Processing: If PAA_Q030 = 2 or PAA_Q035 = 2 or PAA_Q045 = 168 the variable PAA_N050 is given the value 0.

PAA_E050A Inconsistent hours and minutes have been entered. Please return and correct.

Rule: Trigger hard edit if PAA_Q045 > 0 and PAA_N050 > 59.

PAA_E050B No time has been entered. Please return and correct.

Rule: Trigger hard edit if PAA_Q045 = 0 and PAA_N050 = 0

PAA_E050C The time spent being active is less than 10 minutes. Please return and correct.

Rule: Trigger hard edit if PAA_Q045 = 0 and PAA_N050 < 10

PAA_D055

Programmer: If PAA_Q045 = RESPONSE and PAA_N050 = RESPONSE, set DV_PAAREC = PAA_Q045*60 + PAA_N050.
Otherwise if PAA_Q045 = RESPONSE, set DV_PAAREC = PAA_Q045*60.
Otherwise, set DV_PAAREC = 0.

PAA_E055 An unusual value has been entered. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule:

Trigger soft edit if DV_PAAREC > 480

PAA_Q060
PAA_060

In the last 7 days, did ^YOU1 do any other physical activities while at work, in or around ^YOUR1 home or while volunteering?

Examples are carrying heavy loads, shoveling, and household chores such as vacuuming or washing windows. Please remember to only include activities that lasted a minimum of 10 continuous minutes.

- 1 Yes
2 No (Go to PAA_D090)
DK, RF (Go to PAA_D090)

Programmer:

Set DV_PAAOTHER = 0.

PAA_Q065
PAA_065

Did any of these other physical activities make ^HIMHER sweat at least a little and breathe harder?

INTERVIEWER: Exclude physical activities already reported.

- 1 Yes
2 No (Go to PAA_D090)
DK, RF (Go to PAA_D090)

PAA_Q070

In the last 7 days, on which days did ^YOU1 do these other activities that made ^HIMHER sweat at least a little and breathe harder?

INTERVIEWER: Mark all that apply.

PAA_070A
PAA_070B
PAA_070C
PAA_070D
PAA_070E
PAA_070F
PAA_070G

- 1 Monday
2 Tuesday
3 Wednesday
4 Thursday
5 Friday
6 Saturday
7 Sunday
DK, RF

PAA_Q075
PAA_075

(In the last 7 days), how much time in total did ^YOU1 spend doing these activities that made ^HIMHER sweat at least a little and breathe harder?

INTERVIEWER: Include only those physical activities that lasted at least 10 minutes at a time, including rest periods.

Enter the number of hours on this screen and the number of minutes on the next screen. If the respondent answers in minutes only, enter 0 hours on this screen and the number of minutes on the next screen.

If recall is too difficult for the respondent, ask for their best estimate.

|_|_|_|
(MIN: 0)
(MAX: 168)

DK, RF (Go to PAA_D085)

Processing: If PAA_Q060 = 2 or PAA_Q065 = 2, the variable PAA_Q075 is given the value 0.

PAA_E075 A response inconsistent with a response to a previous question has been entered. Please confirm.

Rule: Trigger soft edit if PAA_Q070 = only one response selected and PAA_Q075 > 24.

PAA_C080 If PAA_Q075 = 168, go to PAA_D085.
Otherwise, go to PAA_N080.

PAA_N080 INTERVIEWER: Enter number of minutes.
PAA_080

|_|_|_|_|
(MIN: 0)
(MAX: 9,995)

DK, RF (Go to PAA_D085)

Processing: If PAA_Q060 = 2 or PAA_Q065 = 2 or PAA_Q075 = 168, the variable PAA_N080 is given the value 0.

PAA_E080A Inconsistent hours and minutes have been entered. Please return and correct.

Rule: Trigger hard edit if PAA_Q075 > 0 and PAA_N080 > 59.

PAA_E080B No time has been entered. Please return and correct.

Rule: Trigger hard edit if PAA_Q075 = 0 and PAA_N080 = 0

PAA_E080C The time spent being active is less than 10 minutes. Please return and correct.

Rule: Trigger hard edit if PAA_Q075 = 0 and PAA_N080 < 10

PAA_E080D A response inconsistent with a response to a previous question has been entered. Please confirm.

Rule: Trigger soft edit if PAA_Q070 = only one response selected and PAA_N080 > 1440.

PAA_D085

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Programmer: *If PAA_Q075 = RESPONSE and PAA_N080 = RESPONSE, set DV_PAAOTHER = PAA_Q075*60 + PAA_N080.
Otherwise if PAA_Q075 = RESPONSE, set DV_PAAOTHER = PAA_Q075*60.
Otherwise, set DV_PAAOTHER = 0.*

PAA_E085 An unusual value has been entered. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: *Trigger soft edit if DV_PAAOTHER > 780*

PAA_D090

Programmer: *DV_PAATOTAL = DV_PAATRAVEL + DV_PAAREC + DV_PAAOTHER*

PAA_E090 The total minutes of physical activity reported in the past 7 days is greater than the number of minutes in one week. Please return and correct.

Rule: *Trigger hard edit if DV_PAATOTAL > 10080*

Programmer: *The following "Go to" options should be available under "Questions involved": PAA_Q015, PAA_N020, PAA_Q045, PAA_N050, PAA_Q075 and PAA_N080.*

PAA_C095 If DV_PAATOTAL= 0, go to PAA_END.
Otherwise, go to PAA_Q095.

PAA_Q095
PAA_095 You have reported a total of ^DV_PAATOTAL minutes of physical activity. Of these activities, were there any of vigorous intensity, meaning they caused ^HIMHER to be out of breath?

1 Yes
2 No (Go to PAA_END)
DK, RF (Go to PAA_END)

Programmer: *Set DV_PAAVIG=0.*

PAA_Q100
PAA_100 In the last 7 days, how much time in total did ^YOU1 spend doing vigorous activities that caused ^HIMHER to be out of breath?

INTERVIEWER: Include only those physical activities that lasted at least 10 minutes at a time, including rest periods.

Enter the number of hours on this screen and the number of minutes on the next screen. If the respondent answers in minutes only, enter 0 hours on this screen and number of minutes on the next screen.

If recall is too difficult for the respondent, ask for their best estimate.

|_|_|_|
(MIN: 0)
(MAX: 168)

DK, RF (Go to PAA_END)

Processing: *If (PAA_Q005 = 2 and (PAA_Q030 = 2 or PAA_Q035 = 2) and (PAA_Q060 = 2 or PAA_Q065 = 2)) or PAA_Q095 = 2, the variable PAA_Q100 is given the value 0.*

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

PAA_C105	If PAA_Q100 = 168, go to PAA_D110. Otherwise, go to PAA_N105.
PAA_N105 PAA_105	<u>INTERVIEWER</u> : Enter number of minutes. _ _ _ _ (MIN: 0) (MAX: 9,995) DK, RF (Go to PAA_D110)
Processing:	If (PAA_Q005 = 2 and (PAA_Q030 = 2 or PAA_Q035 = 2) and (PAA_Q060 = 2 or PAA_Q065 = 2)) or PAA_Q095 = 2 or PAA_Q100 = 168, the variable PAA_N105 is given the value 0.
PAA_E105A	Inconsistent hours and minutes have been entered. Please return and correct.
Rule:	Trigger hard edit if PAA_Q100 > 0 and PAA_N105 > 59.
PAA_E105B	No time has been entered. Please return and correct.
Rule:	Trigger hard edit if PAA_Q100 = 0 and PAA_N105 = 0.
PAA_D110	
Programmer:	If PAA_Q100 = RESPONSE and PAA_N105 = RESPONSE, set DV_PAAVIG = PAA_Q100*60 + PAA_N105. Otherwise if PAA_Q100 = RESPONSE, set DV_PAAVIG = PAA_Q100*60. Otherwise, set DV_PAAVIG = 0.
PAA_E110A	An unusual value has been entered. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	Trigger soft edit if DV_PAAVIG > 960
PAA_E110B	The number of minutes spent doing vigorous physical activity is greater than the total minutes of physical activity reported in the last 7 days. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	Trigger soft edit if DV_PAAVIG > DV_PAATOTAL.
Programmer:	The following "Go to" options should be available under "Questions involved": PAA_Q015, PAA_N020, PAA_Q045, PAA_N050, PAA_Q075, PAA_N080, PAA_Q100 and PAA_N105.
PAA_END	

Physical activities for youth (PAY)

	Core content
PAY_BEG	Core content
	External variables required:
	PROXYMODE: proxy identifier, from the GR block.
	AGE: age of respondent
	DOPAY: do block flag, from the sample file.
	DV_PADDAY: Variable derived in PAD block
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display:
	Display on header bar PE_Q01 and PE_Q02 separated by a space
PAY_C001A	If DOPAY=2, go to PAY_END. Otherwise, go to PAY_C001B.
PAY_C001B	If AGE < 12 or AGE > 17, go to PAY_END. Otherwise, go to PAY_R001.
PAY_R001	The following questions are about various types of physical activities that ^YOU2 ^HAVE done each day in the past week.
	<u>INTERVIEWER</u> : Press <1> to continue.
PAY_D005	Not Applicable
Programmer:	Use PAY_DATE as reference date if set, else use system date.
	<i>DT_DAY2DAYSAGOE = English text for the day of the week 2 days ago (e.g., if current day is Saturday, then DT_DAY2DAYSAGOE = "Thursday").</i>
	<i>DT_DAY3DAYSAGOE = English text for the day of the week 3 days ago (e.g., if current day is Saturday, then DT_DAY3DAYSAGOE = "Wednesday").</i>
	<i>DT_DAY4DAYSAGOE = English text for the day of the week 4 days ago (e.g., if current day is Saturday, then DT_DAY4DAYSAGOE = "Tuesday").</i>
	<i>DT_DAY5DAYSAGOE = English text for the day of the week 5 days ago (e.g., if current day is Saturday, then DT_DAY5DAYSAGOE = "Monday").</i>
	<i>DT_DAY6DAYSAGOE = English text for the day of the week 6 days ago (e.g., if current day is Saturday, then DT_DAY6DAYSAGOE = "Sunday").</i>
	<i>DT_DAYLASTWEEKE = English text for the day of the week 7 days ago (e.g., if current day is Saturday, then DT_DAYLASTWEEKE = "Saturday").</i>
PAY_Q005	During the last 7 days, that is from last ^DT_DAYLASTWEEKE to yesterday, did ^YOU2...?

INTERVIEWER: Read categories to respondent.
Mark all that apply.

PAY_005A	1	Attend school
PAY_005B	2	Attend a day camp
PAY_005C	3	Attend paid or unpaid work
PAY_005D	4	None of the above DK, RF

PAY_E005 The category "None of the above" cannot be selected along with another category. Please return and correct.

Rule: Trigger hard edit if PAY_Q005 = 4 and any other response selected.

PAY_D010 If PAY_Q005 = 1 and 3 or PAY_Q005 = 1 and 2 and 3, DT_ACTIVEWAYSE = 'school, the bus stop, the shopping centre, work'.
If PAY_Q005 = 1 or PAY_Q005 = 1 and 2, DT_ACTIVEWAYSE = 'school, the bus stop, the shopping centre'.
If PAY_Q005 = 3 or PAY_Q005 = 2 and 3, DT_ACTIVEWAYSE = 'the bus stop, the shopping centre, work'.
Otherwise, DT_ACTIVEWAYSE = 'the bus stop, the shopping centre'.

PAY_Q010 In the last 7 days, did ^YOU1 use active ways like walking or cycling to
PAY_010 get to places such as ^DT_ACTIVEWAYSE or to visit friends?

INTERVIEWER: Do not include walking, cycling or other activities done purely for leisure. These activities will be asked about later.

1	Yes	
2	No	(Go to PAY_C025)
DK, RF		(Go to PAY_C025)

Programmer: Set DV_PAYTRAVEL= 0.

Tag: If a respondent answered yes, hours and minutes of active transportation were collected using the PAD sub-block. The individual responses are only used for the creation of PAY derived variables and are not released.

PAY_B015A Call the Physical Activity Detail (PAD) block.

Processing: If PAY_Q010 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q15A, PAD_N15A).
PAY_B015A.PAD_Q005 will be renamed to the variable PAY_15A.
PAY_B015A.PAD_N010 will be renamed to the variable PAY_15AN.

Programmer: Pass "DT_BoldQuestIntroE = How much time did ^YOU1 spend using active ways to get to places..." as parameter.

Pass "DT_QuestionE = ...yesterday?" as parameter.

Pass "DV_SoftTime = 60" as parameter.

PAY_C015B If PAY_B015A.PAD_Q005 = RF, go to PAY_C025.
Otherwise, go to PAY_B015B.

PAY_B015B Call the Physical Activity Detail (PAD) block.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing: *If PAY_Q010 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q15B, PAD_N15B).
PAY_B015B.PAD_Q005 will be renamed to the variable PAY_15B.
PAY_B015B.PAD_N010 will be renamed to the variable PAY_15BN.*

Programmer: *Pass "DT_BoldQuestIntroE = How much time (did ^YOU1 spend using active ways to get to places)..." as parameter.

Pass "DT_QuestionE = ...on ^DT_DAY2DAYSAGOE?" as parameter.

Pass "DV_SoftTime = 60" as parameter.*

PAY_B015C Call the Physical Activity Detail (PAD) block.

Processing: *If PAY_Q010 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q15C, PAD_N15C).
PAY_B015C.PAD_Q005 will be renamed to the variable PAY_15C.
PAY_B015C.PAD_N010 will be renamed to the variable PAY_15CN.*

Programmer: *Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend using active ways to get to places)..." as parameter.

Pass "DT_QuestionE = ...on ^DT_DAY3DAYSAGOE?" as parameter.

Pass "DV_SoftTime = 60" as parameter.*

PAY_B015D Call the Physical Activity Detail (PAD) block.

Processing: *If PAY_Q010 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q15D, PAD_N15D).
PAY_B015D.PAD_Q005 will be renamed to the variable PAY_15D.
PAY_B015D.PAD_N010 will be renamed to the variable PAY_15DN.*

Programmer: *Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend using active ways to get to places)..." as parameter.

Pass "DT_QuestionE = ...on ^DT_DAY4DAYSAGOE?" as parameter.

Pass "DV_SoftTime = 60" as parameter.*

PAY_B015E Call the Physical Activity Detail (PAD) block.

Processing: *If PAY_Q010 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q15E, PAD_N15E).
PAY_B015E.PAD_Q005 will be renamed to the variable PAY_15E.
PAY_B015E.PAD_N010 will be renamed to the variable PAY_15EN.*

Programmer: *Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend using active ways to get to places)..." as parameter.

Pass "DT_QuestionE = ...on ^DT_DAY5DAYSAGOE?" as parameter.

Pass "DV_SoftTime = 60" as parameter.*

PAY_B015F Call the Physical Activity Detail (PAD) block.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

	1	Yes	
	2	No	(Go to PAY_Q045)
	DK, RF		(Go to PAY_Q045)
Tag:	<i>If a respondent answered yes, hours and minutes of school or day camp activity were collected using the PAD sub-block. The individual responses are only used for the creation of PAY derived variables and are not released.</i>		
PAY_D035	If both 1 and 2 are selected at PAY_Q005, DT_SCHOOL2E = 'school or day camp'. Otherwise if 1 is selected at PAY_Q005, DT_SCHOOL2E = 'school'. Otherwise if 2 is selected at PAY_Q005, DT_SCHOOL2E = 'day camp'.		
PAY_B035A	Call the Physical Activity Detail (PAD) block.		
Processing:	<i>If (PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2 then the hours and minutes should be given the value of 0 for every weekday (PAD_Q35A, PAD_N35A) depending on the value in PAY_EDATE. PAY_B035A.PAD_Q005 will be renamed to the variable PAY_35A. PAY_B035A.PAD_N010 will be renamed to the variable PAY_35AN. In processing, if PAY_EDATE = 1 or 2, the variables PAY_35A and PAY_35AN is given the value 'Not applicable - NA'.</i>		
Programmer:	<i>Pass "DT_BoldQuestIntroE = How much time did ^YOU1 spend doing these activities at ^DT_SCHOOL2E that made ^HIMHER <u>sweat at least a little and breathe harder...</u>" as parameter. Pass "DT_QuestionE = ...yesterday?" as parameter. Pass "DV_SoftTime = 240" as parameter. Please do not call PAD block if yesterday= Saturday or Sunday</i>		
PAY_C035B	If PAY_B035A.PAD_Q005 = RF, go to PAY_Q045. Otherwise, go to PAY_B035B.		
PAY_B035B	Call the Physical Activity Detail (PAD) block.		
Processing:	<i>If (PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2 then the hours and minutes should be given the value of 0 for every weekday (PAD_Q35B, PAD_N35B) depending on the value in PAY_EDATE. PAY_B035B.PAD_Q005 will be renamed to the variable PAY_35B. PAY_B035B.PAD_N010 will be renamed to the variable PAY_35BN. In processing, if PAY_EDATE = 2 or 3, the variables PAY_35B and PAY_35BN is given the value 'Not applicable - NA'.</i>		
Programmer:	<i>Pass "DT_BoldQuestIntroE = How much time (did ^YOU1 spend doing these activities at ^DT_SCHOOL2E that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)..." as parameter. Pass "DT_QuestionE = ...on ^DT_DAY2DAYSAGOE?" as parameter. Pass "DV_SoftTime = 240" as parameter. Please do not call PAD block if DT_DAY2DAYSAGOE = Saturday or Sunday</i>		
PAY_B035C	Call the Physical Activity Detail (PAD) block.		

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing:	<p>If (PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2 then the hours and minutes should be given the value of 0 for every weekday (PAD_Q35C, PAD_N35C) depending on the value in PAY_EDATE. PAY_B035C.PAD_Q005 will be renamed to the variable PAY_35C. PAY_B035C.PAD_N010 will be renamed to the variable PAY_35CN.</p> <p>In processing, if PAY_EDATE = 3 or 4, the variables PAY_35C and PAY_35CN is given the value 'Not applicable - NA'.</p>
Programmer:	<p>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these activities at ^DT_SCHOOL2E that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter.</p> <p>Pass "DT_QuestionE = ...on ^DT_DAY3DAYSAGOE?" as parameter.</p> <p>Pass "DV_SoftTime = 240" as parameter.</p> <p>Please do not call PAD block if DT_DAY3DAYSAGOE = Saturday or Sunday</p>
PAY_B035D	Call the Physical Activity Detail (PAD) block.
Processing:	<p>If (PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2 then the hours and minutes should be given the value of 0 for every weekday (PAD_Q35D, PAD_N35D) depending on the value in PAY_EDATE. PAY_B035D.PAD_Q005 will be renamed to the variable PAY_35D. PAY_B035D.PAD_N010 will be renamed to the variable PAY_35DN.</p> <p>In processing, if PAY_EDATE = 4 or 5, the variables PAY_35D and PAY_35DN is given the value 'Not applicable - NA'.</p>
Programmer:	<p>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these activities at ^DT_SCHOOL2E that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter.</p> <p>Pass "DT_QuestionE = ...on ^DT_DAY4DAYSAGOE?" as parameter.</p> <p>Pass "DV_SoftTime = 240" as parameter.</p> <p>Please do not call PAD block if DT_DAY4DAYSAGOE = Saturday or Sunday</p>
PAY_B035E	Call the Physical Activity Detail (PAD) block.
Processing:	<p>If (PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2 then the hours and minutes should be given the value of 0 for every weekday (PAD_Q35E, PAD_N35E) depending on the value in PAY_EDATE. PAY_B035E.PAD_Q005 will be renamed to the variable PAY_35E. PAY_B035E.PAD_N010 will be renamed to the variable PAY_35EN.</p> <p>In processing, if PAY_EDATE = 5 or 6, the variables PAY_35E and PAY_35EN is given the value 'Not applicable - NA'.</p>
Programmer:	<p>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these activities at ^DT_SCHOOL2E that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter.</p> <p>Pass "DT_QuestionE = ...on ^DT_DAY5DAYSAGOE?" as parameter.</p> <p>Pass "DV_SoftTime = 240" as parameter.</p> <p>Please do not call PAD block if DT_DAY5DAYSAGOE = Saturday or Sunday</p>
PAY_B035F	Call the Physical Activity Detail (PAD) block.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing: If (PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2 then the hours and minutes should be given the value of 0 for every weekday (PAD_Q35F, PAD_N35F) depending on the value in PAY_EDATE.
PAY_B035F.PAD_Q005 will be renamed to the variable PAY_35F.
PAY_B035F.PAD_N010 will be renamed to the variable PAY_35FN.

In processing, if PAY_EDATE = 6 or 7, the variables PAY_35F and PAY_35FN is given the value 'Not applicable - NA'.

Programmer: Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these activities at ^DT_SCHOOL2E that made ^HIMHER sweat at least a little and breathe harder...)" as parameter.

Pass "DT_QuestionE = ...on ^DT_DAY6DAYSAGOE?" as parameter.

Pass "DV_SoftTime = 240" as parameter.

Please do not call PAD block if DT_DAY6DAYSAGOE = Saturday or Sunday

PAY_B035G Call the Physical Activity Detail (PAD) block.

Processing: If (PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2 then the hours and minutes should be given the value of 0 for every weekday (PAD_Q35G, PAD_N35G) depending on the value in PAY_EDATE.
PAY_B035G.PAD_Q005 will be renamed to the variable PAY_35G.
PAY_B035G.PAD_N010 will be renamed to the variable PAY_35GN.

In processing, if PAY_EDATE = 1 or 7, the variables PAY_35G and PAY_35GN is given the value 'Not applicable - NA'.

Programmer: Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these activities at ^DT_SCHOOL2E that made ^HIMHER sweat at least a little and breathe harder...)" as parameter.

Pass "DT_QuestionE = ...on ^DT_DAYLASTWEEKE?" as parameter.

Pass "DV_SoftTime = 240" as parameter.

Please do not call PAD block if DT_DAYLASTWEEKE = Saturday or Sunday

PAY_D040

Programmer: DV_PAYSCHOOL= PAY_B035A.DV_PADDAY + PAY_B035B.DV_PADDAY + PAY_B035C.DV_PADDAY + PAY_B035D.DV_PADDAY + PAY_B035E.DV_PADDAY + PAY_B035F.DV_PADDAY + PAY_B035G.DV_PADDAY

PAY_Q045
PAY_045 In the last 7 days, did ^YOU2 do physical activities in ^YOUR1 leisure time including exercising, playing an organized or non-organized sport or playing with ^YOUR1 friends?

1 Yes
2 No (Go to PAY_D065A)
DK, RF (Go to PAY_D065A)

Programmer: Set DV_PAYREC = 0.

PAY_Q050
PAY_050 Did any of these leisure-time activities make ^HIMHER sweat at least a little and breathe harder?

INTERVIEWER: Exclude physical activities already reported.

1 Yes
2 No (Go to PAY_D065A)
DK, RF (Go to PAY_D065A)

Tag: *If a respondent answered yes, hours and minutes of activity in leisure time were collected using the PAD sub-block. The individual responses are only used for the creation of PAY derived variables and are not released.*

PAY_B055A Call the Physical Activity Detail (PAD) block.

Processing: *If PAY_Q045 = 2 or PAY_Q050 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q055A, PAD_N55A).
PAY_B055A.PAD_Q005 will be renamed to the variable PAY_55A.
PAY_B055A.PAD_N010 will be renamed to the variable PAY_55AN.*

Programmer: *Pass "DT_BoldQuestIntroE = How much time did ^YOU1 spend doing these leisure-time activities that made ^HIMHER sweat at least a little and breathe harder..." as parameter.*

Pass "DT_QuestionE = ...yesterday?" as parameter.

Pass "DV_SoftTime = 240" as parameter.

PAY_C055B *If PAY_B055A.PAD_Q005 = RF, go to PAY_D065A.
Otherwise, go to PAY_B055B.*

PAY_B055B Call the Physical Activity Detail (PAD) block.

Processing: *If PAY_Q045 = 2 or PAY_Q050 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q055B, PAD_N55B).
PAY_B055B.PAD_Q005 will be renamed to the variable PAY_55B.
PAY_B055B.PAD_N010 will be renamed to the variable PAY_55BN.*

Programmer: *Pass "DT_BoldQuestIntroE = How much time (did ^YOU1 spend doing these leisure-time activities that made ^HIMHER sweat at least a little and breathe harder..." as parameter.*

Pass "DT_QuestionE = ...on ^DT_DAY2DAYSAGOE?" as parameter.

Pass "DV_SoftTime = 240" as parameter.

PAY_B055C Call the Physical Activity Detail (PAD) block.

Processing: *If PAY_Q045 = 2 or PAY_Q050 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q055C, PAD_N55C).
PAY_B055C.PAD_Q005 will be renamed to the variable PAY_55C.
PAY_B055C.PAD_N010 will be renamed to the variable PAY_55CN.*

Programmer: *Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these leisure-time activities that made ^HIMHER sweat at least a little and breathe harder...)" as parameter.*

Pass "DT_QuestionE = ...on ^DT_DAY3DAYSAGOE?" as parameter.

Pass "DV_SoftTime = 240" as parameter.

PAY_B055D Call the Physical Activity Detail (PAD) block.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing:	<i>If PAY_Q045 = 2 or PAY_Q050 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q55D, PAD_N55D). PAY_B055D.PAD_Q005 will be renamed to the variable PAY_55D. PAY_B055D.PAD_N010 will be renamed to the variable PAY_55DN.</i>
Programmer:	<i>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these leisure-time activities that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter.</i> <i>Pass "DT_QuestionE = ...on ^DT_DAY4DAYSAGOE?" as parameter.</i> <i>Pass "DV_SoftTime = 240" as parameter.</i>
PAY_B055E	Call the Physical Activity Detail (PAD) block.
Processing:	<i>If PAY_Q045 = 2 or PAY_Q050 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q55E, PAD_N55E). PAY_B055E.PAD_Q005 will be renamed to the variable PAY_55E. PAY_B055E.PAD_N010 will be renamed to the variable PAY_55EN.</i>
Programmer:	<i>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these leisure-time activities that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter.</i> <i>Pass "DT_QuestionE = ...on ^DT_DAY5DAYSAGOE?" as parameter.</i> <i>Pass "DV_SoftTime = 240" as parameter.</i>
PAY_B055F	Call the Physical Activity Detail (PAD) block.
Processing:	<i>If PAY_Q045 = 2 or PAY_Q050 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q55F, PAD_N55F). PAY_B055F.PAD_Q005 will be renamed to the variable PAY_55F. PAY_B055F.PAD_N010 will be renamed to the variable PAY_55FN.</i>
Programmer:	<i>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these leisure-time activities that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter.</i> <i>Pass "DT_QuestionE = ...on ^DT_DAY6DAYSAGOE?" as parameter.</i> <i>Pass "DV_SoftTime = 240" as parameter.</i>
PAY_B055G	Call the Physical Activity Detail (PAD) block.
Processing:	<i>If PAY_Q045 = 2 or PAY_Q050 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q55G, PAD_N55G). PAY_B055G.PAD_Q005 will be renamed to the variable PAY_55G. PAY_B055G.PAD_N010 will be renamed to the variable PAY_55GN.</i>
Programmer:	<i>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these leisure-time activities that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter.</i> <i>Pass "DT_QuestionE = ...on ^DT_DAYLASTWEEKE?" as parameter.</i> <i>Pass "DV_SoftTime = 240" as parameter.</i>
PAY_D060	

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing:	<i>If PAY_Q065 = 2 or PAY_Q070 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q75B, PAD_N75B). PAY_B075B.PAD_Q005 will be renamed to the variable PAY_75B. PAY_B075B.PAD_N010 will be renamed to the variable PAY_75BN.</i>
Programmer:	<i>Pass "DT_BoldQuestIntroE = How much time (did ^YOU1 spend doing these other physical activities that made ^HIMHER sweat at least a little and breathe harder...)" as parameter. Pass "DT_QuestionE = ...on ^DT_DAY2DAYSAGOE?" as parameter. Pass "DV_SoftTime = 480" as parameter.</i>
PAY_B075C	Call the Physical Activity Detail (PAD) block.
Processing:	<i>If PAY_Q065 = 2 or PAY_Q070 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q75C, PAD_N75C). PAY_B075C.PAD_Q005 will be renamed to the variable PAY_75C. PAY_B075C.PAD_N010 will be renamed to the variable PAY_75CN.</i>
Programmer:	<i>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these other physical activities that made ^HIMHER sweat at least a little and breathe harder...)" as parameter. Pass "DT_QuestionE = ...on ^DT_DAY3DAYSAGOE?" as parameter. Pass "DV_SoftTime = 480" as parameter.</i>
PAY_B075D	Call the Physical Activity Detail (PAD) block.
Processing:	<i>If PAY_Q065 = 2 or PAY_Q070 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q75D, PAD_N75D). PAY_B075D.PAD_Q005 will be renamed to the variable PAY_75D. PAY_B075D.PAD_N010 will be renamed to the variable PAY_75DN.</i>
Programmer:	<i>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these other physical activities that made ^HIMHER sweat at least a little and breathe harder...)" as parameter. Pass "DT_QuestionE = ...on ^DT_DAY4DAYSAGOE?" as parameter. Pass "DV_SoftTime = 480" as parameter.</i>
PAY_B075E	Call the Physical Activity Detail (PAD) block.
Processing:	<i>If PAY_Q065 = 2 or PAY_Q070 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q75E, PAD_N75E). PAY_B075E.PAD_Q005 will be renamed to the variable PAY_75E. PAY_B075E.PAD_N010 will be renamed to the variable PAY_75EN.</i>
Programmer:	<i>Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these other physical activities that made ^HIMHER sweat at least a little and breathe harder...)" as parameter. Pass "DT_QuestionE = ...on ^DT_DAY5DAYSAGOE?" as parameter. Pass "DV_SoftTime = 480" as parameter.</i>
PAY_B075F	Call the Physical Activity Detail (PAD) block.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing:	If PAY_Q065 = 2 or PAY_Q070 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q75F, PAD_N75F). PAY_B075F.PAD_Q005 will be renamed to the variable PAY_75F. PAY_B075F.PAD_N010 will be renamed to the variable PAY_75FN.
Programmer:	Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these other physical activities that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter. Pass "DT_QuestionE = ...on ^DT_DAY6DAYSAGOE?" as parameter. Pass "DV_SoftTime = 480" as parameter.
PAY_B075G	Call the Physical Activity Detail (PAD) block.
Processing:	If PAY_Q065 = 2 or PAY_Q070 = 2 then the hours and minutes should be given the value of 0 for every day of the week (PAD_Q75G, PAD_N75G). PAY_B075G.PAD_Q005 will be renamed to the variable PAY_75G. PAY_B075G.PAD_N010 will be renamed to the variable PAY_75GN.
Programmer:	Pass "DT_NotReadQuestIntroE = (How much time did ^YOU1 spend doing these other physical activities that made ^HIMHER <u>sweat at least a little and breathe harder...</u>)" as parameter. Pass "DT_QuestionE = ...on ^DT_DAYLASTWEEKE?" as parameter. Pass "DV_SoftTime = 480" as parameter.
PAY_D080	
Programmer:	DV_PAYOTHER = PAY_B075A.DV_PADDAY + PAY_B075B.DV_PADDAY + PAY_B075C.DV_PADDAY + PAY_B075D.DV_PADDAY + PAY_B075E.DV_PADDAY + PAY_B075F.DV_PADDAY + PAY_B075G.DV_PADDAY
PAY_D085	
Programmer:	DV_PAYTOTAL= DV_PAYTRAVEL + DV_PAYSCHOOL + DV_PAYREC + DV_PAYOTHER
PAY_E085	The total minutes of physical activity reported in the last 7 days is greater than the number of minutes in one week. Please return and correct.
Rule:	Trigger hard edit if DV_PAYTOTAL > 10080
PAY_C090	If DV_PAYTOTAL = 0, go to PAY_END. Otherwise, go to PAY_D090.
PAY_D090	Not Applicable
PAY_Q090 PAY_090	You have reported a total of ^DV_PAYTOTAL minutes of physical activity. Of these activities, were there any of <u>vigorous intensity</u> , meaning they caused ^HIMHER <u>to be out of breath</u> ?
	1 Yes 2 No (Go to PAY_END) DK, RF (Go to PAY_END)
Programmer:	Set DV_PAYVIG = 0.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

PAY_Q095 In the last 7 days, on which days did ^YOU1 do these vigorous activities that caused ^HIMHER to be out of breath?

INTERVIEWER: Mark all that apply.

PAY_095A	1	Yesterday
PAY_095B	2	^DT_DAY2DAYSAGOE
PAY_095C	3	^DT_DAY3DAYSAGOE
PAY_095D	4	^DT_DAY4DAYSAGOE
PAY_095E	5	^DT_DAY5DAYSAGOE
PAY_095F	6	^DT_DAY6DAYSAGOE
PAY_095G	7	^DT_DAYLASTWEEKE

DK, RF

PAY_E095 The respondent has indicated a day when he/she did vigorous activity, but did not previously report any minutes of activity for that day. Please verify.

Rule:

Trigger soft edit if (PAY_Q095=1 and PAY_B015A.DV_PADDAY + PAY_B035A.DV_PADDAY + PAY_B055A.DV_PADDAY + PAY_B075A.DV_PADDAY=0)
or
(PAY_Q095=2 and PAY_B015B.DV_PADDAY + PAY_B035B.DV_PADDAY + PAY_B055B.DV_PADDAY + PAY_B075B.DV_PADDAY=0)
or
(PAY_Q095=3 and PAY_B015C.DV_PADDAY + PAY_B035C.DV_PADDAY + PAY_B055C.DV_PADDAY + PAY_B075C.DV_PADDAY=0)
or
(PAY_Q095=4 and PAY_B015D.DV_PADDAY + PAY_B035D.DV_PADDAY + PAY_B055D.DV_PADDAY + PAY_B075D.DV_PADDAY=0)
or
(PAY_Q095=5 and PAY_B015E.DV_PADDAY + PAY_B035E.DV_PADDAY + PAY_B055E.DV_PADDAY + PAY_B075E.DV_PADDAY=0)
or
(PAY_Q095=6 and PAY_B015F.DV_PADDAY + PAY_B035F.DV_PADDAY + PAY_B055F.DV_PADDAY + PAY_B075F.DV_PADDAY=0)
or
(PAY_Q095=7 and PAY_B015G.DV_PADDAY + PAY_B035G.DV_PADDAY + PAY_B055G.DV_PADDAY + PAY_B075G.DV_PADDAY=0)

PAY_Q100 (In the last 7 days), how much time in total did ^YOU1 spend doing
PAY_100 vigorous activities that caused ^HIMHER to be out of breath?

INTERVIEWER: Enter the number of hours here. Enter the number of minutes on the next screen. If respondent answers in minutes only, enter 0 hours on this screen and the number of minutes on the next screen.

If recall is too difficult for the respondent, ask for their best estimate.

|_|_|_|
(MIN: 0)
(MAX: 168)

DK, RF (Go to PAY_END)

Processing: If (PAY_Q010 = 2 and ((PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2) and (PAY_Q045 = 2 or PAY_Q050 = 2) and (PAY_Q065 = 2 or PAY_Q070 = 2)) or PAY_Q090 = 2, the variable PAY_Q100 is given the value of 0.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

PAY_E100	A response inconsistent with a response to a previous question has been entered. Please confirm.
Rule:	Trigger soft edit if PAY_Q095 = only one response selected and PAY_Q100 > 24.
PAY_C105	If PAY_Q100 = 168, go to PAY_D110. Otherwise, go to PAY_N105.
PAY_N105 PAY_105	<u>INTERVIEWER</u> : Enter number of minutes. _ _ _ _ (MIN: 0) (MAX: 9,995) DK, RF (Go to PAY_D110)
Processing:	If (PAY_Q010 = 2 and ((PAY_Q005A = 2 and PAY_Q005B = 2) or PAY_Q025 = 2 or PAY_Q030 = 2) and (PAY_Q045 = 2 or PAY_Q050 = 2) and (PAY_Q065 = 2 or PAY_Q070 = 2)) or PAY_Q090 = 2 or PAY_Q100 = 168, the variable PAY_N105 is given the value of 0.
PAY_E105A	Inconsistent hours and minutes have been entered. Please return and correct.
Rule:	Trigger hard edit if PAY_Q100 > 0 and PAY_N105 > 59
PAY_E105B	No time has been entered. Please return and correct.
Rule:	Trigger soft edit if PAY_Q100 = 0 and PAY_N105 = 0
PAY_E105C	A response inconsistent with a response to a previous question has been entered. Please confirm.
Rule:	Trigger soft edit if PAY_Q095 = only one response selected and PAY_N105 > 1440.
PAY_D110	If PAY_Q100 = RESPONSE and PAY_N105 = RESPONSE, DV_PAYVIG = PAY_Q100*60 + PAY_N105 Otherwise if PAY_Q100 = RESPONSE, DV_PAYVIG = PAY_Q100*60 Otherwise, DV_PAYVIG = 0
PAY_E110A	An unusual value has been entered. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.
Rule:	Trigger soft edit if DV_PAYVIG > 660

PAY_E110B

The number of minutes spent doing vigorous physical activity is greater than the total minutes of physical activity reported in the last 7 days. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Total time by category is displayed below. To correct, go to the specified question.

Vigorous activities: ^DV_PAYVIG minutes. Go to PAY_Q100 to correct the number of hours or PAY_N105 to correct the number of minutes.

Work or chores: ^DV_PAYOTHER minutes. Go to PAY_B075A.PAD_Q005.

Leisure-time activities: ^DV_PAYREC minutes. Go to PAY_B055A.PAD_Q005.

School or day camp: ^DV_PAYSCHOOL minutes. Go to PAY_B035A.PAD_Q005.

Getting to places: ^DV_PAYTRAVEL minutes. Go to PAY_B015A.PAD_Q005

Rule:

Trigger soft edit if DV_PAYVIG > DV_PAYTOTAL

Programmer:

In the edit pop-up window, display the following "Questions involved": PAY_Q100, PAY_N105, PAY_B075A.PAD_Q005, PAY_B055A.PAD_Q005, PAY_B035A.PAD_Q005 and PAY_B015A.PAD_Q005.

PAY_D115

Programmer:

If PAY_Q065 = 1,2,DK,RF and PAY_EDATE = EMPTY, then DO:

Set PAY_EDATE = Current Day of the week (Sunday=1, Monday=2, etc..).

Set PAY_DATE = Current Date.

ENDIF

Add PAY_EDATE and PAY_DATE to the data file.

PAY_END

Physical activity detail (PAD)

	Core content
PAD_BEG	Called block Core Content External variables required: DT_BoldQuestIntroE: English question introductory text - bold DT_NotReadQuestIntroE: English question introductory text - bold and parenthesis DT_QuestionE: English question text DV_SOFTTIME: Soft edit value for the time spent doing the physical activity.
PAD_Q005	^DT_BoldQuestIntroE^DT_NotReadQuestIntroE ^DT_QuestionE <u>INTERVIEWER</u> : Enter the number of hours here. Enter the number of minutes on the next screen. If respondent answers in minutes only, enter 0 hours on this screen and the number of minutes on the next screen. If recall is too difficult for the respondent, ask for their best estimate. _ _ (MIN: 0) (MAX: 24) DK, RF (Go to PAD_D015)
PAD_C010	If PAD_Q005 = 24, go to PAD_D015. Otherwise, go to PAD_N010.
PAD_N010	<u>INTERVIEWER</u> : Enter number of minutes. _ _ _ (MIN: 0) (MAX: 960) DK, RF
Processing:	If the number of hours given in the previous question is 24, this question should be given the value 0 (minutes).
PAD_E010	Inconsistent hours and minutes have been entered. Please return and correct.
Rule:	Trigger hard edit if PAD_Q005 > 0 and PAD_N010 > 59
PAD_D015	

Programmer: *If PAD_Q005 = RESPONSE and PAD_N010 = RESPONSE, set DV_PADDAY = PAD_Q005*60 + PAD_N010.
Otherwise if PAD_Q005 = RESPONSE, set DV_PADDAY = PAD_Q005*60.
Otherwise, set DV_PADDAY = 0 (EMPTY).*

PAD_E015 An unusual value has been entered. Select <Suppress> to accept the answer and continue or <Goto> to return and correct.

Rule: *Trigger soft edit if DV_PADDAY > DV_SOFTTIME*

PAD_END

For Information Only

INTERVIEWER: Enter the name of the last child born. If the last birth was a multiple birth, ask respondent to refer to the last baby born during this multiple birth.

(50 spaces)

DK, RF

MEX_D020

If MEX_Q015 has an entry, DT_BABYSNAME = 'MEX_Q015'.
Otherwise, DT_BABYSNAME = 'your last child'.

MEX_Q020

MEX_Q20

What is ^DT_BABYSNAME's date of birth?

INTERVIEWER: Enter the day. If necessary, ask (What is the day?)

|_|_|
(MIN: 1)
(MAX: 31)

DK, RF

MEX_Q025

MEX_Q25

(What is ^DT_BABYSNAME's date of birth?)

INTERVIEWER: Enter the month. If necessary, ask (What is the month?)

01 January
02 February
03 March
04 April
05 May
06 June
07 July
08 August
09 September
10 October
11 November
12 December

DK, RF

MEX_Q030

MEX_Q30

(What is ^DT_BABYSNAME's date of birth?)

INTERVIEWER: Enter a four-digit year. If necessary, ask (What is the year?)

|_|_|_|
(MIN: 2,010)
(MAX: 2,099)

DK, RF

MEX_E030A

The date that the child was born is in the future. Please return and correct.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule: Trigger hard edit if MEX_Q020/MEX_Q025/MEX_Q030 (date of birth) > CURRENTDATE

MEX_E030B The date that the child was born is in the future. Please return and correct.

Rule: Trigger hard edit if MEX_Q020 in (DK,RF) and (MEX_Q030>CURRENTYEAR or (MEX_Q030=CURRENTYEAR and MEX_Q025>CURRENTMONTH)).

MEX_C030 If MEX_Q025 in (DK,RF) or MEX_Q030 in (DK,RF), go to MEX_END. Otherwise, go to MEX_D035.

Processing: In processing, if MEX_Q025 in (DK,RF) or MEX_Q030 in (DK,RF), all questions from MEX_Q040 onwards should all be set to 'not stated' (NS).

MEX_D035 DV_CHILDAGE = calculated age in months

Programmer: Calculate age based on the entered date of birth. Value should be kept as DV_CHILDAGE.

If MEX_Q020 in (1:31) and MEX_Q025 in (1:12) and MEX_Q030 in (2010:2099), calculate age in months.
Else, if MEX_Q020 in (DK,RF) and MEX_Q025 in (1:12) and MEX_Q030 in (2010:2099), calculate age in months based only on the month and year of birth.

MEX_E035 This child is 6 years old or over. Please confirm.

Rule: Trigger soft edit if DV_CHILDAGE >= 72

MEX_C040 If DV_CHILDAGE < 72 months, go to MEX_R040. Otherwise, go to MEX_END.

MEX_R040 The next questions are about your maternal experiences related to ^DT_BABYSNAME.

INTERVIEWER: Press <1> to continue.

MEX_Q040
MEX_Q040 In the three months before you got pregnant with ^DT_BABYSNAME, did you take a folic acid supplement or a multivitamin containing folic acid?

INTERVIEWER: If respondent says she takes a prenatal vitamin but is unsure what the vitamin contains, please select 'Yes'.

1 Yes
2 No (Go to MEX_Q050)
DK, RF (Go to MEX_Q050)

MEX_Q045
MEX_Q045 Did you take it every day or almost every day?

1 Yes
2 No
DK, RF

MEX_Q050
MEX_Q050 During the first three months of your pregnancy (with ^DT_BABYSNAME), did you take a folic acid supplement or a multivitamin containing folic acid?

INTERVIEWER: If respondent says she takes a prenatal vitamin but is unsure what the vitamin contains, please select 'Yes'.

- 1 Yes
- 2 No (Go to MEX_Q060)
- DK, RF (Go to MEX_Q060)

MEX_Q055
MEX_055

Did you take it every day or almost every day?

- 1 Yes
- 2 No
- DK, RF

MEX_Q060
MEX_060

Before your pregnancy (with ^DT_BABYSNAME), were you aware that taking folic acid before becoming pregnant can help prevent some birth defects?

- 1 Yes
- 2 No
- DK, RF

MEX_Q065
MEX_065

During your pregnancy (with ^DT_BABYSNAME), did you take a vitamin supplement containing iron?

INTERVIEWER: If respondent says she takes a prenatal vitamin but is unsure what the vitamin contains, please select 'Yes'.

- 1 Yes
- 2 No
- DK, RF

MEX_Q070
MEX_070

Just before your pregnancy (with ^DT_BABYSNAME), how much did you weigh?

INTERVIEWER: Enter amount only.

|_|_|_|
(MIN: 1)
(MAX: 700)

DK, RF (Go to MEX_Q080)

MEX_N075
MEX_075

INTERVIEWER: Was that in pounds or kilograms?

- 1 Pounds
- 2 Kilograms
- (DK, RF not allowed)

MEX_E075

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if ((MEX_Q070 > 300 and MEX_N075 = 1) or (MEX_Q070 > 136 and MEX_N075 = 2)) or ((MEX_Q070 < 60 and MEX_N075 = 1) or (MEX_Q070 < 27 and MEX_N075 = 2)).

MEX_Q080

How much weight did you gain during that pregnancy?

MEX_080

INTERVIEWER: Enter amount only. If the respondent declares a weight loss during pregnancy, enter a negative value. If the weight loss or weight gain during pregnancy is more than the values permitted, just enter the minimum or maximum value.

|_|_|_|
(MIN: -50)
(MAX: 199)

DK, RF (Go to MEX_D090)

MEX_N085
MEX_085

INTERVIEWER: Was that in pounds or kilograms?

1 Pounds
2 Kilograms
(DK, RF not allowed)

MEX_E085

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if ((MEX_Q080 > 125 and MEX_N085 = 1) or (MEX_Q080 > 60 and MEX_N085 = 2))

MEX_D090

If DV_CHILDAGE < 12 months, DT_INFANTCHILD = 'How often does ^DT_BABYSNAME'.
Otherwise, DT_INFANTCHILD = 'When ^DT_BABYSNAME was less than one year old, how often did he/she'.

MEX_Q090
MEX_090

^DT_INFANTCHILD sleep in the same bed with you or anyone else?

INTERVIEWER: Read categories to respondent.

1 Every day or almost every day
2 Once or twice a week
3 A few times a month
4 Less than once a month
5 Never (Go to MEX_Q100)
DK, RF (Go to MEX_Q100)

MEX_D095

If DV_CHILDAGE < 12 months, DT_ISWAS = 'is'.
Otherwise, DT_ISWAS = 'was'.

MEX_Q095
MEX_095

What is the main reason that ^DT_BABYSNAME ^DT_ISWAS sleeping in the same bed with you or someone else?

- 1 To breastfeed
 - 2 So the baby would sleep
/ So I could get some sleep
 - 3 Did not have room for a
crib
 - 4 Could not afford a crib
 - 5 Believe that bedsharing
was best for my child
 - 6 Child was sick
 - 7 Other
- DK, RF

Processing:

*In processing, if a respondent answered MEX_Q090= DK or RF, the variable
MEX_Q095 is set to 'not stated' (NS).*

MEX_Q100
MEX_100

Was ^DT_BABYSNAME breastfed or given breast milk even for a short
time?

- 1 Yes (Go to MEX_Q110)
 - 2 No (Go to MEX_C170)
- DK, RF (Go to MEX_C170)

MEX_E100

The response "no - did not breastfeed baby" is inconsistent with the
previous question "baby slept in the same bed to breastfeed". Please
confirm responses.

Rule:

Trigger soft edit if MEX_Q095=1 and MEX_Q100=2.

MEX_Q105
MEX_105

What is the main reason that you did not breastfeed or give breast
milk?

- 1 Bottle feeding is easier
 - 2 Formula is as good as
breast milk
 - 3 Breastfeeding is
unappealing
 - 4 Medical condition -
mother
 - 5 Other - Specify (Go to MEX_S105)
- DK, RF

Go to MEX_C170

MEX_S105

(What is the main reason that you did not breastfeed or give breast
milk?)

INTERVIEWER: Specify.

(80 spaces)

DK, RF

Go to MEX_C170

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

MEX_Q110
MEX_110

Are you still breastfeeding or giving breast milk to ^DT_BABYSNAME?

- 1 Yes
- 2 No (Go to MEX_Q115)
- DK, RF (Go to MEX_C170)

Go to MEX_D125A

MEX_Q115
MEX_115

How long did you breastfeed or give breast milk to ^DT_BABYSNAME?

INTERVIEWER: Enter amount only.

|_|_|_|
(MIN: 1)
(MAX: 365)

- DK, RF (Go to MEX_Q120)

MEX_N115A
MEX_115A

INTERVIEWER: Was this time in days, weeks, months or years?

If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and ½ months would become 4 months.

If the respondent reports more than a year, with half values, report in months. For example, 2 ½ years = 30 months.

- 1 Days
- 2 Weeks
- 3 Months
- 4 Years
- (DK, RF not allowed)

MEX_E115A

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MEX_N115A = 1 (Days) and MEX_Q115 > 50.

MEX_E115B

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MEX_N115A = 2 (Weeks) and MEX_Q115 > 52.

MEX_E115C

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MEX_N115A = 3 (Months) and MEX_Q115 > 100.

MEX_E115D

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MEX_N115A = 4 (Years) and MEX_Q115 > 9.

MEX_D115

DV_STOPBREASTFEEDING = calculated time in months

Programmer:

Calculate period of breastfeeding based on the entered amount of time before stopped breastfeeding. Value should be kept as DV_STOPBREASTFEEDING.

MEX_E115E

The length of time indicated that ^DT_BABYSNAME was breastfed or given breast milk is longer than he/she is old. Please confirm.

Rule:

Trigger soft edit if DV_STOPBREASTFEEDING > DV_CHILDAGE.

MEX_Q120
MEX_120

What is the main reason that you stopped breastfeeding or giving
breast milk?

- 01 Not enough breast milk
 - 02 Baby was ready for solid
foods
 - 03 Inconvenience / fatigue
due to breastfeeding
 - 04 Difficulty with
breastfeeding (e.g., sore nipples,
engorged breasts, mastitis)
 - 05 Medical condition -
mother
 - 06 Medical condition - baby
 - 07 Planned to stop at this
time
 - 08 Child weaned him /
herself (e.g., baby refusing breast,
lack of interest)
 - 09 Returned to work / school
 - 10 Other - Specify (Go to MEX_S120)
- DK, RF

Go to MEX_D125A

MEX_S120

(What is the main reason that you stopped breastfeeding or giving
breast milk?)

INTERVIEWER: Specify.

(80 spaces)

DK, RF

MEX_D125A

If MEX_Q110 = 1, DV_STOPBREASTFEEDING = DV_CHILDAGE

MEX_D125B

If (DV_CHILDAGE < 12 months) and (MEX_Q110 = 1 (still breastfed)),
DT_VITAMIND = 'Are you giving ^DT_BABYSNAME a vitamin D
supplement?'.
If (DV_CHILDAGE >= 12 months) and (MEX_Q110 = 1 (still breastfed)),
DT_VITAMIND = 'When ^DT_BABYSNAME was less than a year old, did
you give him/her a vitamin D supplement?'.
If (DV_CHILDAGE >= 12 months) and (MEX_Q110 = 2 (no longer
breastfed)), DT_VITAMIND = 'When ^DT_BABYSNAME was less than one
year old and fed breast milk, did you give him/her a vitamin D
supplement?'.
Otherwise, if (DV_CHILDAGE < 12 months) and (MEX_Q110 = 2 (no
longer breastfed)), DT_VITAMIND = 'When ^DT_BABYSNAME was fed
breast milk, did you give him/her a vitamin D supplement?'.
DT_VITAMIND

MEX_Q125

^DT_VITAMIND

MEX_125

INTERVIEWER: Select "yes" if baby was fed breast milk, even in small quantities and given vitamin D.

- 1 Yes
- 2 No (Go to MEX_D145)
- DK, RF (Go to MEX_D145)

MEX_C130

If DV_CHILDAGE >= 12 months and DV_STOPBREASTFEEDING >= 12 months, go to MEX_D130.
Otherwise, go to MEX_D135.

MEX_D130

If MEX_Q110=1 (still breastfed), DT_VITAMIND2 = 'Now that ^DT_BABYSNAME is more than a year old, are you still giving him/her a vitamin D supplement?'.
Otherwise, DT_VITAMIND2 = 'When ^DT_BABYSNAME was older than one and fed breast milk, did you continue to give him/her a vitamin D supplement?'

MEX_Q130
MEX_130

^DT_VITAMIND2

INTERVIEWER: Select "yes" if baby was fed breast milk, even in small quantities and given vitamin D.

- 1 Yes
- 2 No
- DK, RF

MEX_D135

If MEX_Q110=1 (still breastfed), DT_DIDDO = 'do'.
Otherwise, if MEX_Q110=2 (no longer breastfed), DT_DIDDO = 'did'.

MEX_Q140
MEX_140

Overall, how often ^DT_DIDDO you give ^DT_BABYSNAME a supplement containing vitamin D?

INTERVIEWER: Read categories to respondent.

- 1 Every day
- 2 Almost every day
- 3 Once or twice a week
- 4 Less than once a week
- DK, RF

MEX_D145

If MEX_Q110 = (2, DK, RF), DT_LIQUIDS = 'While you were still breastfeeding, had'.
Otherwise, DT_LIQUIDS = 'Have'.

MEX_Q150
MEX_150

^DT_LIQUIDS liquids such as milk, formula, water, juice, tea or herbal **mixture been introduced to ^DT_BABYSNAME's feeds?**

- 1 Yes
- 2 No (Go to MEX_C170)
- DK, RF (Go to MEX_C170)

MEX_Q155
MEX_155

How old was ^DT_BABYSNAME when other liquids were first added to the feeds?

INTERVIEWER: Enter amount only.

|_|_|_|
(MIN: 1)
(MAX: 365)

DK, RF (Go to MEX_C170)

MEX_N160
MEX_160

INTERVIEWER: Was this time in days, weeks, months or years?

If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and ½ months would become 4 months.

If the respondent reports more than a year, with half values, report in months. For example, 2 ½ years = 30 months.

1 Days
2 Weeks
3 Months
4 Years
(DK, RF not allowed)

MEX_E160A

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MEX_N160 = 1 (Days) and MEX_Q155 > 50.

MEX_E160B

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MEX_N160 = 2 (Weeks) and MEX_Q155 > 52.

MEX_E160C

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MEX_N160 = 3 (Months) and MEX_Q155 > 100.

MEX_E160D

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if MEX_N160 = 4 (Years) and MEX_Q155 > 9.

MEX_D160

DV_AGELIQUIDS = calculated time in months

Programmer:

Calculate age at introduction of liquids based on value entered. For any age less than one month, put one month. Value should be kept as DV_AGELIQUIDS.

MEX_D165

If MEX_Q015 has an entry, DT_RESPBABY = 'MEX_Q015'.
Otherwise, DT_RESPBABY = 'her last child'.

MEX_E165A

The age when liquids were introduced is older than ^DT_RESPBABY is.
Please confirm.

Rule:

Trigger soft edit if DV_AGELIQUIDS > DV_CHILDAGE.

MEX_E165B

The respondent has indicated that ^DT_RESPBABY stopped breastfeeding after ^DV_STOPBREASTFEEDING months, but that liquids were not introduced until the baby was ^DV_AGELIQUIDS months old.
Please confirm.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule:	Trigger soft edit if DV_AGELIQUIDS > DV_STOPBREASTFEEDING.
MEX_C170	If DV_CHILDAGE < 24 months, go to MEX_Q170. Otherwise, go to MEX_Q175.
MEX_Q170 MEX_170	Have solid foods such as cereals, mashed up or pureed meat, vegetables or fruits been introduced to the baby's feeds? 1 Yes 2 No (Go to MEX_C195) DK, RF (Go to MEX_C195)
MEX_Q175 MEX_175	How old was ^DT_BABYSNAME when solid foods (such as cereals, mashed up or pureed meat, vegetables or fruits) were first added to their feeds? <u>INTERVIEWER:</u> Enter amount only. _ _ _ (MIN: 1) (MAX: 365) DK, RF (Go to MEX_Q190)
MEX_N180 MEX_180	<u>INTERVIEWER:</u> Was this time in days, weeks, months or years? If respondent reports less than 1 year but with a fraction, round the amount up. For example, 3 and ½ months would become 4 months. <u>If the respondent reports more than a year, with half values, report in months.</u> For example, 2 ½ years = 30 months. 1 Days 2 Weeks 3 Months 4 Years (DK, RF not allowed)
MEX_E180A	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if MEX_N180 = 1 (Days) and MEX_Q175 > 50.
MEX_E180B	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if MEX_N180 = 2 (Weeks) and MEX_Q175 > 52.
MEX_E180C	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if MEX_N180 = 3 (Months) and MEX_Q175 > 100.
MEX_E180D	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if MEX_N180 = 4 (Years) and MEX_Q175 > 9.
MEX_D185	DV_AGESOLIDS = calculated time in months

Programmer:	Calculate age at introduction of solids based on value entered. For any age less than one month, put one month. Value should be kept as DV_AGESOLIDS.
MEX_E185	The age when solid foods were introduced is older than ^DT_RESPBABY is. Please confirm.
Rule:	Trigger soft edit if DV_AGESOLIDS > DV_CHILDAGE.
MEX_Q190 MEX_190	What was the first solid food added to ^BABYNAME's feeds? 1 Infant cereals 2 Meat, fish or poultry 3 Meat alternatives (includes eggs, tofu, legumes, peas or lentils) 4 Fruits or vegetables 5 Other DK, RF
MEX_C195	If MEX_Q150=1 or (MEX_Q170=1 or DV_CHILDAGE>= 24 months), go to MEX_D195A. Otherwise, go to MEX_END.
MEX_D195A	If MEX_Q150=1 (liquids added) and MEX_Q170 = 2, DK, RF (no solids added), DT_LIQUIDSOLID = 'other liquids'. If MEX_Q150=2, DK, RF (liquids not added) and MEX_Q170=1 (solids added), DT_LIQUIDSOLID = 'solid foods'. Otherwise, DT_LIQUIDSOLID = 'other liquids and solid foods'.
MEX_D195B	If MEX_Q170 = 1 (solid foods have been added) or DV_CHILDAGE>=24 months, DT_READYSOLIDS = 'Baby was ready for solid foods'. Otherwise, DT_READYSOLIDS = 'null'.
MEX_Q195 MEX_195	What is the main reason ^DT_LIQUIDSOLID were first added to ^DT_BABYNAME's feeds?

- 01 Not enough breast milk
 - 02 ^DT_READYSOLIDS
 - 03 Inconvenience / fatigue
due to breastfeeding
 - 04 Difficulty with
breastfeeding (e.g., sore nipples,
engorged breasts, mastitis)
 - 05 Medical condition -
mother
 - 06 Medical condition - baby
 - 07 Advice from health
professional / family
 - 08 Returned to work / school
 - 09 Formula equally healthy
for baby
 - 10 Other - Specify (Go to MEX_S195)
- DK, RF

Go to MEX_END

MEX_S195

(What is the main reason ^DT_LIQUIDSOLID were first added to
^DT_BABYSNAME's feeds?)

INTERVIEWER: Specify.

(80 spaces)

DK, RF

MEX_END

Flu shots (FLU)

	Core content
FLU_BEG	Core content
	External variables required:
	DOFLU: flag to activate the block from the sample file.
	CURRENTMONTH: System month
	PROXYMODE: proxy identifier, from the GR block.
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display:
	Display on header bar PE_Q01 and PE_Q02 separated by a space
FLU_C001A	If DOFLU = 2, go to FLU_END. Otherwise, go to FLU_C001B.
FLU_C001B	If PROXYMODE=1, go to FLU_END. Otherwise, go to FLU_R001.
FLU_R001	Now a few questions about your use of various health care services. <u>INTERVIEWER</u> : Press <1> to continue.
FLU_Q005 FLU_005	Have you ever had a seasonal flu shot, excluding the H1N1 flu shot? 1 Yes 2 No (Go to FLU_Q025) DK, RF (Go to FLU_END)
FLU_Q010 FLU_010	When did you have your last seasonal flu shot? <u>INTERVIEWER</u> : Read categories to respondent. 1 Less than 1 year ago 2 1 year to less than 2 years ago 3 2 years ago or more DK, RF (Go to FLU_END)
FLU_C015	If FLU_Q010 = 2 or 3, go to FLU_Q025. Otherwise, go to FLU_Q015.
FLU_Q015	In which month did you have your last seasonal flu shot?

FLU_015

- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December
- DK, RF

FLU_C020

If FLU_Q015 = ^CURRENTMONTH, go to FLU_Q020.
Otherwise, go to FLU_END.

FLU_Q020
FLU_Q020

Was that this year or last year?

- 1 This year
- 2 Last year
- DK, RF

Go to FLU_END

FLU_Q025

What are the reasons that you have not had a seasonal flu shot in the past year?

INTERVIEWER: Mark all that apply.

FLU_Q025A
FLU_Q025B

- 01 Lack of time
- 02 Respondent - did not think it was necessary
- 03 Doctor - did not think it was necessary

FLU_Q025C

- 04 Not available - at time required

FLU_Q025D

- 05 Did not know where to go / uninformed

FLU_Q025E

- 06 Feelings of fear or discomfort

FLU_Q025F

- 07 Bad reaction to previous flu shot

FLU_Q025G

- 08 Bad reaction to previous vaccine other than flu shot

FLU_Q025H

- 09 Unsure of / does not believe in benefits of vaccine

FLU_Q025I

- 10 Does not want vaccine for fear of what it contains

FLU_Q025J

- 11 Other

FLU_Q025K

DK, RF

FLU_END

PHC_010

INTERVIEWER: Read categories to respondent. Please exclude Internet as a usual "place" to go to for care.

- 1 A doctor's office
 - 2 A hospital outpatient clinic
 - 3 A community health centre ^DT_CLSC
 - 4 A walk-in clinic
 - 5 A hospital emergency room
 - 6 Some other place
- DK, RF

PHC_C015

If PHC_Q010=1, go to PHC_Q015.
Otherwise, go to PHC_Q020.

PHC_Q015
PHC_015

Is this...?

INTERVIEWER: Read categories to respondent.

- 1 An office with one doctor working in a solo practice
 - 2 An office with several health care professionals working together as a team, that may include a dietician, nurse, social worker or psychologist
 - 3 An office with several doctors working independently of each other, who may share one or more nurses
 - 4 Other
- DK, RF

PHC_Q020
PHC_020

^DOVERB_C ^YOU1 have a regular health care provider? By this, we mean one health professional that ^YOU1 regularly see^S or talk^S to when ^YOU1 need^S care or advice for ^YOUR1 health.

- | | | |
|--------|-----|------------------|
| 1 | Yes | (Go to PHC_Q030) |
| 2 | No | (Go to PHC_D025) |
| DK, RF | | (Go to PHC_END) |

PHC_D025

If PROXYSEX = 1, DT_YOU1C = 'You'.
If PROXYSEX = 2, DT_YOU1C = 'You'.
If PROXYSEX = 3, DT_YOU1C = 'He'.
If PROXYSEX = 4, DT_YOU1C = 'She'.

PHC_Q025

What are the reasons why ^YOU1 ^DOVERB not have a regular health care provider?

INTERVIEWER: Read categories to respondent.
Mark all that apply.

- PHC_025A 1 ^DOVERB_C not need
one in particular, but ^YOU1
^HAVE a usual place of care
- PHC_025B 2 No one available in the
area
- PHC_025C 3 No one in the area is
taking new patients
- PHC_025D 4 ^DT_YOU1C ^HAVE not
tried to find one
- PHC_025E 5 Had one who left or
retired
- PHC_025F 6 Other
DK, RF

Go to PHC_END

PHC_E025 A response inconsistent with a response to a previous question has
been entered. Please confirm.

Rule: *Trigger soft edit if PHC_Q025 = 1 (Don't need one in particular, I have a usual place
of care) and PHC_Q005 = (2, DK, RF)*

PHC_Q030 Is that regular health care provider a...?
PHC_030

INTERVIEWER: Read categories to respondent. If respondent wants to
report more than one doctor, ask for the one he/she consults the most.
Additional examples of specialists are oncologist or psychiatrist.
Examples of "Other" regular health care providers are psychologist or
physiotherapist.

- 1 Family doctor or general
practitioner
- 2 Medical specialist such
as a cardiologist or a pediatrician
- 3 Nurse practitioner
- 4 Other
DK, RF

PHC_D035A If PHC_Q030 = 1, DT_PHC_E = 'family physician'.
Otherwise, if PHC_Q030 = 2, DT_PHC_E = 'specialist'.
Otherwise, if PHC_Q030 = 3, DT_PHC_E = 'nurse practitioner'.
Otherwise, DT_PHC_E = 'regular health care provider'.

PHC_D035B Not Applicable

PHC_D035C If PHC_Q015=1, DT_SOLO = '?'.
Otherwise, DT_SOLO = ', or another care provider from the same
office?'

PHC_Q035 When ^YOU2 ^DT_NEED immediate care for a minor health problem,
PHC_035 how long ^DOVERB ^YOU1 usually have to wait before ^YOU1 can
have an appointment with this ^DT_PHC_E^DT_SOLO

INTERVIEWER: Minor health problem can include fever, headache, a sprained ankle, vomiting or an unexplained rash.

- 1 On the same day
 - 2 The next day
 - 3 In 2 to 3 days
 - 4 In 4 to 6 days
 - 5 In 1 to 2 weeks
 - 6 Between 2 weeks and one month
 - 7 One month or more
- DK, RF

PHC_Q040
PHC_040

^DOVERB_C ^YOU1 usually speak in English, in French or in another language with this ^DT_PHC_E?

- 1 English
 - 2 French
 - 3 English and French
 - 4 English and another language
 - 5 French and another language
 - 6 Another language
- DK, RF

PHC_Q045
PHC_045

Is there one or more nurses working with ^YOUR1 ^DT_PHC_E who are regularly involved in ^YOUR1 health care?

- 1 Yes
 - 2 No
- DK, RF

PHC_C050

If PHC_Q010 in (2,3,4,5,6), go to PHC_Q050.
Otherwise, go to PHC_Q055.

PHC_Q050
PHC_050

Other than doctors and nurses, are there other health professionals like nutritionists working in the same office where ^YOU1 get^S ^YOUR1 regular health care?

INTERVIEWER: The respondent might not use/need the services of these other professionals in the same office but is aware that they are available.

- 1 Yes
 - 2 No
- DK, RF

PHC_Q055

Other than from ^YOUR1 ^DT_PHC_E, who ^DOVERB ^YOU1 receive regular health care from?

INTERVIEWER: Read categories to respondent. Mark all that apply.
Regular health care can also be considered as routine health care.

PHC_055A	01	Another family doctor or general practitioner
PHC_055B	02	Specialist doctor
PHC_055C	03	Nurse / Nurse practitioner
PHC_055D	04	Chiropractor
PHC_055E	05	Registered dietician
PHC_055F	06	Pharmacist
PHC_055G	07	Physiotherapist
PHC_055H	08	Psychologist / Mental Health Professional
PHC_055I	09	Social Worker
PHC_055J	10	Other
PHC_055K	11	None

DK, RF

PHC_E055 You cannot select "None" and another category. Please return and correct.

Rule: *Trigger hard edit if PHC_Q055 = 11 (None) and any other response selected in PHC_Q055.*

PHC_C060 If PHC_Q020 = 1 (has a regular health care provider) and PHC_Q055 <> 11 (receives regular health care from any other professionals), go to PHC_Q060.
Otherwise, go to PHC_END.

PHC_Q060 In general, how would ^YOU1 rate the level of coordination between
PHC_060 ^YOUR1 ^DT_PHC_E and other health professionals who provide
^HIMHER with regular care? Would ^YOU1 say the coordination is...?

INTERVIEWER: Read categories to respondent. Examples of care coordination are: sending test results on time; communicating diagnostic or treatment plans to other health providers.

1	Excellent
2	Very good
3	Good
4	Fair
5	Poor
6	Not applicable

DK, RF

PHC_END

Contacts with health professionals - part 1 (CHP)

Core content

CHP_BEG

Core content

External variables required:

PROXYMODE: proxy identifier, from the GR block.

SEX_Q01: Respondent's sex

AGE: Age of the respondent

CURRENTDATE: System date

PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy

DOCHP: do block flag, from the sample file.

COLLYEAR: Collection year, based on value of "CYCLE" from the Unitinfo file

INJ_Q095: Where were you treated for injury? (in ER)

INJ_Q100: Were you admitted to a hospital overnight?

DEN_Q035: When was the last time you saw a dental professional?

CMH_Q015: Whom did you see or talk to?

PHC_Q020: Do you have a regular health care provider?

^DT_YOU1C: English dynamic text for proxy interviews, defined in ADL block

PE_Q01 : first name of specific respondent from USU block

PE_Q02 : last name of specific respondent from USU block

Screen display :

Display on header bar PE_Q01 and PE_Q02 separated by a space

CHP_C001

If DOCHP = 2, go to CHP_END.

Otherwise, go to CHP_D001.

CHP_D001

Programmer:

DV_DATEONEYEARAGO = CURRENTDATE - 1

CHP_R001

Now I'd like to ask about ^YOUR2 contacts with various health professionals and use of various health care services during the past 12 months, that is, from ^DV_DATEONEYEARAGO to yesterday.

INTERVIEWER: Press <1> to continue.

CHP_C005A

If COLLYEAR = 2015 or 2016 or 2019 or 2020, go to CHP_Q010.

Otherwise, go to CHP_C005B.

CHP_C005B

If AGE > 17, go to CHP_R005.

Otherwise, go to CHP_Q010.

CHP_R005 Home care services are services provided in your own home because of a health condition or limitation in daily activities; they can include for example, nursing care, meal preparation, someone to help you bathe or do housework. Do not include the help from family, friends or neighbours.

INTERVIEWER: Press <1> to continue.

CHP_Q005
CHP_005 In the past 12 months, ^HAVE ^YOU1 received any home care services?

1 Yes
2 No
DK, RF

CHP_Q010
CHP_010 In the past 12 months, how many times ^HAVE ^YOU1 personally used a hospital emergency room?

INTERVIEWER: If never, enter 0.

|_|_|_|
(MIN: 0)
(MAX: 900; Warning Value: 25)

DK
RF (Go to CHP_END)

CHP_E010A An unusual value has been entered. Please confirm.

Rule: Trigger soft edit if CHP_Q010 > 25

CHP_E010B A response inconsistent with a response to a previous question has been entered. Please confirm.

Rule: Trigger soft edit if INJ_Q095 = 02 (received treatment for injury in ER) and CHP_Q010 = 0.

CHP_C015 If CHP_Q010 = 0 or DK, go to CHP_D025.
Otherwise, go to CHP_D015.

CHP_D015 If PROXYSEX = 1, DT_YOUR1C = 'Your'.
If PROXYSEX = 2, DT_YOUR1C = 'Your'.
If PROXYSEX = 3, DT_YOUR1C = 'His'.
If PROXYSEX = 4, DT_YOUR1C = 'Her'.

CHP_Q015 The last time ^YOU1 went, what were the reasons ^YOU1 went to the emergency room instead of any other health care service (like a **doctor's office**)?

INTERVIEWER: Mark all that apply.

CHP_015A

01 It was clearly an emergency

CHP_015B

02 ^DT_YOU1C didn't know if ^YOUR1 health condition was an emergency

CHP_015C

03 It was not an emergency but ^YOU1 felt ^YOU1 would see a health professional or get the test ^YOU1 needed done faster

CHP_015D

04 ^DT_YOU1C ^WERE told to go to the emergency department for follow-up or appointment

CHP_015E

05 ^DT_YOUR1C primary health care provider was not available at the time ^YOU1 needed it (after hours of clinic, doctor away)

CHP_015F

06 ^DT_YOU1C ^DOVERB not have a primary health care provider

CHP_015G

07 ^DT_YOU1C ^USE the emergency department for all ^YOUR1 health concerns

CHP_015H

08 Other
DK, RF

CHP_E015A

A response inconsistent with a response to a previous question has been entered. Please confirm.

Rule:

Trigger soft edit if PHC_Q020=1 (yes, have a regular health care provider) and CHP_Q015=06 (don't have a primary health care provider)

CHP_E015B

A response inconsistent with a response to a previous question has been entered. Please confirm.

Rule:

Trigger soft edit if CHP_Q015=05 (primary health care provider was not available at the time needed) and PHC_Q020=2 (No, don't have a regular health care provider).

CHP_C020

If PHC_Q020 = 1, go to CHP_Q020.
Otherwise, go to CHP_D025.

CHP_Q020
CHP_Q020

The last time ^YOU1 went to the emergency room, was it for a condition that ^YOU1 thought could have been treated by ^YOUR1 primary care provider if he/she had been available?

1 Yes
2 No
DK, RF

CHP_D025

If CHP_Q010 = 0 or DK, DT_EMERGENCY = 'In'.

	Otherwise, DT_EMERGENCY = 'Excluding the time ^YOU1 spent in an emergency department, in'.
CHP_Q025 CHP_025	^DT_EMERGENCY the past 12 months, ^HAVE ^YOU1 been a patient overnight in a hospital? 1 Yes 2 No (Go to CHP_D040A) DK, RF (Go to CHP_D040A)
CHP_E025	A response inconsistent with a response to a previous question has been entered. Please confirm.
Rule:	Trigger soft edit if INJ_Q100 = 1 (admitted in hospital overnight) and CHP_Q025 = 2 (No)
CHP_Q030 CHP_030	For how many nights in the past 12 months? _ _ _ (MIN: 1) (MAX: 366) DK, RF
Processing:	In processing, if a respondent answered CHP_Q025 = 2, the variable CHP_Q030 is given the value of 0.
CHP_E030	An unusual value has been entered. Please confirm.
Rule:	Trigger soft edit if CHP_Q030 > 100.
CHP_Q035 CHP_035	The last time ^YOU1 ^WERE an overnight patient in a hospital, what were the reasons for this hospitalisation? 1 Post-surgery 2 Was too sick to go home/ admitted from ER 3 Waiting for care in nursing home 4 Waiting for home care 5 Postpartum care 6 Other DK, RF
Programmer:	If SEX_Q01 = male, do not display answer category 5.
CHP_D040A	If CHP_Q025 = 1, DT_COUNT = 'Not counting when ^YOU1 ^WERE an overnight patient, in the past 12 months'. Otherwise, DT_COUNT = 'In the past 12 months'.
CHP_D040B	If AGE < 18, DT_PED_E = ', pediatrician'. Otherwise, DT_PED_E = 'null'.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

CHP_Q040
CHP_Q040

^DT_COUNT, ^HAVE ^YOU2 seen or talked to any of the following health professionals about ^YOUR1 physical, emotional or mental health:

a family doctor ^DT_PED_E or general practitioner?

INTERVIEWER: Include both face to face and telephone contacts.

1 Yes
2 No (Go to CHP_Q050)
DK, RF (Go to CHP_Q050)

CHP_E040

Inconsistent answers have been entered. The respondent just reported not seeing or talking with a family doctor or general practitioner in the past 12 months but previously reported that he or she did. Please confirm.

Rule:

Trigger soft edit if CMH_Q015 = 1 (saw a family medical doctor) and CHP_Q040 = 2.

CHP_Q045
CHP_Q045

How many times (in the past 12 months)?

|_|_|_|
(MIN: 1)
(MAX: 366)

DK, RF

Processing:

In processing, if a respondent answered CHP_Q040 = 2, the variable CHP_Q045 is given the value of 0.

CHP_E045

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if CHP_Q045 > 12

CHP_Q050
CHP_Q050

(^DT_COUNT, ^HAVE ^YOU1 seen or talked to:)

an eye specialist, such as an ophthalmologist or optometrist?

INTERVIEWER: Include both face to face and telephone contacts.

Exclude visits to an optician (person who dispenses or fixes glasses, but does not do the eye examination).

1 Yes
2 No (Go to CHP_D060)
DK, RF (Go to CHP_D060)

CHP_E050

Inconsistent answers have been entered. The respondent has just reported that he or she has not seen or talked with an optometrist or ophthalmologist in the past 12 months but previously reported that he or she did. Please confirm.

Rule:

Trigger soft edit if EYX_Q015 = 1 (seen optometrist) and CHP_Q050 = 2.

CHP_Q055

How many times (in the past 12 months)?

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

CHP_055

|_|_|
(MIN: 1)
(MAX: 75)

DK, RF

Processing:

In processing, if a respondent answered CHP_Q050 = 2, the variable CHP_Q055 is given the value of 0.

CHP_E055

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if CHP_Q055 > 3.

CHP_D060

If SEX_Q01 = 1, DT_SPECIALIST = 'urologist'.
Otherwise, DT_SPECIALIST = 'gynecologist'.

CHP_Q060
CHP_060

^DT_COUNT, ^HAVE ^YOU1 seen or talked to:

any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, ^DT_SPECIALIST or psychiatrist (about ^YOUR1 physical, emotional or mental health)?

INTERVIEWER: Include both face to face and telephone contacts.

1 Yes
2 No (Go to CHP_Q070)
DK, RF (Go to CHP_Q070)

CHP_E060

Inconsistent answers have been entered. The respondent has just reported not seeing or talking with a psychiatrist in the past 12 months but previously reported that he or she did. Please confirm.

Rule:

Trigger soft edit if CMH_Q015 = 2 (saw a psychiatrist) and CHP_Q060 = 2.

CHP_Q065
CHP_065

How many times (in the past 12 months)?

|_|_|_|
(MIN: 1)
(MAX: 300)

DK, RF

Processing:

In processing, if a respondent answered CHP_Q060 = 2, the variable CHP_Q065 is given the value of 0.

CHP_E065

An unusual value has been entered. Please confirm.

Rule:

Trigger soft edit if CHP_Q065 > 7.

CHP_Q070
CHP_070

^DT_COUNT, ^HAVE ^YOU1 seen or talked to:

a nurse for care or advice about ^YOUR1 physical, emotional or mental health?

INTERVIEWER: Include both face to face and telephone contacts.

1 Yes
2 No (Go to CHP_Q080)
DK, RF (Go to CHP_Q080)

CHP_E070 Inconsistent answers have been entered. The respondent has just reported not seeing or talking with a nurse in the past 12 months but previously reported that he or she did. Please confirm, but be sure to exclude those times when the respondent was an overnight patient in a hospital.

Rule: Trigger soft edit if CMH_Q015 = 4 (saw a nurse) and CHP_Q070 = 2.

CHP_Q075 How many times (in the past 12 months)?

CHP_075

|_|_|_|
(MIN: 1)
(MAX: 366)

DK, RF

Processing: In processing, if a respondent answered CHP_Q070 = 2, the variable CHP_Q075 is given the value of 0.

CHP_E075 An unusual value has been entered. Please confirm.

Rule: Trigger soft edit if CHP_Q075 > 15.

CHP_Q080 (^DT_COUNT, ^HAVE ^YOU1 seen or talked to:)

CHP_080

a dental professional, such as a dentist, a dental hygienist or a denturologist?

INTERVIEWER: Include both face to face and telephone contacts.
Other dental professionals include orthodontist, periodontist, dental surgeon and dental therapist.

1 Yes
2 No (Go to CHP_END)
DK, RF (Go to CHP_END)

CHP_E080A Inconsistent answers have been entered. The respondent mentioned that he or she has seen or talked to a dental professional in the past 12 months but previously reported that the last time he or she had seen a dental professional was more than a year ago. Please confirm.

Rule: Trigger soft edit if CHP_Q080=1 (Seen a dental professional in the past 12 months) and DEN_Q035 = (3,4,5,6,7) (seen a dental professional more than 2 years ago).

CHP_E080B Inconsistent answers have been entered. The respondent mentioned that he or she hasn't seen or talked to a dental professional in the past 12 months but previously reported that the last time he or she had seen a dental professional was less than one year to one year ago. Please confirm.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule: Trigger soft edit if CHP_Q080 = 2 (have not seen dental prof in last 12 months) and DEN_Q035 =1

CHP_Q085 How many times (in the past 12 months)?

CHP_085

|_|_|
(MIN: 1)
(MAX: 99)

DK, RF

Processing: In processing, if a respondent answered CHP_Q080 = 2, the variable CHP_Q085 is given the value of 0.

CHP_E085 An unusual value has been entered. Please confirm.

Rule: Trigger soft edit if CHP_Q085 > 4.

CHP_END

For Information Only

Risk factors for heart disease (RFH)

Rapid response

RFH_BEG

Rapid Response

External variables required:

DORFH: do block flag, from the sample file.

DOBPC: do block flag, from the sample file.

AGE: age of selected respondent

PROXYMODE: proxy identifier, from the GR block

PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy

CCC_Q085: ^DOVERB_C ^YOU1 have heart disease?

CCC_Q090: ^DOVERB_C ^YOU1 suffer from the effects of a stroke?

CCC_Q095: ^DOVERB_C ^YOU1 have diabetes?

PCU_Q035: During your last general physical check-up, did a health professional: check your blood pressure?

BPC_Q005: Have you ever had your blood pressure measured by a health professional?

BPC_Q010: When was the last time you had your blood pressure measured (by a health professional)?

CHP_Q040: ^DT_COUNT, ^HAVE ^YOU2 seen or talked to any of the following health professionals about ^YOUR1 physical, emotional or mental health: a family doctor ^DT_PED_E or general practitioner?

CHP_Q060: ^DT_COUNT, ^HAVE ^YOU1 seen or talked to: any other medical doctor or specialist such as a surgeon, allergist, orthopaedist, ^DT_SPECIALIST or psychiatrist (about ^YOUR1 physical, emotional or mental health)?

CHP_Q070: ^DT_COUNT, ^HAVE ^YOU1 seen or talked to: a nurse for care or advice about ^YOUR1 physical, emotional or mental health?

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

RFH_C001

If DORFH=2, go to RFH_END.

Otherwise, go to RFH_C005.

RFH_C005

If PROXYMODE=1, go to RFH_R020.

Otherwise, go to RFH_R005.

RFH_R005

The following questions are about some of your lifestyle habits.

INTERVIEWER: Press <1> to continue.

RFH_Q005

RFH_005

In the past week, how many times did you eat salty foods or snacks, such as prepared soups, lunch meat and potato chips?

INTERVIEWER: Other examples of salty foods or snacks are hot dogs, bacon, canned foods, breads, cereals, sauces, pickled foods, commercial rice or pasta mixes, and condiments.

- 1 More than once a day
 - 2 Once a day
 - 3 Less than once a day
 - 4 Not in the past week
- DK, RF

RFH_Q010
RFH_010

In the past week, how many times did you eat meat or poultry, such as beef, pork, chicken or lamb? Please exclude fish.

- 1 More than once a day
 - 2 Once a day
 - 3 Less than once a day
 - 4 Not in the past week
- DK, RF

RFH_Q015
RFH_015

In the past week, how many times did you eat deep-fried foods or snacks, such as French fries, chicken nuggets or onion rings?

INTERVIEWER: Other examples of deep-fried foods or snacks are potato chips, fried chicken, fish & chips, etc.

- 1 5 times or more (a week)
 - 2 3-4 times
 - 3 Once or twice
 - 4 Not in the past week
- DK, RF

RFH_R020

Now some questions that relate to heart health.

INTERVIEWER: Press <1> to continue.

RFH_C020

If AGE<40, go to RFH_C025A.
Otherwise, go to RFH_D020.

RFH_D020

Not Applicable

RFH_Q020
RFH_020

^DOVERB_C ^YOU2 take aspirin or other ASA (acetylsalicylic acid) medication, every day or every second day, for heart disease and stroke prevention?

- 1 Yes
 - 2 No
- DK, RF

RFH_C025A

If PROXYMODE=1, go to RFH_C050.
Otherwise, go to RFH_C025B.

RFH_C025B

If (BPC_Q005=1 or 2) or (PCU_Q035=1 and DOBPC=1), go to RFH_C030.
Otherwise, go to RFH_Q025.

RFH_Q025
RFH_025

When was the last time you had your blood pressure measured by a health professional?

INTERVIEWER: Examples of health professionals are doctors, nurses, specialists and pharmacists.

- 1 Less than 1 year to 1 year ago
 - 2 More than 1 year to 2 years ago
 - 3 More than 2 years to 3 years ago
 - 4 More than 3 years to 5 years ago
 - 5 More than 5 years ago
 - 6 Never had blood pressure measured
- DK, RF

Processing:

If BPC_Q005=1 or (PCU_Q035=1 and DOBPC=1) then fill RFH_Q025 with the value in BPC_Q010, but as a 2-byte field. For example, if BPC_Q010=7, then RFH_Q025=97. If BPC_Q005=2, then RFH_Q025=96.

RFH_C030

If AGE<40, go to RFH_C040.
Otherwise, go to RFH_Q030.

RFH_Q030
RFH_030

When was the last time you had a blood test to measure your cholesterol levels?

- 1 Less than 1 year to 1 year ago
 - 2 More than 1 year to 2 years ago
 - 3 More than 2 years to 3 years ago
 - 4 More than 3 years to 5 years ago
 - 5 More than 5 years ago
 - 6 Never had blood cholesterol measured
- DK, RF

RFH_C035

If CCC_Q095=1, go to RFH_C040.
Otherwise, go to RFH_Q035.

RFH_Q035
RFH_035

When was the last time you had a blood test for high blood sugar or diabetes?

	1	Less than 1 year to 1 year ago
	2	More than 1 year to 2 years ago
	3	More than 2 years to 3 years ago
	4	More than 3 years to 5 years ago
	5	More than 5 years ago
	6	Never had a blood test for high blood sugar or diabetes DK, RF
RFH_C040		If (CHP_Q040<>1 (hasn't seen a doctor)) and (CHP_Q060<>1 (hasn't seen other doctor/specialist)) and (CHP_Q070<>1 (hasn't seen a nurse)), go to RFH_C045. Otherwise, go to RFH_Q040.
RFH_Q040		In the past 12 months, were any of the following lifestyle changes recommended by a health professional? You may specify more than one. <u>INTERVIEWER</u> : Examples of health professionals are doctors, nurses, specialists and pharmacists. Mark all that apply.
RFH_040A	01	Increase exercise
RFH_040B	02	Lose weight
RFH_040C	03	Reduce salt (intake)
RFH_040D	04	Eat more fruits and vegetables
RFH_040E	05	Reduce fatty food (intake)
RFH_040F	06	Reduce sugar (intake)
RFH_040G	07	Reduce smoking
RFH_040H	08	Reduce alcohol
RFH_040I	09	Reduce stress
RFH_040J	10	Other
RFH_040K	11	None DK, RF
RFH_E040		You cannot select "None" and another category. Please return and correct. <i>Trigger hard edit if RFH_Q040 = 11 (None) and any other response is selected in RFH_Q040.</i>
RFH_C045		If AGE<40, go to RFH_C050. Otherwise, go to RFH_Q045.
RFH_Q045		Have you had any of the following heart tests in the past 5 years? You may specify more than one.

INTERVIEWER: Mark all that apply.

RFH_045A	1 Electrocardiogram (ECG) (i.e. electrical recording of the heart's activity)
RFH_045B	2 Stress Test (i.e. running on a treadmill under the supervision of a doctor or having pictures of the heart taken after a nuclear medicine injection)
RFH_045C	3 Echocardiogram (i.e. ultrasound of the heart)
RFH_045D	4 None DK, RF
RFH_E045	You cannot select "None" and another category. Please return and correct.
Rule:	<i>Trigger hard edit if RFH_Q045 = 4 (None) and any other response is selected in RFH_Q045.</i>
RFH_C050	If (CCC_Q085<>1) and (CCC_Q090<>1), go to RFH_C055. Otherwise, go to RFH_D050.
RFH_D050	If CCC_Q085=1, DT_HEARTDIS = 'Earlier you mentioned that ^YOU2 ^HAVE heart disease'. If CCC_Q090=1 and CCC_Q085 <> 1, DT_HEARTDIS = 'Earlier you mentioned that ^YOU2 suffer^S from the effects of a stroke'.
RFH_Q050	^HEARTDIS. Which of the following conditions ^HAVE ^YOU1 had? You may specify more than one.
	<u>INTERVIEWER</u> : Please include conditions that are controlled by medication. Mark all that apply.
RFH_050A	01 Atrial fibrillation (i.e. an irregular heart rhythm that causes poor blood flow to the body)
RFH_050B	02 Heart attack (myocardial infarction)
RFH_050C	03 Angina (i.e. chest pain due to heart disease)
RFH_050D	04 Heart failure (also known as congestive heart failure)
RFH_050E	05 Aortic stenosis (i.e. a narrowing of the heart's aortic valve)
RFH_050F	06 Peripheral vascular disease (i.e. poor circulation in limbs)
RFH_050G	07 Other
RFH_050H	08 None DK, RF

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

RFH_E050	You cannot select "None" and another category. Please return and correct.
Rule:	<i>Trigger hard edit if RFH_Q050 = 08 (None) and any other response is selected in RFH_Q050.</i>
RFH_C055	If CCC_Q085<>1, go to RFH_Q065. Otherwise, go to RFH_D055.
RFH_D055	Not Applicable
RFH_Q055 RFH_055	^HAVE_C ^YOU2 ever had an angioplasty with stent? <u>INTERVIEWER:</u> This is a procedure where a small structure called a stent is inserted to open up blood vessels in the heart. Also called PCI (percutaneous coronary intervention). 1 Yes 2 No DK, RF
RFH_Q060 RFH_060	^HAVE_C ^YOU1 ever had cardiac bypass surgery? <u>INTERVIEWER:</u> This procedure is performed to improve blood flow to the heart by taking a small piece of blood vessel from elsewhere in the body to create a detour or bypass around the blocked portion of the coronary artery. 1 Yes 2 No DK, RF
RFH_Q065 RFH_065	Did ^YOUR2 biological mother have a heart attack before the age of 65? <u>INTERVIEWER:</u> If the respondent reports being adopted, please enter "Don't Know". 1 Yes 2 No DK, RF
RFH_Q070 RFH_070	Did ^YOUR1 biological father have a heart attack before the age of 55? <u>INTERVIEWER:</u> If the respondent reports being adopted, please enter "Don't Know". 1 Yes 2 No DK, RF
RFH_END	

Labour force (LBF)

	Core content
LBF_BEG	Core content
	External variables required:
	PROXYMODE: proxy identifier, from the GR block.
	PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy.
	MAC_Q005: Main activity last week
	AGE: Age of selected respondent from ANC block
	DOLBF: flag to activate the block from the sample file.
	REFBEGE: English date defined as CURRENTDATE - 7
	REFENDE: English date defined as CURRENTDATE - 1
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display:
	Display on header bar PE_Q01 and PE_Q02 separated by a space
LBF_C001A	If DOLBF = 2, go to LBF_END. Otherwise, go to LBF_C001B.
LBF_C001B	If AGE < 15 or AGE > 75, go to LBF_END. Otherwise, go to LBF_B005.
LBF_B005	Call Sub-block "Labour Market Activities Minimal" (LMAM) from Harmonized Content
LBF_C010	If (LBF_B005.LMAM_Q01 = 1) or ((LBF_B005.LMAM_Q01 = 2) and (LBF_B005.LMAM_Q02 = 1) and (LBF_B005.LMAM_Q03 = 1,2,3,4,5,6,7,11,12,13 or 14)), go to LBF_D010. Otherwise, go to LBF_END.
LBF_D010	Not Applicable
LBF_R010	The next questions are about ^YOUR2 current job or business.
	<u>INTERVIEWER</u> : If person currently holds more than one job, report on the job for which the number of hours worked per week is the greatest.
	Press <1> to continue.
LBF_B010	Call Sub-block "Class of Worker" (LMA3) from Harmonized Content
Processing:	LMAM_Q01 will be released as LBF_01. LMAM_Q02 will be released as LBF_02.
LBF_B015	Call Sub-block "Industry" (LMA4) from Harmonized Content

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing: LMA4_Q11 will be released as a Yes/No flag LBFF11.
LMA4_Q12 will be released as a Yes/No flag LBFF12.
LMA4_Q13 will be released as a Yes/No flag LBFF13.
LBFCSCIC and LBFCSOC are also released and are based on the responses to the questions LMA4_Q11, LMA4_Q12, LMA4_Q13, LMA5_Q14, LMA5_Q15.

LBF_B020 Call Sub-block "Occupation" (LMA5) from Harmonized Content

Processing: LMA5_Q14 will be released as a Yes/No flag LBFF14.
LMA5_Q15 will be released as a Yes/No flag LBFF15.
LBFCSCIC and LBFCSOC are also released and are based on the responses to the questions LMA4_Q11, LMA4_Q12, LMA4_Q13, LMA5_Q14, LMA5_Q15.

LBF_B025 Call Sub-block "Usual hours of work" (LMA6) from Harmonized Content

Processing: LMA6_Q16 will be released as LBF_16.

LBF_Q030
LBF_030 Did ^YOU1 have more than one job or business last week?

1 Yes (Go to LBF_Q035)
2 No
DK, RF

Go to LBF_END

LBF_Q035
LBF_035 On average, how many hours ^DOVERB ^YOU2 usually work per week at ^YOUR1 other job(s)?

INTERVIEWER: Minimum is 1; maximum is (168 - LBF_B025.LMA6_Q16).

|_|_|_|
(MIN: 1)
(MAX: 168)

DK, RF

Programmer: If LBF_B025.LMA6_Q16 = 168, then maximum = 1.
If LBF_B025.LMA6_Q16 = DK or RF, then maximum = 168.

LBF_E035A An impossible value has been entered. Please return and correct.

Rule: Trigger hard edit if LBF_Q035 > (168 - LBF_B025.LMA6_Q16).

LBF_E035B An unusual value has been entered. Please confirm.

Rule: Trigger soft edit if LBF_Q035 > 30.

LBF_END

Labour market activities minimal (LMAM)

Harmonized content

LMAM_BEG

External variables required for this block:

RESPNAME

given name and surname of respondent, e.g., Joseph Smith
(maximum of 51 characters, corresponding to 25 characters for each
of the given name and surname, separated by a space)
this information will typically come from a previously completed
module such as a household roster, or from a sample file

FNAME

given name of respondent, e.g., Joseph (maximum of 25 characters)
this information will typically come from a previously completed
module such as a household roster, or from a sample file

PROXYSEX

proxy reporting status cross-classified with gender of respondent

REFBEGE = CURRENTDATE - 7

English date corresponding to the first day of reference week,
e.g., Sunday, January 9; Wednesday, January 12
(maximum of 23 characters)

this information will typically come from a sample file or a survey
control file, or may be derived elsewhere within the application during
data collection (e.g., it may be based on the current system date so
that it will correspond to the first day of the most recently completed
seven-day period)

REFENDE = CURRENTDATE - 1

English date corresponding to the last day of reference week,
e.g., Saturday, January 15; Tuesday, January 18
(maximum of 23 characters)

this information will typically come from a sample file or a survey
control file, or may be derived elsewhere within the application during
data collection (e.g., it may be based on the current system date so
that it will correspond to the last day of the most recently completed
seven-day period)

PROXYSEX: gender of targeted respondent and whether the interview
is being conducted by proxy

MAC_Q005: Main activity last week

Import: YOU2, YOU1, WERE

Programmer:

HARMONIZED CONTENT BLOCK

Add layout instruction to display all answer options

LMAM_D01

If Non-Proxy, male = 1, LMAM_D01E = "your".
If Non-Proxy, female = 2, LMAM_D01E = "your".
If Proxy, male = 3, LMAM_D01E = "^RESPNAME + 's".
If Proxy, female = 4, LMAM_D01E = "^RESPNAME + 's".

LMAM_Q01
LBF_01

Many of the following questions concern ^LMAM_D01E activities last week. By last week, I mean the week beginning on ^REFBEGE, and ending ^REFENDE.

Last week, did ^YOU2 work at a job or business?
(regardless of the number of hours)

- 1 Yes
 - 2 No (Go to LMAM_Q02)
- DK, RF

Go to LMAM_END

LMAM_E01

A response inconsistent with a response to a previous question has been entered. Please confirm.

Rule:

Trigger soft edit if MAC_Q005 = 1 (Main activity last week is working at paid job or business) and LMAM_Q01 NE 1.

LMAM_Q02
LBF_02

Last week, did ^YOU2 have a job or business from which ^YOU1 ^WERE absent?

- 1 Yes (Go to LMAM_Q03)
 - 2 No
- DK, RF

Go to LMAM_END

LMAM_Q03

What was the main reason ^YOU2 ^WERE absent from work last week?

LBF_03

- 01 Own illness or disability
 - 02 Caring for own children
 - 03 Caring for elder relative
(60 years of age or older)
 - 04 Maternity or parental
leave
 - 05 Other personal or family
responsibilities
 - 06 Vacation
 - 07 Labour dispute (strike or
lockout) (Employees only)
 - 08 Temporary layoff due to
business conditions (Employees
only)
 - 09 Seasonal layoff
(Employees only)
 - 10 Casual job, no work
available (Employees only)
 - 11 Work schedule (e.g., shift
work) (Employees only)
 - 12 Self-employed, no work
available (Self-employed only)
 - 13 Seasonal business
(Excluding employees)
 - 14 Other - Specify (Go to LMAM_S03)
- DK, RF

Go to LMAM_END

LMAM_S03

(What was the main reason ^YOU2 ^WERE absent from work last
week?)

INTERVIEWER: Specify.

(80 spaces)

DK, RF

LMAM_END

Class of worker (LMA3)

Harmonized content

LMA3_BEG

External variables required for this block:

FNAME

given name of respondent, e.g., Joseph
(maximum of 25 characters)

this information will typically come from a previously completed
module such as a household roster, or from a sample file

LMAM_Q01

the response to LMAM_Q01 from the LMAM minimum content block:

1 Yes

2 No

DK

RF

LMAM_Q02

the response to LMAM_Q02 from the LMAM minimum content block:

1 Yes

2 No

DK

RF

Empty

LMAM_Q03

the response to LMAM_Q03 from the LMAM minimum content block:

1 Own illness or disability

2 Caring for own children

3 Caring for elder relative (60 years of age or older)

4 Maternity or parental leave

5 Other personal or family responsibilities

6 Vacation

7 Labour dispute (strike or lockout) (Employees only)

8 Temporary layoff due to business conditions (Employees only)

9 Seasonal layoff (Employees only)

10 Casual job, no work available (Employees only)

11 Work schedule (e.g., shift work) (Employees only)

12 Self-employed, no work available (Self-employed only)

13 Seasonal business (excluding employees)

14 Other - Specify

DK

RF

Empty

PROXYSEX: gender of targeted respondent and whether the interview
is being conducted by proxy

FNAME

Import: WERE_C, YOU2

Programmer: ****HARMONIZED CONTENT BLOCK****
Add layout instruction to display all answer options

LMA3_C10 If ((LMAM_Q01=1) or ((LMAM_Q01=2) and (LMAM_Q02=1) and (LMAM_Q03=1, 2, 3, 4, 5, 6, 7, 11, 12, 13 or 14))), go to LMA3_Q10. Otherwise, go to LMA3_END.

LMA3_D10 Not Applicable

LMA3_Q10
LBF_10 ^WERE_C ^YOU2 an employee or self-employed?

1 Employee
2 Self-employed
3 Working in a family
business without pay
DK, RF

LMA3_END

For Information Only

Industry (LMA4)

Harmonized content

For Information Only

LMA4_BEG

External variables required for this block:

FNAME

given name of respondent, e.g., Joseph
(maximum of 25 characters)

this information will typically come from a previously completed
module such as a household roster, or from a sample file

LMAM_Q01

the response to LMAM_Q01 from the LMAM minimum content block:

- 1 Yes
- 2 No
- DK
- RF

LMAM_Q02

the response to LMAM_Q02 from the LMAM minimum content block:

- 1 Yes
- 2 No
- DK
- RF
- Empty

LMAM_Q03

the response to LMAM_Q03 from the LMAM minimum content block:

- 1 Own illness or disability
- 2 Caring for own children
- 3 Caring for elder relative (60 years of age or older)
- 4 Maternity or parental leave
- 5 Other personal or family responsibilities
- 6 Vacation
- 7 Labour dispute (strike or lockout) (Employees only)
- 8 Temporary layoff due to business conditions (Employees only)
- 9 Seasonal layoff (Employees only)
- 10 Casual job, no work available (Employees only)
- 11 Work schedule (e.g., shift work) (Employees only)
- 12 Self-employed, no work available (Self-employed only)
- 13 Seasonal business (excluding employees)
- 14 Other - Specify
- DK
- RF
- Empty

LMA3_Q10

the response to LMA3_Q10 from the LMA3 extended content block:

- 1 Employee
- 2 Self-employed
- 3 Working in a family business without pay
- DK
- RF
- Empty

	PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy FNAME Import: YOUR2, YOU2
Programmer:	<i>***HARMONIZED CONTENT BLOCK*** Add layout instruction to display all answer options</i>
LMA4_C11A	If ((LMAM_Q01=1) or ((LMAM_Q01=2) and (LMAM_Q02=1) and (LMAM_Q03=1, 2, 3, 4, 5, 6, 7, 11, 12, 13 or 14))), go to LMA4_C11B. Otherwise, go to LMA4_END.
LMA4_C11B	If (LMA3_Q10=2), go to LMA4_Q11. Otherwise, go to LMA4_Q12.
LMA4_Q11	What was the name of ^YOUR2 business? <u>INTERVIEWER</u> : Enter the full name of the business. If there is no business name, enter the respondent's full name. <hr/> (50 spaces) DK, RF Go to LMA4_Q13
Programmer:	<i>Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.</i>
LMA4_Q12	For whom did ^YOU2 work? <u>INTERVIEWER</u> : Enter the full name of the company, business, government department or agency, or person. <hr/> (50 spaces) DK, RF
Programmer:	<i>Any lower case text typed into the field should be converted to upper case text after <Enter> is pressed.</i>
LMA4_Q13	What kind of business, industry or service was this?

INTERVIEWER: Enter a detailed description.

For example:
new home construction
primary school
municipal police
wheat farm
retail shoe store
food wholesale
car parts factory
federal government

(50 spaces)

DK, RF

Programmer:

*Any lower case text typed into the field should be converted to upper case text
after <Enter> is pressed.*

LMA4_END

For Information Only

Occupation (LMA5)

Harmonized content

LMA5_BEG

External variables required for this block:

FNAME

given name of respondent, e.g., Joseph
(maximum of 25 characters)

this information will typically come from a previously completed
module such as a household roster, or from a sample file

LMAM_Q01

the response to LMAM_Q01 from the LMAM minimum content block:

1 Yes

2 No

DK

RF

LMAM_Q02

the response to LMAM_Q02 from the LMAM minimum content block:

1 Yes

2 No

DK

RF

Empty

LMAM_Q03

the response to LMAM_Q03 from the LMAM minimum content block:

1 Own illness or disability

2 Caring for own children

3 Caring for elder relative (60 years of age or older)

4 Maternity or parental leave

5 Other personal or family responsibilities

6 Vacation

7 Labour dispute (strike or lockout) (Employees only)

8 Temporary layoff due to business conditions (Employees only)

9 Seasonal layoff (Employees only)

10 Casual job, no work available (Employees only)

11 Work schedule (e.g., shift work) (Employees only)

12 Self-employed, no work available (Self-employed only)

13 Seasonal business (excluding employees)

14 Other - Specify

DK

RF

Empty

PROXYSEX: gender of targeted respondent and whether the interview
is being conducted by proxy

Import: YOUR2, YOUR1

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Programmer: ****HARMONIZED CONTENT BLOCK***
Add layout instruction to display all answer options*

LMA5_C14 If ((LMAM_Q01=1) or ((LMAM_Q01=2) and (LMAM_Q02=1) and
(LMAM_Q03=1, 2, 3, 4, 5, 6, 7, 11, 12, 13 or 14))), go to LMA5_D14.
Otherwise, go to LMA5_END.

LMA5_D14 Not Applicable

LMA5_Q14 What was ^YOUR2 work or occupation?
INTERVIEWER: Enter a detailed description.

For example:
legal secretary
plumber
fishing guide
wood furniture assembler
secondary school teacher
computer programmer

(50 spaces)

DK, RF

Programmer: *Any lower case text typed into the field should be converted to upper case text
after <Enter> is pressed.*

LMA5_D15 Not Applicable

LMA5_Q15 In this work, what were ^YOUR1 main activities?
INTERVIEWER: Enter a detailed description.

For example:
prepared legal documents
installed residential plumbing
guided fishing parties
made wood furniture products
taught mathematics
developed software

(50 spaces)

DK, RF

Programmer: *Any lower case text typed into the field should be converted to upper case text
after <Enter> is pressed.*

LMA5_END

For Information Only

Usual hours of work (LMA6)

Harmonized content

For Information Only

LMA6_BEG

External variables required for this block:

FNAME

given name of respondent, e.g., Joseph
(maximum of 25 characters)

this information will typically come from a previously completed
module such as a household roster, or from a sample file

LMAM_Q01

the response to LMAM_Q01 from the LMAM minimum content block:

1 Yes
2 No
DK
RF

LMAM_Q02

the response to LMAM_Q02 from the LMAM minimum content block:

1 Yes
2 No
DK
RF
Empty

LMAM_Q03

the response to LMAM_Q03 from the LMAM minimum content block:

1 Own illness or disability
2 Caring for own children
3 Caring for elder relative (60 years of age or older)
4 Maternity or parental leave
5 Other personal or family responsibilities
6 Vacation
7 Labour dispute (strike or lockout) (Employees only)
8 Temporary layoff due to business conditions (Employees only)
9 Seasonal layoff (Employees only)
10 Casual job, no work available (Employees only)
11 Work schedule (e.g., shift work) (Employees only)
12 Self-employed, no work available (Self-employed only)
13 Seasonal business (excluding employees)
14 Other - Specify
DK
RF
Empty

LMA3_Q10

the response to LMA3_Q10 from the LMA3 extended content block:

1 Employee
2 Self-employed
3 Working in a family business without pay
DK
RF
Empty

PROXYSEX: gender of targeted respondent and whether the interview
is being conducted by proxy

Import: DOVERB, YOU2

Programmer: ***HARMONIZED CONTENT BLOCK***
Add layout instruction to display all answer options

LMA6_C16 If ((LMAM_Q01=1) or
((LMAM_Q01=2) and (LMAM_Q02=1) and (LMAM_Q03=1, 2, 3, 4, 5, 6,
7, 11, 12, 13 or 14))), go to LMA6_D16.
Otherwise, go to LMA6_END.

LMA6_D16 If (LMA3_Q10=1), DT_LMA6_D16E = 'On average, how many hours
^DOVERB ^YOU2 usually work per week?'.
Otherwise, DT_LMA6_D16E = 'On average, how many hours ^DOVERB
^YOU2 usually work per week?'.

LMA6_Q16 ^DT_LMA6_D16E
LBF_16 (MIN: 0.0)
(MAX: 168.0)

DK, RF

LMA6_E16 An unusual value has been entered. Please confirm.

Rule: Trigger soft edit if (LMA6_Q16 > 84).

LMA6_END

Socio-demographic characteristics (SDC)

	Core content
SDC_BEG	Core content
	External variables required:
	AGE: Age of respondent
	DATE_Q03: Respondent's year of birth
	CURRENTYEAR: Year of survey collection
	DOSDC: flag to activate this block from the sample file.
	PROXYMODE: proxy identifier, from the GR block.
	PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy.
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display: Display on header bar PE_Q01 and PE_Q02 separated by a space
SDC_C001	If DOSDC = 2, go to SDC_END. Otherwise, go to SDC_R001.
SDC_R001	Now, some general background questions which will help us compare the health of people in Canada.
	<u>INTERVIEWER</u> : Press <1> to continue.
SDC_B005	Call Sub-block "Immigration minimum block" (IMM) from Harmonized Content
Processing:	<i>SDC.SDC_B005.IMM_Q01 will be released as the code variable SDCCCOB</i>
SDC_D010	Not Applicable
SDC_Q010	To which ethnic or cultural groups did ^YOUR2 ancestors belong? (For example: French, Scottish, Chinese, East Indian)

INTERVIEWER: Mark all that apply. An ancestor is usually more distant than a grandparent. If "Canadian" is the only response, probe. If the respondent hesitates, do not suggest Canadian. If the respondent answers "Eskimo", enter "20".

SDC_010A	01	Canadian	
SDC_010B	02	French	
SDC_010C	03	English	
SDC_010D	04	German	
SDC_010E	05	Scottish	
SDC_010F	06	Irish	
SDC_010G	07	Italian	
SDC_010H	08	Ukrainian	
SDC_010I	09	Dutch (Netherlands)	
SDC_010J	10	Chinese	
SDC_010K	11	Jewish	
SDC_010L	12	Polish	
SDC_010M	13	Portuguese	
SDC_010N	14	South Asian (e.g., East Indian, Pakistani, Sri Lankan)	
SDC_010O	15	Norwegian	
SDC_010P	16	Welsh	
SDC_010Q	17	Swedish	
SDC_010R	18	First Nations (North American Indian)	
SDC_010S	19	Métis	
SDC_010T	20	Inuit	
SDC_010U	21	Other - Specify	(Go to SDC_S010)
	DK, RF		
		Go to SDC_C015	
SDC_S010		(To which ethnic or cultural groups did ^YOUR2 ancestors belong? (For example: French, Scottish, Chinese, East Indian))	
		<u>INTERVIEWER</u> : Specify.	
		(80 spaces)	
		DK, RF	
SDC_C015		If DV_CNTRYCODE = Canada, United States, Germany or Greenland, go to SDC_B015. Otherwise, go to SDC_C020.	
SDC_B015		Call Sub-block "Aboriginal Minimum" (AMB) from Harmonized Content	
SDC_C020		If SDC_B015.AMB_Q01 = 1, go to SDC_B025. Otherwise, go to SDC_B020.	
SDC_B020		Call Sub-block "Population Group" (PG) from Harmonized Content	
SDC_B025		Call Sub-block "Language Minimum" (LAN) from Harmonized Content	

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Processing:	<p><i>SDC_B025.LAN_B02_LLU_Q01 will be released as the yes/no flags SDCF2_1, SDCF2_2, SDCF2_3</i></p> <p><i>SDC_B025.LAN_B02.LANGCODE will be released as the code variables SDCC2_1, SDCC2_2, SDCC2_3</i></p> <p><i>SDC_B025.LAN_B03_LLU_Q01 will be released as the yes/no flags SDCF3_1, SDCF3_2, SDCF3_3</i></p> <p><i>SDC_B025.LAN_B03.LANGCODE will be released as the code variables SDCC3_1, SDCC3_2, SDCC3_3</i></p>
SDC_R030	<p>Now a question about the dwelling in which you live.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SDC_Q030 DHH_OWN	<p>Is this dwelling...?</p> <p><u>INTERVIEWER</u>: Read categories to respondent. If the respondent's household contains both owners and renters, such as a boarder, the dwelling should be considered owned.</p> <p>1 Owned by you or a member of this household, even if it is still being paid for</p> <p>2 Rented, even if no cash rent is paid</p> <p>DK, RF</p>
Help text:	<p><i>Tag: Owned or rented</i></p> <p><i>Choose 'Owned' if the respondent and/or another member of this household own the dwelling in which they live, even if the dwelling is on rented or leased land, or if it is part of a condominium, or if it is still being paid for by the respondent or another member of your household.</i></p> <p><i>Choose 'Rented' in all other cases, even if the dwelling occupied by the respondent is provided without cash rent or at a reduced rent (for example, a clergy's residence or a superintendent's dwelling in an apartment building), or the dwelling is part of a co-operative.</i></p>
Source:	<p><i>This question and help text can be found in the "Dwelling Extended Block" (DEB) from Harmonized Content (DEB_Q01). No other Dwelling questions are asked in CCHS 2015.</i></p>
SDC_C035	<p>If PROXYMODE=1 or AGE < 15, go to SDC_END. Otherwise, go to SDC_R035.</p>
SDC_R035	<p>Now, one additional background question which will help us compare the health of people in Canada.</p> <p><u>INTERVIEWER</u>: Press <1> to continue.</p>
SDC_Q035	<p>Do you consider yourself to be...?</p>

SDC_035

INTERVIEWER: Read categories to respondent.

- 1 Heterosexual (sexual relations with people of the opposite sex)
 - 2 Homosexual, that is lesbian or gay (sexual relations with people of your own sex)
 - 3 Bisexual (sexual relations with people of both sexes)
- DK, RF

SDC_END

For Information Only

Immigration minimum block (IMM)

Harmonized content

IMM_BEG	CURRENTYEAR: the year during which the information is collected DATE_Q03: Respondent's year of birth PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy FNAME Import: WERE, YOU2, ARE_C, YOU1, HAVE
Programmer:	<i>***HARMONIZED CONTENT BLOCK*** Add layout instruction to display all answer options</i>
IMM_D01	DV_CNTRYTEXT = (String 80) = IMM_Q01 DV_CNTRYCODE = (0..99990) = IMM_Q01 DV_AGE = (0..121) Age of Respondent
IMM_Q01	In what country ^WERE ^YOU2 born? <u>INTERVIEWER</u> : Ask the respondent to specify country of birth according to current boundaries. Start typing the name of the country to activate function. Enter "CAN" to select Canada. Enter "Other - Specify" if the country is not part of the list. 1 Search 2 Other - Specify (Go to IMM_S01) DK, RF Go to IMM_C01
Programmer:	<i>Call Trigram Search. Null is not allowed. Don't know and Refused are allowed. The Search File to be used corresponds to the Excel file "Country_Pays_LookUpList_With_StdCodeFinal.xls"</i> <i>The DV_CNTRYCODE and the DV_CNTRYTEXT are the two fields that should be displayed on the pop-up screen when the Search File is called. However, the corresponding DV_CNTRYCODE also needs to be saved and used as the key to indicate exactly which unique entry in the Search File was selected.</i>
IMM_C01	If DV_CNTRYCODE = 90000 (Other-Specify), go to IMM_S01. Otherwise, go to IMM_C02.
IMM_C02	If DV_CNTRYCODE = 11124 (Canada), go to IMM_Q02. Otherwise, go to IMM_Q03.
IMM_S01	(In what country ^WERE ^YOU2 born?)

INTERVIEWER: Specify.

(80 spaces)

DK, RF

Go to IMM_Q03

IMM_Q02
SDC_IM2

In which province or territory ^WERE ^YOU2 born?

INTERVIEWER: Ask the respondent to specify province or territory of birth according to current boundaries.

10 Newfoundland and
Labrador

11 Prince Edward Island

12 Nova Scotia

13 New Brunswick

24 Quebec

35 Ontario

46 Manitoba

47 Saskatchewan

48 Alberta

59 British Columbia

60 Yukon

61 Northwest Territories

62 Nunavut

DK, RF

Go to IMM_END

IMM_Q03
SDC_IM3

^ARE_C ^YOU1 now, or ^HAVE ^YOU1 ever been a landed immigrant in Canada?

INTERVIEWER: A landed immigrant, or permanent resident, is a person who has been granted the right to live in Canada permanently by immigration authorities.

1 Yes (Go to IMM_Q04)

2 No

DK, RF

Go to IMM_END

IMM_Q04

In what year did ^YOU1 first become a landed immigrant in Canada?

SDC_IM4

INTERVIEWER: If respondent cannot give exact year of immigration, ask for a best estimate of the year.

|_|_|_|_| Year
(MIN: 1,870)
(MAX: 2,100)

DK, RF

IMM_E04A

The year that the respondent first became a landed immigrant or permanent resident to Canada is in the future. Please return and correct.

Rule:

Trigger hard edit if IMM_Q04 > CURRENTYEAR

IMM_E04B

The year that the respondent first became a landed immigrant or permanent resident to Canada is before the year of birth. Please return and correct.

Rule:

Trigger hard edit if IMM_Q04 < DATE_Q03

IMM_END

Aboriginal minimum (AMB)

Harmonized content

AMB_BEG

External variables required:

FNAME: first name of respondent

PROXYSEX: gender of targeted respondent and whether the interview
is being conducted by proxy

Import: ARE_C, YOU2, YOU1

Programmer:

HARMONIZED CONTENT BLOCK

Add layout instruction to display all answer options

AMB_D01

Not Applicable

AMB_Q01
SDC_015

^ARE_C ^YOU2 an Aboriginal person, that is, First Nations, Métis or Inuk
(Inuit)? First Nations includes Status and Non-Status Indians.

INTERVIEWER: The terms "First Nations" and "North American Indian" can
be interchanged. Some respondents may prefer one term over the
other.

"Inuit" is the plural form of "Inuk".

1 Yes

(Go to AMB_Q02)

2 No

DK, RF

Go to AMB_END

Help text:

Tag: Aboriginal group

*This question should be answered regardless of whether or not this person is an
Aboriginal person of North America.*

*Aboriginal people are usually those with ancestors who resided in North America
prior to European contact and who identify with one of the three Aboriginal groups
listed on the questionnaire: First Nations (North American Indian), Métis and Inuk.*

*Persons who consider themselves to be East Indian or Asian Indian, or who have
ethnic roots on the subcontinent of India, should respond "No, not an Aboriginal
person" to this question.*

*Individuals who refer to themselves as Métis in the context of mixed ancestry, but
who do not have North American Aboriginal ancestry (for example, those from
Africa, the Caribbean and South America) should respond "No, not an Aboriginal
person".*

AMB_Q02

INTERVIEWER: If the respondent has already specified the Aboriginal
group(s), select the group(s) from the list below; if not, ask:

^ARE_C ^YOU1 First Nations, Métis or Inuk (Inuit)?

INTERVIEWER: Mark all that apply.

First Nations (North American Indian) includes Status and Non-Status Indians.

The terms "First Nations" and "North American Indian" can be interchanged. Some respondents may prefer one term over the other.

"Inuit" is the plural form of "Inuk".

SDC_016A

1 First Nations (North American Indian)

SDC_016B

2 Métis

SDC_016C

3 Inuk (Inuit)

DK, RF

AMB_E02

You have entered "Don't know" or "Refusal" for AMB_Q02. Respondents sometimes get confused with the terminology used to describe different Aboriginal groups. If you wish to change the entry, return to AMB_Q02 and enter the appropriate answer. Otherwise, please confirm.

Rule:

Trigger soft edit if AMB_Q02 = DK or RF

AMB_END

For Information Only

Population group (PG)

Harmonized content

PG_BEG

External variables required:

PROXYSEX: gender of targeted respondent and whether the interview
is being conducted by proxy
Import: YOU2_C, ARE_C, YOU1

Programmer:

****HARMONIZED CONTENT BLOCK***
Add layout instruction to display all answer options*

PG_D01

Not Applicable

PG_Q01

^YOU2_C may belong to one or more racial or cultural groups on the
following list.

^ARE_C ^YOU1... ?

For Information Only

INTERVIEWER: Read categories to respondent and mark up to 4 responses that apply.

If respondent answers "mixed", "bi-racial" or "multi-racial", etc, probe for specific groups and mark each one separately (e.g., White, Black, Chinese).

Aboriginal people or First Nations are not included in the list of response categories because the *Employment Equity Act* defines visible minorities as "persons, other than Aboriginal persons, who are non-Caucasian in race or non-white in colour". Guidelines state that "Due to their status as First Nation people, Aboriginal peoples are specifically excluded from the definition".

Under the *Employment Equity Act*, Aboriginal Peoples are considered to be a separate designated group.

SDC_020A
SDC_020B

SDC_020C
SDC_020D
SDC_020E
SDC_020F
SDC_020G
SDC_020H

SDC_020I

SDC_020J
SDC_020K
SDC_020L

- 01 White
- 02 South Asian (e.g., East Indian, Pakistani, Sri Lankan)
- 03 Chinese
- 04 Black
- 05 Filipino
- 06 Latin American
- 07 Arab
- 08 Southeast Asian (e.g., Vietnamese, Cambodian, Malaysian, Laotian)
- 09 West Asian (e.g., Iranian, Afghan)
- 10 Korean
- 11 Japanese
- 12 Other - Specify (Go to PG_S01)
- DK, RF

Go to PG_END

Help text:

Tag: Racial or cultural group

All response categories and examples must be read aloud, even if the respondent has already given a response.

If the respondent provides a response that is not on the list, do not reclassify it into one of the given categories. For example, do not select "White" if the respondent says "Caucasian". Instead, record "Caucasian" in the "Other - Specify" category.

If no preceding aboriginal question block is on the survey, and an aboriginal respondent answers that they are First Nations, Métis or Inuk (Inuit), select <12 Other - Specify> and enter "NA".

PG_S01

(^YOU2_C may belong to one or more racial or cultural groups on the following list.

^ARE_C ^YOU1... ?)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

Programmer:

*Any lower case text typed into the field should be converted to upper case text
after <Enter> is pressed.*

PG_END

For Information Only

Language minimum (LAN)

	Harmonized content
LAN_BEG	External variables required: PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy FNAME Import: DOVERB, YOU2, YOU1. S
Programmer:	***HARMONIZED CONTENT BLOCK*** Add layout instruction to display all answer options
LAN_D01	Not Applicable
LAN_Q01 SDC_025	Of English or French, which language(s) ^DOVERB ^YOU2 speak well enough to conduct a conversation? Is it... ? <u>INTERVIEWER</u> : Read categories to respondent. 1 English only 2 French only 3 Both English and French 4 Neither English nor French DK, RF
Help text:	Tag: Knowledge of official languages For a child who has not yet learned to speak: Report the language(s) that the child is learning to speak at home: English, French, both or neither.
LAN_B02	Call LanguageLookUp block (LLU) a maximum of three times. Always call it the first time; call subsequent items if the previous instances LAN_B02.LangCode is a response other than 90000000 (No more languages).

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Help text:	<p><i>Tag: Home language spoken most often</i></p> <p><i>For a child who has not yet learned to speak: Report the language spoken most often to this child at home. If two languages are spoken, report the language spoken most often. If both languages are used equally often, report both languages.</i></p> <p><i>For a person who lives alone, report the language in which the respondent feels most comfortable (this can be the language the respondent would use to talk on the telephone, entertain friends at home, etc.).</i></p> <p><i>Some languages like Chinese (Cantonese, Mandarin or other Chinese language) and those used by Jewish communities (such as Hebrew or Yiddish) have regional dialects which should be reported as separate response options. Probe the respondent for the correct language.</i></p>
Programmer:	<p><i>Pass via parameter (question text, interviewer instruction, instance number):</i></p> <p><i>QTEXT = What language ^DOVERB ^YOU1 speak most often at home?</i></p> <p><i>ITEXT = Mark up to three responses. Multiple responses are accepted only if languages are spoken equally often at home.</i></p> <p><i>INSTNUM = (min: 1 - max: 3)</i></p>
LAN_E02A	<p>The answer category "111 - No more languages" cannot be selected as the first response for this question. If the respondent cannot provide an answer to this question, please select DK or RF.</p>
Rule:	<p><i>Trigger hard edit if at the first iteration of the question, the interviewer selects "111 - No more languages" DV_LANGCODE = 90000000.</i></p>
LAN_E02B	<p>The same language has been selected a second time. Please return and correct.</p>
Rule:	<p><i>Trigger hard edit if any two language codes (LAN_B02.LangCode) are equal. DV_LANGCODE = 22240000 (Other-Specify) is an exception to this edit: multiple other-specify responses are acceptable.</i></p>
LAN_B03	<p>Call LanguageLookUp block (LLU) a maximum of three times. Always call it the first time; call subsequent items if the previous instances LAN_B03.LangCode is a response other than 90000000 (No more languages).</p>

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Help text:

Tag: Mother tongue

This question should be asked of children between the ages of 0-5 years where their main introduction to the first language learned at home would be through their parents and siblings.

*For a child who has not yet learned to speak:
Report the language spoken most often to this child at home. Report two languages only if both languages are spoken equally often so that the child learns both languages at the same time.*

Some languages like Chinese (Cantonese, Mandarin or other Chinese language) and those used by Jewish communities (such as Hebrew or Yiddish) have regional dialects which should be reported as separate response options. Probe the respondent for the correct language.

Programmer:

Pass via parameter (question text, interviewer instruction, instance number):

QTEXT = What is the language that ^YOU1 first learned at home in childhood and still understand^S?

ITEXT = Mark up to three responses. If the respondent no longer understands the first language learned, indicate the second language learned. Accept multiple responses only if languages were learned at the same time.

INSTNUM = (min: 1 - max: 3)

LAN_E03A

The answer category "111 - No more languages" cannot be selected as the first response for this question. If the respondent cannot provide an answer to this question, please select DK or RF.

Rule:

Trigger hard edit if at the first iteration of the question, the interviewer selects "111 - No more languages" DV_LANGCODE = 90000000.

LAN_E03B

The same language has been selected a second time. Please return and correct.

Rule:

Trigger hard edit if any two language codes (LAN_B03.LangCode) are equal. DV_LANGCODE = 22240000 (Other-Specify) is an exception to this edit: multiple other-specify responses are acceptable.

LAN_END

Language look-up (LLU)

Harmonized content

LLU_BEG

Content block

Import the following variables:

QTEXT {STRING} Question text (English)
ITEXT {STRING} Instruction text (English)
HTEXTID {STRING} Help text identifier (English)
INSTNUM {Integer} Instance number of this block

LLU_D01

DV_LANGTEXT = (String 80) and LANGCODE (0..99999990)

LLU_Q01

^QTEXT

INTERVIEWER: ^ITEXT

Start typing name of language to activate the search function.
Enter "Other - Specify" if the language is not part of the list.
Start typing "111" to select the item which indicates no (more)
languages.

DK, RF

Programmer:

Use the *Language_LookUpList_With_StdCodeFinal.xls* for "Other-Search" -
Alpha/Trigram (Trigram default). Please ensure that an orange triangle appears
beside the field-id in the header line in the question text area of the screen.

The 2nd and 3rd iteration of ^QTEXT should be displayed in black bold parenthesis.

In the form pane, the tags should be displayed as:

LLU_Q01 [1]
LLU_S01 [1]
LLU_Q01 [2]
LLU_S01 [2]
LLU_Q01 [3]
LLU_S01 [3]

LLU_C01

If DV_LANGCODE = 22240000 (Other - Specify), go to LLU_S01.
Otherwise, go to LLU_END.

LLU_S01

(^QTEXT)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

Programmer:

Use *MakeUpperNotBlank* procedure on LLU_S01.

DK, RF not allowed

LLU_END

Person most knowledgeable about household situation (PMK)

Core content

PMK_BEG

Core content

External variables required:

PROXYMODE: proxy identifier, from the GR block.

DOPMK: do block flag, from the sample file.

DV_HHSIZE: Household size from the Entry.

PROV: Province of residence from the Entry module

AGE: Age of selected respondent

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

PMK_C001A

If DOPMK = 2, go to PMK_END.

Otherwise, go to PMK_C001B.

PMK_C001B

If PROXYMODE = 1, go to PMK_END.

Otherwise, go to PMK_C001C.

PMK_C001C

If Maximum age in household < 18, go to PMK_END.

Otherwise, go to PMK_C001D.

PMK_C001D

If DV_HHSIZE = 1 (respondent lives alone) or if AGE > 17, go to PMK_END.

Otherwise, go to PMK_C001E.

PMK_C001E

If AGE < 14, go to PMK_R010.

Otherwise, go to PMK_C001F.

PMK_C001F

If PROV = 24 (Quebec), go to PMK_R005C.

Otherwise, go to PMK_C001G.

PMK_C001G

If PROV = 60, 61 or 62 (Yukon, N.W.T. or Nunavut), go to PMK_R005B.

Otherwise, go to PMK_R005A.

PMK_R005A

To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.

Provincial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses or telephone numbers will be provided.

INTERVIEWER: The personal identifiers (names, addresses and telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada. "Provincial ministries of health" includes the territorial ministries of health.

Press <1> to continue.

Go to PMK_Q005

PMK_R005B

To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.

Territorial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses, telephone numbers or health numbers will be provided.

INTERVIEWER: The personal identifiers (names, addresses and telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada.

Press <1> to continue.

Go to PMK_Q005

PMK_R005C

To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, the "Institut de la Statistique du Québec", Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.

The "Institut de la Statistique du Québec" and provincial ministries of health may make this information available to local health authorities, but no identifiable information such as names, addresses or telephone numbers will be provided.

INTERVIEWER: The personal identifiers (names, addresses or telephone numbers) will not be provided to Health Canada or the Public Health Agency of Canada. "Provincial ministries of health" includes the territorial ministries of health.

Press <1> to continue.

These organizations have agreed to keep your information confidential and use it only for statistical purposes.

Do you agree to share the information provided?

- 1 Yes
- 2 No
- DK, RF

PMK_Q005
PMK_005

PMK_R010

For the last few questions, I would like to speak with someone who would be best able to answer questions about the entire household such as household income and food purchases.

INTERVIEWER: Press <1> to continue.

PMK_Q010

PMK_010

Who would this person be?

INTERVIEWER: Select most knowledgeable person from the household roster.

01 MEMBER1
02 MEMBER2
03 MEMBER3
04 MEMBER4
05 MEMBER5
06 MEMBER6
07 MEMBER7
08 MEMBER8
09 MEMBER9
10 MEMBER10
11 MEMBER11
12 MEMBER12
13 MEMBER13
14 MEMBER14
15 MEMBER15
16 MEMBER16
17 MEMBER17
18 MEMBER18
19 MEMBER19
20 MEMBER20
(DK, RF not allowed)

Programmer:

Programmer: Display household members by personID in ascending order so as to ensure that category values match the personID variable.

PMK_E010

The minimum age required to complete the remaining questions in the survey is 18 years of age or older. Please choose another household member as the person most knowledgeable (PMK).

Rule:

Trigger soft edit if age of PMK_Q010 < 18.

PMK_D010

If PMK_Q010 is the respondent or age of PMK_Q010 < 18, DV_PMKFLAG = 2
Otherwise, DV_PMKFLAG = 1

PMK_C015

If DV_PMKFLAG=2, go to PMK_D020.
Otherwise, go to PMK_D015.

PMK_D015

If PMK_Q010 = 1, DT_MEMBERNAME = 'MEMBER1'.

If PMK_Q010 = 2, DT_MEMBERNAME = 'MEMBER2'.
If PMK_Q010 = 3, DT_MEMBERNAME = 'MEMBER3'.
If PMK_Q010 = 4, DT_MEMBERNAME = 'MEMBER4'.
If PMK_Q010 = 5, DT_MEMBERNAME = 'MEMBER5'.
If PMK_Q010 = 6, DT_MEMBERNAME = 'MEMBER6'.
If PMK_Q010 = 7, DT_MEMBERNAME = 'MEMBER7'.
If PMK_Q010 = 8, DT_MEMBERNAME = 'MEMBER8'.
If PMK_Q010 = 9, DT_MEMBERNAME = 'MEMBER9'.
If PMK_Q010 = 10, DT_MEMBERNAME = 'MEMBER10'.
If PMK_Q010 = 11, DT_MEMBERNAME = 'MEMBER11'.
If PMK_Q010 = 12, DT_MEMBERNAME = 'MEMBER12'.
If PMK_Q010 = 13, DT_MEMBERNAME = 'MEMBER13'.
If PMK_Q010 = 14, DT_MEMBERNAME = 'MEMBER14'.
If PMK_Q010 = 15, DT_MEMBERNAME = 'MEMBER15'.
If PMK_Q010 = 16, DT_MEMBERNAME = 'MEMBER16'.
If PMK_Q010 = 17, DT_MEMBERNAME = 'MEMBER17'.
If PMK_Q010 = 18, DT_MEMBERNAME = 'MEMBER18'.
If PMK_Q010 = 19, DT_MEMBERNAME = 'MEMBER19'.
If PMK_Q010 = 20, DT_MEMBERNAME = 'MEMBER20'.

PMK_Q015
PMK_015

Is ^DT_MEMBERNAME available?

- 1 Yes
- 2 No
- 3 Person most knowledgeable about household refuses to participate.
(DK, RF not allowed)

PMK_D020

If DV_PMKFLAG=1 and PMK_Q015=1, DV_PMKPROXY = 1
Otherwise, DV_PMKPROXY = 2

PMK_C025A

If DV_PMKPROXY=1, go to PMK_R035.
Otherwise, go to PMK_C025B.

PMK_C025B

If DV_PMKFLAG=2 or PMK_Q015 = 3, go to PMK_R025.
Otherwise, go to PMK_R030.

PMK_R025

This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time.

INTERVIEWER: Press <1> to continue.

Go to PMK_END

Programmer:

This case will be taken to the OC_N01 screen, where the interviewer can determine the status of the case

PMK_R030

This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. I would now like to try and find the best time to speak with ^DT_MEMBERNAME.

INTERVIEWER: Press <1> to continue.

Go to PMK_END

Programmer:

This case will be taken to the OC_N01 screen where the interview can book an appointment to re-contact the PMK at a later time.

PMK_R035

This completes your portion of the interview. On behalf of Statistics Canada, I would like to thank you very much for your time. I would now like to speak with ^MEMBERNAME.

INTERVIEWER: You should continue with the most knowledgeable person about the household.

Press < 1 > to continue.

PMK_R040

Hello, My name is... I've just completed the main portion of the interview with <Respondent's name>. At this point I need to finish the interview with a few general questions on your household's situation. <Respondent's name> said you would be the best person to answer these types of questions.

INTERVIEWER: Press <1> to continue.

Programmer:

Fill <Respondent's name> with PE_Q01 from USU block.

PMK_END

Income (INC)

Core content

INC_BEG

Core content

External variables required:

LMAM_Q01: Worked last week

LMAM_Q02: Absent from job last week

AGE: Age of respondent

DV_HHSIZE: Household size from the Entry

PROXYMODE: proxy identifier, from the GR block.

PROXYSEX: gender of targeted respondent and whether the interview is being conducted by proxy.

DOINC: do block flag, from the sample file.

DV_PMKProxy: PMK identifier from the PMK block

CURRENTYEAR: the year during which the information is collected

PE_Q01: first name of specific respondent from USU block

PE_Q02: last name of specific respondent from USU block

Screen display:

Display on header bar PE_Q01 and PE_Q02 separated by a space

INC_C001A

If DOINC = 2, go to INC_END.

Otherwise, go to INC_C001B.

INC_C001B

If DV_PMKProxy = 2, go to INC_END.

Otherwise, go to INC_D001.

INC_D001

DV_PASTYEAR = CURRENTYEAR [minus] 1 {(e.g. 2008 - 1 = 2007)}.

INC_R001

Although many health expenses are covered by health insurance, there is still an important relationship between health and income. Please be assured that, like all other information you have provided, these answers will be kept strictly confidential.

INTERVIEWER: Press <1> to continue.

INC_Q005

Thinking about the total income for all household members, from which of the following sources did ^YOUR1 household receive any income in the year ending December 31, ^DV_PASTYEAR?

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

INTERVIEWER: Read categories to respondent.
Mark all that apply.

- | | | | |
|----------|--------|--|------------------|
| INC_005A | 01 | Wages and salaries | |
| INC_005B | 02 | Income from self-employment | |
| INC_005C | 03 | Dividends and interest (e.g., on bonds, savings) | |
| INC_005D | 04 | Employment insurance | |
| INC_005E | 05 | Workers' compensation | |
| INC_005F | 06 | Benefits from Canada or Quebec Pension Plan | (Go to INC_Q010) |
| INC_005G | 07 | Job-related retirement pensions, superannuation and annuities | |
| INC_005H | 08 | RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund) | |
| INC_005I | 09 | Old Age Security and Guaranteed Income Supplement | |
| INC_005J | 10 | Provincial or municipal social assistance or welfare | (Go to INC_Q010) |
| INC_005K | 11 | Child Tax Benefit or family allowances | |
| INC_005L | 12 | Child support | |
| INC_005M | 13 | Alimony | |
| INC_005N | 14 | Other (e.g., rental income, scholarships) | |
| INC_005O | 15 | None | |
| | DK, RF | | (Go to INC_END) |

Go to INC_C015

INC_E005A You cannot select "None" and another category. Please return and correct.

Rule: Trigger hard edit if INC_Q005 = 15 (None) and any other response selected in INC_Q005.

INC_E005B A response inconsistent with a response to a previous question has been entered. Please confirm.

Rule: Trigger soft edit if (INC_Q005 <> 1 or 2) and (LMAM_Q01 = 1 or LMAM_Q02 = 1).

INC_Q010 Does this amount include a supplement for people with disabilities?

- | | | |
|---------|--------|-----|
| INC_010 | 1 | Yes |
| | 2 | No |
| | DK, RF | |

INC_C015 If more than one source of income is indicated in INC_Q005, go to INC_Q015. Otherwise, go to INC_B020.

INC_Q015
INC_015

What was the main source of household income?

- 01 Wages and salaries
- 02 Income from self-employment
- 03 Dividends and interest (e.g., on bonds, savings)
- 04 Employment insurance
- 05 Workers' compensation
- 06 Benefits from Canada or Quebec Pension Plan
- 07 Job-related retirement pensions, superannuation and annuities
- 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)
- 09 Old Age Security and Guaranteed Income Supplement
- 10 Provincial or municipal social assistance or welfare
- 11 Child Tax Benefit or family allowances
- 12 Child support
- 13 Alimony
- 14 Other (e.g., rental income, scholarships)
- 15 None
- DK, RF

Processing:

In processing, if the respondent reported only one source of income in INC_Q005, the variable INC_Q015 will be given its value.

Programmer:

Only display answer categories that were selected in INC_Q005.

INC_B020

Call Sub-block "Total Household Income" (THI) from Harmonized Content

INC_E020A

A response inconsistent with a response to a previous question has been entered. Respondent declared sources of income in INC_Q005 but no income value was reported in THI_Q01. Please confirm.

Rule:

Trigger soft edit if (THI_Q01 = 0 and INC_Q005 <> 15 (None))

INC_E020B

A response inconsistent with a response to a previous question has been entered. Respondent declared an income value in THI_Q01 but no source of income was reported in INC_Q005. Please confirm.

Rule:

Trigger soft edit if (INC_Q005 = 15 and (THI_Q01 > 0 or THI_Q02 = 2 or (THI_Q02 = 1 and THI_Q03 > 1)))

INC_C025A

If DV_HHSIZE > 1, go to INC_C025B.
Otherwise, go to INC_END.

INC_C025B

If AGE > 17, go to INC_D025.
Otherwise, go to INC_END.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

INC_D025	Not Applicable
INC_Q025	Thinking about ^YOUR2 total personal income, from which of the following sources did ^YOU1 receive any income in the year ending December 31, ^DV_PASTYEAR? <u>INTERVIEWER</u> : Read categories to respondent. Mark all that apply.
INC_025A	01 Wages and salaries
INC_025B	02 Income from self-employment
INC_025C	03 Dividends and interest (e.g., on bonds, savings)
INC_025D	04 Employment insurance
INC_025E	05 Workers' compensation
INC_025F	06 Benefits from Canada or Quebec Pension Plan (Go to INC_C030)
INC_025G	07 Job-related retirement pensions, superannuation and annuities
INC_025H	08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)
INC_025I	09 Old Age Security and Guaranteed Income Supplement
INC_025J	10 Provincial or municipal social assistance or welfare (Go to INC_C030)
INC_025K	11 Child Tax Benefit or family allowances
INC_025L	12 Child support
INC_025M	13 Alimony
INC_025N	14 Other (e.g., rental income, scholarships)
INC_025O	15 None (Go to INC_END) DK, RF
	Go to INC_C035
INC_E025A	A selected source of personal income is not selected as one of the sources of income for all household members. Please return and correct.
Rule:	<i>Trigger hard edit if any response other than 15 is selected in INC_Q025 and is not selected in INC_Q005.</i>
INC_E025B	You cannot select "None" and another category. Please return and correct.
Rule:	<i>Trigger hard edit if INC_Q025 = 15 (None) and any other response selected in INC_Q025.</i>
INC_C030	If INC_Q010 = 1, go to INC_C035. Otherwise, go to INC_Q030.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

INC_Q030
INC_030 Does this amount include a supplement for people with disabilities?

- 1 Yes
- 2 No
- DK, RF

Processing: *In processing, if the respondent reported INC_Q010 = 1, the variable INC_Q030 will be given the value of 9 (Not Stated).*

INC_C035 If more than one source of income is indicated in INC_Q025, go to INC_Q035.
Otherwise, go to INC_B040.

INC_Q035
INC_035 What was the main source of ^YOUR1 personal income?

- 01 Wages and salaries
 - 02 Income from self-employment
 - 03 Dividends and interest (e.g., on bonds, savings)
 - 04 Employment insurance
 - 05 Workers' compensation
 - 06 Benefits from Canada or Quebec Pension Plan
 - 07 Job-related retirement pensions, superannuation and annuities
 - 08 RRSP/RRIF (Registered Retirement Savings Plan/Registered Retirement Income Fund)
 - 09 Old Age Security and Guaranteed Income Supplement
 - 10 Provincial or municipal social assistance or welfare
 - 11 Child Tax Benefit or family allowances
 - 12 Child support
 - 13 Alimony
 - 14 Other (e.g., rental income, scholarships)
 - 15 None
 - DK, RF
- (Go to INC_END)

Processing: *In processing, if the respondent reported only one source of income in INC_Q025, the variable INC_Q035 will be given its value.*

Programmer: *Only display answer categories that were selected in INC_Q025.*

INC_B040 Call Sub-block "Total Personal Income" (TPI) from Harmonized Content

INC_E040A A response inconsistent with a response to a previous question has been entered. Respondent declared sources of income in INC_Q025 but no income value was reported in TPI_Q01. Please confirm.

Rule: Trigger soft edit if (TPI_Q01 = 0 and INC_Q025 <> 15 (None)).

INC_E040B A response inconsistent with a response to a previous question has been entered. Respondent declared an income value in TPI_Q01 but no source of income was reported in INC_Q025. Please confirm.

Rule: Trigger soft edit if (INC_Q025 = 15 and (TPI_Q01 > 0 or TPI_Q02 = 2 or (TPI_Q02 = 1 and TPI_Q03 > 1)))

INC_E040C A response inconsistent with a response to a previous question has been entered. Personal income value is greater than household income value. Please confirm and ensure that the respondent's personal income was included in the total household income.

Rule: Trigger soft edit if THI_Q01 <> DK or RF and TPI_Q01 > THI_Q01.

INC_END

For Information Only

INTERVIEWER: Read categories to respondent.

- | | | |
|--------|--|-----------------|
| 1 | Less than \$50,000,
including income loss | (Go to THI_Q03) |
| 2 | \$50,000 and more | (Go to THI_Q04) |
| DK, RF | | |

Go to THI_END

THI_Q03
INC_023

Please stop me when I have read the category which applies to
^YOUR1 household.

Was it... ?

INTERVIEWER: Read categories to respondent.

- | | |
|--------|-----------------------------------|
| 1 | Less than \$5,000 |
| 2 | \$5,000 to less than
\$10,000 |
| 3 | \$10,000 to less than
\$15,000 |
| 4 | \$15,000 to less than
\$20,000 |
| 5 | \$20,000 to less than
\$30,000 |
| 6 | \$30,000 to less than
\$40,000 |
| 7 | \$40,000 to less than
\$50,000 |
| DK, RF | |

Go to THI_END

THI_Q04
INC_024

Please stop me when I have read the category which applies to
^YOUR1 household.

Was it... ?

INTERVIEWER: Read categories to respondent.

- | | |
|--------|-------------------------------------|
| 1 | \$50,000 to less than
\$60,000 |
| 2 | \$60,000 to less than
\$70,000 |
| 3 | \$70,000 to less than
\$80,000 |
| 4 | \$80,000 to less than
\$90,000 |
| 5 | \$90,000 to less than
\$100,000 |
| 6 | \$100,000 to less than
\$150,000 |
| 7 | \$150,000 and over |
| DK, RF | |

THI_END

For Information Only

INTERVIEWER: Read categories to respondent.

- | | | |
|--------|--|-----------------|
| 1 | Less than \$30,000,
including income loss | (Go to TPI_Q03) |
| 2 | \$30,000 and more | (Go to TPI_Q04) |
| DK, RF | | |

Go to TPI_END

TPI_Q03
INC_043

Please stop me when I have read the category which applies to
^HIMHER.

Was it... ?

INTERVIEWER: Read categories to respondent.

- | | |
|--------|-----------------------------------|
| 1 | Less than \$5,000 |
| 2 | \$5,000 to less than
\$10,000 |
| 3 | \$10,000 to less than
\$15,000 |
| 4 | \$15,000 to less than
\$20,000 |
| 5 | \$20,000 to less than
\$25,000 |
| 6 | \$25,000 to less than
\$30,000 |
| DK, RF | |

Go to TPI_END

TPI_Q04
INC_044

Please stop me when I have read the category which applies to
^HIMHER.

Was it... ?

INTERVIEWER: Read categories to respondent.

01 \$30,000 to less than
\$40,000
02 \$40,000 to less than
\$50,000
03 \$50,000 to less than
\$60,000
04 \$60,000 to less than
\$70,000
05 \$70,000 to less than
\$80,000
06 \$80,000 to less than
\$90,000
07 \$90,000 to less than
\$100,000
08 \$100,000 and over
DK, RF

Go to TPI_END

TPI_END

For Information Only

Administration information (ADM)

	Core content
ADM_BEG	Core content
	External variables required:
	DOADM: flag to activate the block from the sample file.
	PROXYMODE: proxy identifier, from the GR block.
	DV_PMKProxy: PMK identifier from the PMK block
	PROV: Province of residence from the Entry module
	PLATFORM: The mode of collection
	The PLATFORM is defined as tCaseType and there are 3 answer categories:
	0. CTCAPI
	1. CTCATI
	2. CTCATIDwelling
	PE_Q01: first name of specific respondent from USU block
	PE_Q02: last name of specific respondent from USU block
	Screen display:
	Display on header bar PE_Q01 and PE_Q02 separated by a space
Processing:	<i>If CAPI (Caseman) then PLATFORM = 0</i>
	<i>If CATI:</i>
	<i>If mode = 1 and CaseFlag1 = 0 then PLATFORM = 2 (CATI Dwelling)</i>
	<i>Otherwise, PLATFORM = 1 (CCBT - respondents aged 12 to 17)</i>
ADM_C001A	If DOADM = 2, go to ADM_END. Otherwise, go to ADM_C001B.
ADM_C001B	If DV_PMKProxy = 2, go to ADM_END. Otherwise, go to ADM_D001A.
ADM_D001A	If PROV = 60, 61 or 62, DT_PROVTERRE = 'territorial'. Otherwise, DT_PROVTERRE = 'provincial'.
ADM_D001B	If PROV = 24, DT_STAT = 'Statistics Canada, your ^DT_PROVTERRE ministry of health and the "Institut de la Statistique du Québec". Otherwise, DT_STAT = 'Statistics Canada and your ^DT_PROVTERRE ministry of health'.
ADM_D001C	If DV_PMKProxy=1, DT_YOUR = '^FNAME's and your'. Otherwise, DT_YOUR = 'your'.
ADM_Q005 ADM_005	^DT_STAT may combine ^DT_YOUR responses with information from other survey or administrative sources. This may include information on past and continuing use of health services such as visits to hospitals, clinics and doctor's offices.

INTERVIEWER: Press <1> to continue, unless respondent objects to combining responses with other data sources.

- 1 Continue (Go to ADM_D010A)
- 2 Respondent does not want his or her responses combined with other sources
- 3 Other [e.g., respondent hung up, interview suspended or interrupted]
(DK, RF not allowed)

Go to ADM_D025

ADM_D010A

If PROV = 10, DT_PROVINCEE = 'a Newfoundland and Labrador'.
If PROV = 11, DT_PROVINCEE = 'a Prince Edward Island'.
If PROV = 12, DT_PROVINCEE = 'a Nova Scotia'.
If PROV = 13, DT_PROVINCEE = 'a New Brunswick'.
If PROV = 24, DT_PROVINCEE = 'a Quebec'.
If PROV = 35, DT_PROVINCEE = 'an Ontario'.
If PROV = 46, DT_PROVINCEE = 'a Manitoba'.
If PROV = 47, DT_PROVINCEE = 'a Saskatchewan'.
If PROV = 48, DT_PROVINCEE = 'an Alberta'.
If PROV = 59, DT_PROVINCEE = 'a British Columbia'.
If PROV = 60, DT_PROVINCEE = 'a Yukon'.
If PROV = 61, DT_PROVINCEE = 'a Northwest Territories'.
If PROV = 62, DT_PROVINCEE = 'a Nunavut'.

ADM_D010B

If DV_PMKProxy=1, DT_DOYOU2 = 'Does ^FNAME'.
Otherwise, DT_DOYOU2 = '^DOVERB_C ^YOU2'.

ADM_D010C

If DV_PMKProxy=1 and SEX_Q01 = 1, DT_YOUR1 = 'his'.
Otherwise, if DV_PMKProxy=1 and SEX_Q01 = 2, DT_YOUR1 = 'her'.
Otherwise, DT_YOUR1 = '^YOUR1'.

ADM_Q010

Having a provincial or territorial health number will assist us in linking to this other information.

^DT_DOYOU2 have ^DT_PROVINCEE health number?

- 1 Yes (Go to ADM_D020)
 - 2 No (Go to ADM_D025)
- DK, RF (Go to ADM_D025)

ADM_Q015

For which province or territory is ^DT_YOUR1 health number?

10 Newfoundland and
Labrador
11 Prince Edward Island
12 Nova Scotia
13 New Brunswick
24 Quebec
35 Ontario
46 Manitoba
47 Saskatchewan
48 Alberta
59 British Columbia
60 Yukon
61 Northwest Territories
62 Nunavut
88 Does not have a (Go to ADM_D025)
Canadian health number
DK, RF (Go to ADM_D025)

Go to ADM_D020

ADM_D020

If PROV=10 and ADM_Q010=1, DV_HNPROV = 10
If PROV=11 and ADM_Q010=1, DV_HNPROV = 11
If PROV=12 and ADM_Q010=1, DV_HNPROV = 12
If PROV=13 and ADM_Q010=1, DV_HNPROV = 13
If PROV=24 and ADM_Q010=1, DV_HNPROV = 24
If PROV=35 and ADM_Q010=1, DV_HNPROV = 35
If PROV=46 and ADM_Q010=1, DV_HNPROV = 46
If PROV=47 and ADM_Q010=1, DV_HNPROV = 47
If PROV=48 and ADM_Q010=1, DV_HNPROV = 48
If PROV=59 and ADM_Q010=1, DV_HNPROV = 59
If PROV=60 and ADM_Q010=1, DV_HNPROV = 60
If PROV=61 and ADM_Q010=1, DV_HNPROV = 61
If PROV=62 and ADM_Q010=1, DV_HNPROV = 62
Otherwise, DV_HNPROV = ADM_Q015

ADM_B025

Call HN Algorithm.

ADM_D025

If ADM_Q005 = 1, DT_SHARE1 = 'names, addresses, telephone numbers
and health numbers will be provided'.
Otherwise, DT_SHARE1 = 'names, addresses and telephone numbers
will be provided'.

ADM_C025

If PROV = 24 (Quebec), go to ADM_R030.
Otherwise, go to ADM_R025.

ADM_R025

To avoid duplication of surveys, Statistics Canada has signed
agreements with provincial and territorial ministries of health, Health
Canada and the Public Health Agency of Canada to share the
information that you provided on this survey.

Provincial ministries of health may make this information available to
local health authorities, but no identifiable information such as
^DT_SHARE1.

INTERVIEWER: The personal identifiers (names, addresses, telephone numbers and health numbers) will not be provided to Health Canada or the Public Health Agency of Canada. "Provincial ministries of health" includes the territorial ministries of health.

Press <1> to continue.

Go to ADM_Q035

ADM_R030

To avoid duplication of surveys, Statistics Canada has signed agreements with provincial and territorial ministries of health, the "Institut de la Statistique du Québec", Health Canada and the Public Health Agency of Canada to share the information that you provided on this survey.

The "Institut de la Statistique du Québec" and provincial ministries of health may make this information available to local health authorities, but no identifiable information such as ^DT_SHARE1.

INTERVIEWER: The personal identifiers (names, addresses, telephone numbers and health numbers) will not be provided to Health Canada or the Public Health Agency of Canada. "Provincial ministries of health" includes the territorial ministries of health.

Press <1> to continue.

ADM_Q035
ADM_035

These organizations have agreed to keep your information confidential and use it only for statistical purposes.

Do you agree to share the information provided?

- 1 Yes
- 2 No
- DK, RF

ADM_C040

If PLATFORM = 1 or 2 (CATI: Case NOT in CASEMAN), go to ADM_N045. Otherwise, go to ADM_N040.

ADM_N040
ADM_040

INTERVIEWER: Was this interview conducted on the telephone or in person?

- 1 On telephone
 - 2 In person
 - 3 Both
- (DK, RF not allowed)

ADM_N045
ADM_045

INTERVIEWER: Was the respondent alone when you asked the health component of this questionnaire?

- 1 Yes (Go to ADM_N055)
 - 2 No (Go to ADM_N055)
 - DK (Go to ADM_N055)
- (RF not allowed)

ADM_N050
ADM_050

INTERVIEWER: Do you think that the answers of the respondent were
affected by someone else being there?

- 1 Yes
- 2 No
- DK
- (RF not allowed)

ADM_N055
ADM_055

INTERVIEWER: Record language of interview.

- 01 English
- 02 French
- 03 Chinese
- 04 Italian
- 05 Punjabi
- 06 Spanish
- 07 Portuguese
- 08 Polish
- 09 German
- 10 Vietnamese
- 11 Arabic
- 12 Tagalog (Filipino)
- 13 Greek
- 14 Tamil
- 15 Cree
- 16 Afghan (Dari, Pashto)
- 17 Cantonese
- 18 Hindi
- 19 Mandarin
- 20 Persian (Farsi, Dari, Tajiki)
- 21 Russian
- 22 Ukrainian
- 23 Urdu
- 24 Inuktitut
- 90 Other - Specify (Go to ADM_S055)
- (DK, RF not allowed)

Go to ADM_END

ADM_S055

(Record language of interview.)

INTERVIEWER: Specify.

(80 spaces)

(DK, RF not allowed)

ADM_END

Health number validation (HN)

	Core content
HN_BEG	Core content
	External variables required:
	DV_HNPROV: Province of respondent's health card
	SEX_Q01: Sex of respondent
	PROXYMODE: proxy identifier, from the GR block.
	DV_PMKProxy: PMK identifier from the PMK block.
	DV_HNGood: Yes/no flag created by HN validation algorithm.
Programmer:	<i>Derive DV_HNGood flag from HN validation algorithm.</i>
HN_D001A	<p>If DV_HNPROV=10, DT_HNPROVE = 'Newfoundland and Labrador'. If DV_HNPROV=11, DT_HNPROVE = 'Prince Edward Island'. If DV_HNPROV=12, DT_HNPROVE = 'Nova Scotia'. If DV_HNPROV=13, DT_HNPROVE = 'New Brunswick'. If DV_HNPROV=24, DT_HNPROVE = 'Quebec'. If DV_HNPROV=35, DT_HNPROVE = 'Ontario'. If DV_HNPROV=46, DT_HNPROVE = 'Manitoba'. If DV_HNPROV=47, DT_HNPROVE = 'Saskatchewan'. If DV_HNPROV=48, DT_HNPROVE = 'Alberta'. If DV_HNPROV=59, DT_HNPROVE = 'British Columbia'. If DV_HNPROV=60, DT_HNPROVE = 'Yukon'. If DV_HNPROV=61, DT_HNPROVE = 'the Northwest Territories'. If DV_HNPROV=62, DT_HNPROVE = 'Nunavut'.</p>
HN_D001B	Not Applicable
HN_D001C	<p>If DV_HNPROV=10, DT_DIGITSE = 'twelve numbers'. If DV_HNPROV=11, DT_DIGITSE = 'eight numbers'. If DV_HNPROV=12 or 59, DT_DIGITSE = 'ten numbers'. If DV_HNPROV=13, 46, 47, 48 or 62, DT_DIGITSE = 'nine numbers'. If DV_HNPROV=24, DT_DIGITSE = 'four letters followed by eight numbers'. If DV_HNPROV=35, DT_DIGITSE = 'ten numbers. Do not include the two letters at the end for green health cards'. If DV_HNPROV=60, DT_DIGITSE = 'nine numbers, beginning with 002'. If DV_HNPROV=61, DT_DIGITSE = 'one letter followed by seven numbers'.</p>
HN_D001D	<p>If DV_HNPROV=46, DT_HNSPECE = 'Note: In Manitoba, health numbers of families can be listed on the same card. Be sure to capture the intended respondent's health number if there is more than one on the card.' If DV_HNPROV=59, DT_HNSPECE = 'Note: In British Columbia, residents may have a combined driver's license and health card. If the respondent has a combined card, the health number is on the back above the barcode.' Otherwise, DT_HNSPECE = 'null'.</p>
HN_D001E	If DV_PMKProxy=1 and SEX_Q01 = 1, DT_YOUR1 = 'his'.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

	Otherwise, if DV_PMKProxy=1 and SEX_Q01 = 2, DT_YOUR1 = 'her'.
HN_Q005	What is ^DT_YOUR1 health number? <u>INTERVIEWER:</u> Enter a health number for ^DT_HNPROVE. In ^DT_HNPROVE, the health number is made up of ^DT_DIGITSE. Do not insert blanks, hyphens or commas between the numbers. ^DT_HNSPECE <hr/> (12 spaces) DK, RF
Processing:	<i>This is the variable associated with LNK_HN on release.</i>
Programmer:	<i>Response can only be a maximum length of the corresponding DV_HNPROV variable.</i>
HN_E005A	An invalid health number has been entered. Please return and correct.
Rule:	<i>Trigger soft edit if DV_HNPROV = (10,11,12,13,35,46,47,48) and HN_Q005 is all zeroes</i>
HN_E005B	Health number must be 12 numeric characters.
Rule:	<i>Trigger soft edit if DV_HNPROV=10 and (HN_Q005<12 characters or HN_Q005 contains a non-numeric character)</i>
HN_E005C	Health number must be 8 numeric characters.
Rule:	<i>Trigger soft edit if DV_HNPROV=11 and (HN_Q005<>8 characters or HN_Q005 contains a non-numeric character)</i>
HN_E005D	Health number must be 10 numeric characters.
Rule:	<i>Trigger soft edit if DV_HNPROV=12,35 and (HN_Q005<>10 characters or HN_Q005 contains a non-numeric character)</i>
HN_E005E	Health number must be 9 numeric characters.
Rule:	<i>Trigger soft edit if DV_HNPROV=13,46,47,48,60,62 and (HN_Q005<>9 characters or HN_Q005 contains a non-numeric character)</i>
HN_E005F	Health number must be 12 characters.
Rule:	<i>Trigger soft edit if DV_HNPROV=24 and HN_Q005<12 characters</i>
HN_E005G	The first four characters must be alphabetic.
Rule:	<i>Trigger soft edit if DV_HNPROV=24 and HN_Q005=12 characters and one or more of the first four characters is numeric.</i>
HN_E005H	The last eight characters must be numeric.

Canadian Community Health Survey - Annual Component (CCHS) 2015 / Risk Factors
for Heart Disease / CAPI/CATI

Rule:	<i>Trigger soft edit if DV_HNPROV=24 and HN_Q005=12 digits and the first four characters are alphabetic and one or more of the last eight is not numeric</i>
HN_E005I	First character of health number must be 9.
Rule:	<i>Trigger soft edit if DV_HNPROV=59 and HN_Q005 first character not 9</i>
HN_E005J	Health number must be 10 numeric characters.
Rule:	<i>Trigger soft edit if DV_HNPROV=59 and HN_Q005 first character=9 and (HN_Q005<>10 characters or HN_Q005 contains a non-numeric character)</i>
HN_E005K	The first three digits must be 002.
Rule:	<i>Trigger soft edit if DV_HNPROV=60 and HN_Q005=9 numeric characters and the first three characters are not 002</i>
HN_E005L	Health number must be 8 characters.
Rule:	<i>Trigger soft edit if DV_HNPROV=61 and HN_Q005<>8 characters.</i>
HN_E005M	The first character must be alphabetic.
Rule:	<i>Trigger soft edit if DV_HNPROV=61 and HN_Q005=8 characters and the first character is not alphabetic.</i>
HN_E005N	An invalid health number has been entered. Please return and correct.
Rule:	<i>Trigger soft edit if DV_HNPROV=61 and HN_Q005=8 characters and the first character is alphabetic but not in the valid range.</i>
HN_E005O	The last seven characters must be numeric.
Rule:	<i>Trigger soft edit if DV_HNPROV=61 and HN_Q005=8 characters and the first character of HN_Q005 is a valid letter but one or more of the last seven is not numeric</i>
HN_E005P	The first character of the health number must be 1.
Rule:	<i>Trigger soft edit if DV_HNPROV=62 and HN_Q005=9 characters and the first character is not 1</i>
HN_E005Q	An invalid health number has been entered. Please return and correct.
Rule:	<i>Trigger soft edit if DV_HNGood=No</i>
HN_END	

Topical Index

Aboriginal minimum (AMB)	150
Administration information (ADM)	176
Age of respondent (ANC1).....	4
Age without confirmation (ANC).....	6
Alcohol use (ALC).....	65
Chronic conditions (CCC)	40
Class of worker (LMA3)	131
Contacts with health professionals - part 1 (CHP).....	112
Date (DATE)	9
Education - school attendance v.1 (ESC1).....	29
Exposure to second hand smoke (ETS)	62
Flu shots (FLU).....	105
Fruit and vegetable consumption (FVC).....	48
General health (GEN)	30
Health minimum block (HM).....	32
Health number validation (HN)	181
Height and weight - self-reported (HWT).....	34
Immigration minimum block (IMM).....	147
Income (INC).....	164
Industry (LMA4).....	133
Labour force (LBF).....	126
Labour market activities minimal (LMAM).....	128
Language look-up (LLU).....	158
Language minimum (LAN).....	155
Main activity (MAC)	26
Maternal experiences (MEX)	92
Occupation (LMA5).....	137
Person most knowledgeable about household situation (PMK)	159
Physical activities - adults 18 years and older (PAA).....	67
Physical activities for youth (PAY).....	75
Physical activity detail (PAD).....	90
Population group (PG).....	152
Primary health care (PHC).....	107
Proxy interview (GR).....	2
Relationship matrix (REL).....	12
Relationship without confirmation (RNC).....	14
Risk factors for heart disease (RFH).....	120
Smoking (SMK).....	53
Socio-demographic characteristics (SDC).....	143
Subjective well-being minimum (SLM)	33
Total household income (THI).....	170
Total personal income (TPI).....	173
Update name (UN).....	11
Usual hours of work (LMA6)	140